

HPD UNIQUE IDENTIFIER: 22582

CLASSIFICATION: 04 22 23 Architectural Concrete Unit Masonry

PRODUCT DESCRIPTION: This HPD covers Permacon's Noble Block, with and without glass powder, made at the Montreal plant. More specifically this HPD concerns Noble Blocks in the following colors: Universal Grey, Cypress Beige, Porcelain White, Pearl Silver and Charcoal.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input checked="" type="radio"/> Nested Materials Method</p> <p><input type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p>Threshold level</p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p>Residuals/Impurities</p> <p>Residuals/Impurities</p> <p>Considered in 5 of 10 Materials</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input checked="" type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances except SC substances characterized according to SC guidance.</i></p> <p>Screened <input checked="" type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.</i></p> <p>Identified <input checked="" type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances disclosed by Name (Specific or Generic) and Identifier except SC substances identified according to SC guidance.</i></p>
--	--	--	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

SC:GEOMAT:AGGREGATESALTERNATIVE#1 [SC:SILICA Not Screened]

SC:GRANITE GNEISS Not Screened]

SC:GEOMAT:AGGREGATESALTERNATIVE#2 [SC:SILICA Not Screened]

SC:GEOMAT:AGGREGATES [SC:SILICA Not Screened]

SC:LIMESTONE Not Screened]

SC:GEOMAT:AGGREGATESALTERNATIVE#3 [SC:SILICA Not Screened]

SC:CALCIUM CARBONATE Not Screened]

SC:LIMESTONE Not Screened]

SC:GEOMAT:AGGREGATESALTERNATIVE#4 [SC:SILICA Not Screened]

SC:ALUMINUM TAILINGS Not Screened]

PORTLAND CEMENT [PORTLAND CEMENT LT-P1 | END | CAN]

CALCIUM OXIDE LT-P1 QUARTZ LT-1 | CAN PHOSPHOGYPSUM LT-UNK]

WHITE PORTLAND CEMENT [PORTLAND CEMENT LT-P1 | END | CAN]

QUARTZ LT-1 | CAN CALCIUM OXIDE LT-P1]

ADMIXTURE [WATER BM-4]

CALCIUM STEARATE LT-UNK]

POLYETHYLENE GLYCOL MONO(BRANCHED P-NONYLPHENYL) ETHER BM-1tp | END | MUL | REP | AQU | DEV]

TRIETHANOLAMINE LT-P1 | RES | END]

GLASS POWDER [GLASS / MINERAL FIBER (POST-CONSUMER RECYCLED) LT-UNK]

COLOR PIGMENTS [IRON OXIDE BM-1 | CAN]

FERRIC OXIDE BM-1 | CAN]

FERRIC OXIDE, YELLOW LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: GeologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

Permacon's products have been screened at a 1,000 ppm level so that all intentional materials and known potential residuals that could have existed in raw materials, at that level, have been disclosed. Permacon's Noble Block contains special condition materials, geological materials, which have been reported accordingly.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - N/A

Third Party Verified?

- Yes
- No

PREPARER: Vertima

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-10-19

PUBLISHED DATE: 2020-10-19

EXPIRY DATE: 2023-10-19

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

SC:GEOMAT:AGGEGRATESALTERNATIVE#1 %: 84.6000 - 88.9000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: No MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities reported by the manufacturers; however, naturally occurring elements can be present.

OTHER MATERIAL NOTES: SpecialConditionApplied:GeologicalMaterial --- Aggregates are composed of asphalt sand and block screenings. A weight percentage is used to cover multiples variations of the same product. Various combination of aggregate materials from different quarries are used to produce the different colors of Noble blocks; hence the alternative aggregates.

SC:SILICA

ID: SC:GeoMat

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-19

%: 82.4000 GS: Not Screened RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCGeoMats/2019-06-20

Origin: Canada (Province of Quebec)

Typical Composition: Natural silica sand

Potential presence of toxic metals: None.

Presence of Radioactive Elements: None.

See material notes.

SC:GRANITE GNEISS

ID: SC:GeoMat

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-19

%: 17.6000 GS: Not Screened RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCGeoMats/2019-06-20

Origin: Canada (Province of Quebec)

Typical Composition: n/a

Potential presence of toxic metals: None known.

Presence of Radioactive Elements: None known.

See material notes.

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: No MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities present in this material.

OTHER MATERIAL NOTES: SpecialConditionApplied:GeologicalMaterial --- Aggregates are composed of sand and screenings. A weight percentage is used to cover multiples variations of the same product. Various combination of aggregate materials from different quarries are used to produce the different colors of Noble blocks; hence the alternative aggregates.

SC:SILICA

ID: SC:GeoMat

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-19

%: 100.0000 GS: Not Screened RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening not performed		

SUBSTANCE NOTES:

Version: SCGeoMats/2019-06-20
 Origin: Canada (province of Quebec)
 Typical Composition: Silica
 Potential presence of toxic metals: None.
 Presence of Radioactive Elements: None.

See material notes.

SC:GEOMAT:AGGREGATES %: 84.6000 - 88.9000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities reported by the manufacturers; however, naturally occurring elements can be present.

OTHER MATERIAL NOTES: SpecialConditionApplied:GeologicalMaterial --- Aggregates are crushed stones and sand. A weight percentage is used to cover multiples variations of the same product. Various combination of aggregate materials from different quarries are used to produce the different colors of Noble blocks; hence the alternative aggregates.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-19**

%: **65.9000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening not performed		

SUBSTANCE NOTES:

Version: SCGeoMats/2019-06-20
 Origin: Canada (Province of Quebec)
 Typical Composition: Natural sand
 Potential presence of toxic metals: None known.
 Presence of Radioactive Elements: None known.

See material notes.

SC:LIMESTONE

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-19**

%: **34.1000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening not performed		

SUBSTANCE NOTES:

Version: SCGeoMats/2019-06-20
 Origin: Canada (Province of Quebec)
 Typical Composition: Limestone, calcite and balck shale
 Potential presence of toxic metals: None known.
 Presence of Radioactive Elements: None known.

Limestone CAS number is 1317-65-3.
 Calcite CAS number is 13397-26-7.
 Shale, expanded, aggregates, CAS number is 68334-37-2.

SC:GEOMAT:AGGREGATESALTERNATIVE#3 %: **84.6000 - 88.9000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: **No** MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities reported by the manufacturers or above the declaration threshold; however, naturally occurring elements can be present, such as traces of metals

OTHER MATERIAL NOTES: SpecialConditionApplied:GeologicalMaterial --- Aggregates are composed of sand and block screenings.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-19**%: **49.4000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCGeoMats/2019-06-20

Origin: Canada (Province of Quebec)

Typical Composition: Silica

Potential presence of toxic metals: None known.

Presence of Radioactive Elements: None known.

See material notes

SC:CALCIUM CARBONATE

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-19**%: **28.7000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCGeoMats/2019-06-20

Origin: Canada (Province of Ontario)

Typical Composition: Calcium carbonate (90-100) and silica (10)

Potential presence of toxic metals: Presence of naturally occurring metals below the declaration threshold (<3 ppm)

Presence of Radioactive Elements: None known.

The CAS number for calcium carbonate and silica are 1317-65-3 and 14808-60-7, respectively.

SC:LIMESTONE

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-19**%: **15.7000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCGeoMats/2019-06-20

Origin: Canada (Province of Quebec)

Typical Composition: Limestone, calcite and shale

Potential presence of toxic metals: None known.

Presence of Radioactive Elements: None known.

See material notes.

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: : No residuals or impurities reported by the manufacturers; however, naturally occurring elements can be present.

OTHER MATERIAL NOTES: SpecialConditionApplied:GeologicalMaterial --- Aggregates are composed of sand.

SC:SILICA

ID: **SC:GeoMat**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-19**

#: **50.0000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening not performed		

SUBSTANCE NOTES:

Version: SCGeoMats/2019-06-20

Origin: Canada (Province of Quebec)

Typical Composition: Silica

Potential presence of toxic metals: None.

Presence of Radioactive Elements: None.

See material notes.

SC:ALUMINUM TAILINGS

ID: **SC:GeoMat**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-19**

#: **50.0000** GS: **Not Screened** RC: **PreC** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening not performed		

SUBSTANCE NOTES:

Version: SCGeoMats/2019-06-20

Origin: Canada (Province of Quebec)

Typical Composition: Albite (0-45%); Anorthite (0-45%); Illéminate (0-8%); Hematite (0-2%); Magnesium alumate (0-2%

Potential presence of toxic metals: None known.

Presence of Radioactive Elements: None known.

This sand comes from tailings from the aluminium industry.

The CAS number for Albite, Anorthite, Ilmenite, Hematie and Magnesium alumina are 12244-10-9, 130254-1, 98072-94-7, 76774-74-8 nad 12068-51-8, respectively.

PORTLAND CEMENT

#: **9.9000 - 15.0000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Chromate nickel compounds can be present in the cement at trace levels, i.e., below the declaration threshold.

OTHER MATERIAL NOTES: A weight percentage is used to cover multiples variations of the same product. A portland cement or a white portland cement are used to produce the different colors of Noble blocks; hence the alternative cements. Manufacturer's statement: Portland cement has a variable composition depending upon the cementitious products produced in the cement kiln. Small amounts of naturally occurring, but potentially harmful, chemical compounds might be detected during chemical analysis. These trace compounds might include free crystalline silica, potassium and sodium compounds; heavy metals including cadmium, chromium, nickel and lead; and organic compounds. Other trace constituents may include calcium oxide (also known as free lime or quick lime).

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-19**

%: **90.0000 - 100.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: See Material notes

CALCIUM OXIDE

ID: 1305-78-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-19**

%: **0.3000 - 3.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: See Material notes

QUARTZ

ID: 14808-60-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-19**

%: **0.1000 - 1.5000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Crystalline Silica

PHOSPHOGYPSUM

ID: 13397-24-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-19**

%: 0.0000 - 5.0000

GS: LT-UNK

RC: None NANO: No SUBSTANCE ROLE: Processing regulator

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: See material notes.

WHITE PORTLAND CEMENT

%: 9.9000 - 15.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Hexavalent chromium can be present in the cement at trace levels, i.e., below the declaration threshold.

OTHER MATERIAL NOTES: A weight percentage is used to cover multiples variations of the same product. A portland cement or a white portland cement are used to produce the different colors of Noble blocks; hence the alternative cements.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-19		
#: 100.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
SUBSTANCE NOTES: See Material notes				

QUARTZ

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-19		
#: Impurity/Residual	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man		
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens		
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]		
CANCER	GHS - Australia	H350i - May cause cancer by inhalation		
SUBSTANCE NOTES: Crystalline Silica may be contained in the structure of Portland cement.				

CALCIUM OXIDE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-19		
#: Impurity/Residual	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: This substance may be contained in the structure of Portland cement.				

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: No test were performed to evaluate the presence of residuals in impurities in this material

OTHER MATERIAL NOTES: A weight percentage is used to cover multiples variations of the same product.

WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-19**%: **30.0000 - 60.0000** GS: **BM-4** RC: **None** NANO: **No** SUBSTANCE ROLE: **Carrier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: See material notes.

CALCIUM STEARATE

ID: 1592-23-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-19**%: **25.0000 - 50.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Water resistance**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: See Material notes

POLYETHYLENE GLYCOL MONO(BRANCHED P-NONYLPHENYL) ETHER

ID: 127087-87-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-19**%: **1.0000 - 2.0000** GS: **BM-1tp** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Chemical for Priority Action
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
REPRODUCTIVE	US EPA - PPT Chemical Action Plans	Reproductive effects
CHRON AQUATIC	US EPA - PPT Chemical Action Plans	Highly toxic to aquatic organisms
DEVELOPMENTAL	US EPA - PPT Chemical Action Plans	Developmental Effects
ENDOCRINE	EU - SVHC Authorisation List	Equivalent Concern - Candidate List

SUBSTANCE NOTES: See Material notes

TRIETHANOLAMINE

ID: 102-71-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-19**

%: 1.0000 - 2.0000

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Accelerator

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: See Material notes

GLASS POWDER

%: 0.0000 - 1.5000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Glass

RESIDUALS AND IMPURITIES NOTES: No residuals reported. As this is recycled glass, ceramic particles can be present in the glass powder.

OTHER MATERIAL NOTES: Replaces part of the portland cement.

GLASS / MINERAL FIBER (POST-CONSUMER RECYCLED)

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-19

%: 100.0000 GS: LT-UNK RC: PostC NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is made form recycled glass transformed into powder.

COLOR PIGMENTS

%: 0.0000 - 0.6000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: No MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Since the pigment is present in the final product at a weight percentage of 0.6%, the information based on the safety data sheet is sufficient to meet the HPD Open Standard requirements.

OTHER MATERIAL NOTES: A weight percentage is used to cover multiples variations of the same product.

IRON OXIDE

ID: 1317-61-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-19**%: **0.0000 - 100.0000** GS: **BM-1** RC: **PreC** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: C.I. Pigment Black 11
 A weight percentage is used to cover multiple coloration of the products; hence, different combination of coloring substances.

FERRIC OXIDE

ID: 1309-37-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-19**%: **0.0000 - 100.0000** GS: **BM-1** RC: **PreC** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: A weight percentage is used to cover multiple coloration of the products; hence, different combination of coloring substances.

FERRIC OXIDE, YELLOW

ID: 51274-00-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-19**%: **0.0000 - 100.0000** GS: **LT-UNK** RC: **PreC** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: C.I. Pigment Yellow.
 A weight percentage is used to cover multiple coloration of the products; hence, different combination of coloring substances.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - N/A		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2020-09-	EXPIRY DATE:	CERTIFIER OR LAB: n/a
APPLICABLE FACILITIES: All facilities	18		
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: Concrete is an inherently non-emitting source.			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Permacon
ADDRESS: 8145 rue Bombardier
Anjou QC H1J 1A5, Canada
WEBSITE: www.permacon.ca

CONTACT NAME: Jean-Philippe Faubert
TITLE: Quality Manager
PHONE: 514-351-2125
EMAIL: jpfaubert@permacon.ca

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.