

HPD UNIQUE IDENTIFIER: 23273

CLASSIFICATION: 09 91 23 Interior Painting

PRODUCT DESCRIPTION: Southwest Select is a family of high quality interior paints, enamels, and primer designed to meet the needs of the new construction market. These products provide good hide and durability with easy application and touch up. Southwest Select can be used walls, trim, and ceiling surfaces made of drywall, plaster, masonry, metal, wood, and hardboard. A great choice for new residential, commercial construction, apartments, schools, retail spaces, and much more.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

<p><b>Inventory Reporting Format</b></p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p><b>Threshold Disclosed Per</b></p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p><b>Threshold level</b></p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p><b>Residuals/Impurities</b></p> <p><input checked="" type="radio"/> Considered</p> <p><input type="radio"/> Partially Considered</p> <p><input type="radio"/> Not Considered</p> <p><b>Explanation(s) provided for Residuals/Impurities?</b></p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p><b>Characterized</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p><b>Screened</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p><b>Identified</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances disclosed by Name (Specific or Generic) and Identifier.</i></p>
--	--	--	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**SOUTHWEST SELECT | WATER (PRIMARY CASRN IS 7732-18-5) BM-4 | TITANIUM DIOXIDE LT-1 | CAN | END KAOLIN, CALCINED LT-UNK | NEPHELINE SYENITE LT-UNK | SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346 LT-P1 | CAN | TRIETHYLENE GLYCOL DI(2-ETHYLHEXOATE) LT-UNK C9-11 PARETH-3 LT-P1 | MUL 1,2-BENZISOTHIAZOLINE-3-ONE LT-P1 | AQU | SKI | EYE | MUL MACROGOL LT-UNK | STYRENE ACRYLIC ACID COPOLYMER LT-UNK | POLYMETHYL METHACRYLATE LT-P1 | RES | ETHYLENEVINYLACETATE COPOLYMER LT-UNK | HYDROXYETHYL CELLULOSE LT-P1 | END QUARTZ LT-1 | CAN CELLULOSE, MICROCRYSTALLINE LT-UNK | RES OXIRANE, METHYL, POLYMER AND OXIBANE, BUTYL ETHER LT-UNK | SODIUM ETHASULFATE LT-UNK | AMMONIA LT-P1 | RES | AQU | SKI | MAM | END | MUL 2-AMINO-2-METHYLPROPANOL LT-UNK | SKI | EYE 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE LT-P1 | MUL CARBENDAZIM LT-1 | END | AQU | GEN | REP | MUL | DEV BRONOPOL LT-P1 | AQU | SKI | EYE | END | MUL METHYLISOTHIAZOLINONE BM-2 | AQU | MAM | SKI | EYE | END | MUL POLYMETHYL METHACRYLATE LT-P1 | RES POLYSILOXANE NoGS | POLY(OXY-1,2-ETHANEDIYL), ALPHA-TRIDECYL-OMEGA-HYDROXY-, ISOCTYL PHOSPHATE, POTASSIUM SALT LT-UNK | POLY(OXY-1,2-ETHANEDIYL), ALPHA-TRIDECYL-OMEGA-HYDROXY-, PHOSPHATE, POTASSIUM SALT LT-UNK | POLYACRYLIC ACID, SODIUM SALT LT-UNK | AMMONIUM POLYACRYLATE LT-UNK | POLYPROPYLENE GLYCOL LT-UNK | LIMESTONE LT-UNK ]**

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

N/A

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 1.6                      Regulatory (g/l): 5.16

Does the product contain exempt VOCs: Yes

Are ultra-low VOC tints available: Yes

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: SCS Indoor Advantage Gold - Classroom & Office scenario

VOC content: CARB 2007, Suggested Control Measure (SCM) for Architectural Coatings

**CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-12-14

PUBLISHED DATE: 2020-12-28

EXPIRY DATE: 2023-12-14

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### SOUTHWEST SELECT

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: All raw materials were considered prior to formulation.

OTHER PRODUCT NOTES: N/A

#### WATER (PRIMARY CASRN IS 7732-18-5)

ID: 652133-48-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-12-14

#: 53.2600 - 71.4700

GS: BM-4

RC: None

NANO: No

SUBSTANCE ROLE: Carrier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

#### TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-12-14

#: 1.7000 - 7.1100

GS: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer

SUBSTANCE NOTES: N/A

#### KAOLIN, CALCINED

ID: 92704-41-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-12-14

#: 0.9300 - 4.5000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

**NEPHELINE SYENITE**

ID: 37244-96-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-12-14

#: 0.4600 - 6.6300 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

**SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES,  
SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346**

ID: 64742-65-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-12-14

#: 0.4000 - 0.7300 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Defoamer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Australia	H350 - May cause cancer

SUBSTANCE NOTES: N/A

**TRIETHYLENE GLYCOL DI(2-ETHYLHEXOATE)**

ID: 94-28-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-12-14

#: 0.2500 - 3.4700 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Coalescent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

**C9-11 PARETH-3**

ID: 68439-46-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-12-14

#: 0.2400 - 0.4500 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Surfactant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: N/A

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-12-14

%: 0.1100 - 0.4000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Biocide

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: N/A

**MACROGOL**

ID: 25322-68-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-12-14

%: 0.0500 - 0.0700 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Biocide

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

**STYRENE ACRYLIC ACID COPOLYMER**

ID: 25085-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-12-14

%: 0.0000 - 2.7300 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

**POLYMETHYL METHACRYLATE**

ID: 9011-14-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-12-14

%: 0.0000 - 30.8500 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: N/A

**ETHYLENEVINYLACETATE COPOLYMER**

ID: 24937-78-8

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-12-14</b>		
#: <b>0.0000 - 23.7500</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Binder</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: N/A				

**HYDROXYETHYL CELLULOSE** ID: **9004-62-0**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-12-14</b>		
#: <b>0.0000 - 0.8800</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Viscosity modifier</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
SUBSTANCE NOTES: N/A				

**QUARTZ** ID: **14808-60-7**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-12-14</b>		
#: <b>0.0000 - 0.2000</b>	GS: <b>LT-1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Viscosity modifier</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	IARC	Group 1 - Agent is Carcinogenic to humans		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man		
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens		
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]		
CAN	GHS - Australia	H350i - May cause cancer by inhalation		
SUBSTANCE NOTES: N/A				

**CELLULOSE, MICROCRYSTALLINE** ID: **9004-34-6**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-12-14</b>		
#: <b>0.0000 - 0.1200</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Viscosity modifier</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
SUBSTANCE NOTES: N/A		

**OXIRANE, METHYL, POLYMER AND OXIBANE, BUTYL ETHER**

ID: 9038-95-3

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-12-14</b>	
#: <b>0.0000 - 4.1200</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b> SUBSTANCE ROLE: <b>Viscosity modifier</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: N/A			

**SODIUM ETHASULFATE**

ID: 126-92-1

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-12-14</b>	
#: <b>0.0000 - 0.4000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b> SUBSTANCE ROLE: <b>Viscosity modifier</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: N/A			

**AMMONIA**

ID: 7664-41-7

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-12-14</b>	
#: <b>0.0000 - 0.5800</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b> SUBSTANCE ROLE: <b>Buffer</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
RES	AOEC - Asthmagens	Asthmagen (Rr) - irritant-induced	
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life	
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage	
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled	
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters	
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances	
SUBSTANCE NOTES: N/A			

**2-AMINO-2-METHYLPROPANOL**

ID: 124-68-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-12-14**

#: **0.0000 - 0.1600** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Dispersant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation

SUBSTANCE NOTES: N/A

**5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE** ID: **26172-55-4**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-12-14**

#: **0.0000 - 0.2100** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Biocide**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: N/A

**CARBENDAZIM** ID: **10605-21-7**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-12-14**

#: **0.0000 - 0.4100** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Biocide**



HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	EU - Priority Endocrine Disruptors	Category 2 - In vitro evidence of biological activity related to Endocrine Disruption
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
GEN	EU - GHS (H-Statements)	H340 - May cause genetic defects
REP	EU - GHS (H-Statements)	H360FD - May damage fertility. May damage the unborn child
GEN	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
DEV	MAK	Pregnancy Risk Group B
GEN	EU - Annex VI CMRs	Mutagen - Category 1B
GEN	GHS - New Zealand	6.6A - Known or presumed human mutagens
REP	GHS - New Zealand	6.8A - Known or presumed human reproductive or developmental toxicants
GEN	GHS - Japan	Germ cell mutagenicity - Category 1B [H340]
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
GEN	GHS - Australia	H340 - May cause genetic defects
REP	GHS - Korea	Category 1(1B) [H360 - May damage fertility or the unborn child]
REP	GHS - Australia	H360FD - May damage fertility. May damage the unborn child

SUBSTANCE NOTES: N/A

## BRONOPOL

ID: 52-51-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-12-14**

%: **0.0000 - 0.2100**     
 GS: **LT-P1**     
 RC: **None**     
 NANO: **No**     
 SUBSTANCE ROLE: **Biocide**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: N/A

### METHYLISOTHIAZOLINONE

ID: 2682-20-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-12-14**

#: **0.0000 - 0.1200** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Biocide**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
MAM	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAM	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage
MAM	EU - GHS (H-Statements)	H330 - Fatal if inhaled
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: N/A

### POLYMETHYL METHACRYLATE

ID: 9011-14-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-12-14**

#: **0.0000 - 0.5900** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Defoamer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: N/A

**POLYSILOXANE**

ID: 9011-19-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-12-14**%: **0.0000 - 1.8500** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Defoamer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

**POLY(OXY-1,2-ETHANEDIYL), ALPHA-TRIDECYL-OMEGA-HYDROXY-, ISOOCTYL PHOSPHATE, POTASSIUM SALT**

ID: 68186-41-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-12-14**%: **0.0000 - 0.1900** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

**POLY(OXY-1,2-ETHANEDIYL), ALPHA-TRIDECYL-OMEGA-HYDROXY-, PHOSPHATE, POTASSIUM SALT**

ID: 68186-36-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-12-14**%: **0.0000 - 0.1000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

**POLYACRYLIC ACID, SODIUM SALT**

ID: 9003-04-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-12-14**%: **0.0000 - 1.2900** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Dispersant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

**AMMONIUM POLYACRYLATE**

ID: 9003-03-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-12-14**%: **0.0000 - 0.4900** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Dispersant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

**POLYPROPYLENE GLYCOL**

ID: 25322-69-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-12-14**

%: **0.0000 - 0.0600** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Defoamer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

**LIMESTONE**

ID: 1317-65-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-12-14**

%: **0.0000 - 6.5100** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### SCS Indoor Advantage Gold - Classroom & Office scenario

CERTIFYING PARTY: Third Party

ISSUE DATE: 2020-06-

EXPIRY DATE: 2021-

CERTIFIER OR LAB: SCS Global

APPLICABLE FACILITIES: Kelly-Moore Paints 301 West

01

05-31

Services

Hurst Blvd. Hurst, TX 76053-7705

CERTIFICATE URL:

[https://www.scs-certified.com/products/cert\\_pdfs/Kelly-](https://www.scs-certified.com/products/cert_pdfs/Kelly-Moore_2020_SCS-IAQ-03443_s.pdf)

[Moore\\_2020\\_SCS-IAQ-03443\\_s.pdf](https://www.scs-certified.com/products/cert_pdfs/Kelly-Moore_2020_SCS-IAQ-03443_s.pdf)

CERTIFICATION AND COMPLIANCE NOTES: Indoor Advantage™ Gold Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0 Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January, 2017) for the school classroom, private office, and single-family residence parameters when modeled as Wall Paint/Wallcoverings and Walls/Wallcoverings. Also, conforms to the SCAQMD Rule 1113 - Architectural Coatings (September 2013).

### VOC CONTENT

### CARB 2007, Suggested Control Measure (SCM) for Architectural Coatings

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-09-

EXPIRY DATE:

CERTIFIER OR LAB: Kelly-Moore

APPLICABLE FACILITIES: Kelly-Moore Paints 301 West

03

Paints

Hurst Blvd. Hurst, TX 76053-7705

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Calculated VOC content per section 4.66

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### 295 KEL-BOND UNIVERSAL PRIMER

HPD URL: [https://hpdrepository.hpd-](https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_220_295_KEL_BOND_Interior_Exterior_Universal_Primer.pdf)

[collaborative.org/repository/HPDs/publish\\_220\\_295\\_KEL\\_BOND\\_Interior\\_Exterior\\_Universal\\_Primer.pdf](https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_220_295_KEL_BOND_Interior_Exterior_Universal_Primer.pdf)

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

GENERAL PREPARATION: All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!)

NEW ALUMINUM & GALVANIZED METAL: Wash surface with TSP or other suitable cleaner, degreaser, or etching solution to remove oil and contaminants. Rinse thoroughly. TANNIN RICH WOOD: Allow to weather until tannins naturally come out of the substrate. Clean tannins from surface prior to priming and painting. NEW & BARE SURFACES: Prime surfaces following recommendations on page 1 & 2. PREVIOUSLY

PAINTED SURFACES: Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat.

### 265 KEL-BOND HYBRID PRIMER

HPD URL: [https://hpdrepository.hpd-](https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_220_265_HYBRID_Interior_Exterior_Primer.pdf)

[collaborative.org/repository/HPDs/publish\\_220\\_265\\_HYBRID\\_Interior\\_Exterior\\_Primer.pdf](https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_220_265_HYBRID_Interior_Exterior_Primer.pdf)

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

GENERAL PREPARATION: All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!)

NEW FERROUS METAL: Remove all loose rust, mill scale, or deteriorated previous coatings by Hand Tooling (SSPCSP- 2) or Power Tool Cleaning (SSPC-SP-3). TANNIN RICH WOOD: Allow to weather until tannins naturally come out of the substrate. Clean tannins from surface prior to priming and painting. NEW & BARE SURFACES: Prime surfaces following recommendations on page 1 & 2. PREVIOUSLY PAINTED SURFACES: Remove

any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat.

---

**CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:**

**GENERAL PREPARATION:** All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!)  
**NEW & BARE SURFACES:** Prime surfaces following recommendations on page 1 & 2. **PREVIOUSLY PAINTED SURFACES:** Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat.

---

**2001 SOUTHWEST SELECT PVA PRIMER**

HPD URL: No HPD Available

---

**CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:**

**GENERAL PREPARATION:** All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!)  
**NEW & BARE SURFACES:** Prime surfaces following recommendations on page 1 & 2. **PREVIOUSLY PAINTED SURFACES:** Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat.

---

**978 KEL-BOND QUICKSAND PRIMER**

HPD URL: No HPD Available

---

**CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:**

**GENERAL PREPARATION:** All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!)  
**NEW & BARE SURFACES:** Prime surfaces following recommendations on page 1 & 2. **PREVIOUSLY PAINTED SURFACES:** Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat.

---

**5725 DTM PRIMER/FINISH**HPD URL: [https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish\\_220\\_5725\\_DTM\\_Acrylic\\_Primer\\_Finish.pdf](https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_220_5725_DTM_Acrylic_Primer_Finish.pdf)

---

**CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:**

**GENERAL PREPARATION:** All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!)  
**NEW FERROUS METAL:** Remove all loose rust, mill scale, or deteriorated previous coatings by Hand Tooling (SSPCSP- 2) or Power Tool Cleaning (SSPC-SP-3). **NEW ALUMINUM & GALVANIZED METAL:** Wash surface with TSP or other suitable cleaner, degreaser, or etching solution to remove oil and contaminants. Rinse thoroughly. **TANNIN RICH WOOD:** Allow to weather until tannins naturally come out of the substrate. Clean tannins from surface prior to priming and painting. **NEW & BARE SURFACES:** Prime surfaces following recommendations on page 1 & 2. **PREVIOUSLY PAINTED SURFACES:** Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat.

---

**521 BLOCK FILLER PRIMER**HPD URL: [https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish\\_220\\_521\\_Prime\\_Fill\\_Interior\\_Exterior\\_Block\\_Filler.pdf](https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_220_521_Prime_Fill_Interior_Exterior_Block_Filler.pdf)

---

**CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:**

**GENERAL PREPARATION:** All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!)  
**NEW & BARE SURFACES:** Prime surfaces following recommendations on page 1 & 2. **PREVIOUSLY PAINTED SURFACES:** Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat.

---

**287 KEL-BOND PLUS PRIMER**

HPD URL: No HPD Available

**CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:**

**GENERAL** All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces.\* **NEW SURFACES** All surfaces should be sound, free of contamination and dry. Wood surfaces should be sanded free of wood fibers. Wood should have a moisture content of less than 15% as measured by a moisture meter. Masonry and plaster should be thoroughly cured before priming. Masonry should have a moisture content of less than 12% as measured by a moisture meter. **NEW ALUMINUM & GALVANIZED METAL** Wash thoroughly with TSP or other suitable cleaner/degreaser to remove oil and other contaminants. Rinse thoroughly. **PREVIOUSLY PAINTED SURFACES** Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Sand glossy finishes.\*

## Section 5: General Notes

Southwest Select is a family of high quality interior paints, enamels, and primer designed to meet the needs of the new construction market. These products provide good hide and durability with easy application and touch up. Paints differ primarily in the pigments and binders used. They may also differ in the dispersants, extenders, and thickeners used.

**MANUFACTURER INFORMATION**

**MANUFACTURER:** Kelly-Moore Paints  
**ADDRESS:** 987 Commercial St.  
 San Carlos CA 94070, USA  
**WEBSITE:** www.kellymoore.com

**CONTACT NAME:** Tiffany Alvarez Gonda  
**TITLE:** Director, Product Stewardship  
**PHONE:** (650)592-8337  
**EMAIL:** talvarez@kellymoore.com

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	<b>NoGS</b> No GreenScreen.

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*