

HPD UNIQUE IDENTIFIER: 21438

CLASSIFICATION: 31 31 16 Termite Control

PRODUCT DESCRIPTION: Pango Tape is a low-permeance tape designed for protective sealing, hanging, seaming, splicing, and patching applications where a highly conformable material is required. It has been engineered to bond specifically to Pango Wrap, making it ideal for sealing Pango Wrap seams and penetrations. Pango Tape is composed of polyethylene film and an acrylic, pressure-sensitive adhesive. Additional CSI MasterFormat Designations: 07 26 00, 03 30 00.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Other

Residuals/Impurities

Residuals/Impurities
Considered in 0 of 2 Materials

Explanation(s) provided
for Residuals/Impurities?

- Yes
- No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow guidance.

Identified Yes Ex/SC Yes No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

Threshold Disclosed Per

- Material
- Product

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

PANGO™ TAPE/CLAW™ SUBSTRATE [POLYETHYLENE LT-UNK COPPER LT-P1 | MUL CARBON BLACK BM-1 | CAN] PANGO™ SUBSTRATE ADHESIVE [ACRYLIC POLYMER UNK ADDITIVE UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

*** Manufacturer has opted for the basic inventory display – chemical substances are listed by weight in the entire product instead of grouped by material. *** We have worked closely with our suppliers to ensure the least toxic ingredients are chosen while maintaining required performance characteristics.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A
Other: National Green Building Standard 2012 (ICC 700)

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2020-08-14

PUBLISHED DATE: 2020-08-14

EXPIRY DATE: 2023-08-14



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

PANGO™ TAPE/CLAW™ SUBSTRATE

%: 55.0000 - 75.0000

PRODUCT THRESHOLD: Per GHS SDS

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals have not been quantified. Efforts are made to ensure that no undesired residuals or impurities remain in the final product, but no additional tests are undertaken to measure potential residual content.

OTHER MATERIAL NOTES: Variation in processing necessitates that a range of values be reported for this substance.

POLYETHYLENE

ID: 9002-88-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-08-14**

#: **79.0000 - 100.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Variation in processing necessitates that a range of values be reported for this substance.**

COPPER

ID: 7440-50-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-08-14**

#: **0.0000 - 10.0000**

GS: **LT-P1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: **The additives utilized in Pango Wrap, which lend various properties to the final product during represent Trade Secrets. Therefore, neither the specific percentages of each additive (by weight), nor the exact components themselves, can currently be disclosed.**

CARBON BLACK

ID: 1333-86-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-08-14**

#: **0.0000 - 6.0000**

GS: **BM-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Filler**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

CANCER

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: **The additives utilized in Pango Tape, which lend various properties to the final product during represent Trade Secrets. Therefore, neither the specific percentages of each additive (by weight), nor the exact components themselves, can currently be disclosed.**

PANGO™ SUBSTRATE ADHESIVE

#: 25.0000 - 45.0000

PRODUCT THRESHOLD: **Per GHS SDS**

RESIDUALS AND IMPURITIES CONSIDERED: **No**

MATERIAL TYPE: **Polymeric Material**

RESIDUALS AND IMPURITIES NOTES: **Residuals have not been quantified. Efforts are made to ensure that no undesired residuals or impurities remain in the final product, but no additional tests are undertaken to measure potential residual content.**

OTHER MATERIAL NOTES: **Variation in processing necessitates that a range of values be reported for this substance.**

ACRYLIC POLYMERID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-08-14**%: **90.0000 - 100.0000**GS: **UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: The supplier has identified this substance as an acrylic polymer due to the fact that it is a proprietary component of the product and it represents a Trade Secret. To the best of their knowledge and research, there are no known hazards or warnings associated with this material. Variation in processing necessitates that a range of values be reported for this substance.

ADDITIVEID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-08-14**%: **0.0000 - 10.0000**GS: **UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Processing regulator**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: The supplier has only identified this substance as an adhesive additive due to the fact that it is a proprietary component of the product and it represents a Trade Secret. To the best of their knowledge and research, there are no known hazards or warnings associated with this material. Variation in processing necessitates that a range of values be reported for this substance.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-08-14

EXPIRY DATE:

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: All

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: This is an exterior-applied product.

OTHER

National Green Building Standard 2012 (ICC 700)

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: N/A

CERTIFICATE URL:

http://www.homeinnovation.com/services/certification/green_certified_products/green_certified_product_detail?prodid=472

ISSUE DATE:

EXPIRY DATE:

CERTIFIER OR LAB: Home

2016-03-08

2018-03-31

Innovations

CERTIFICATION AND COMPLIANCE NOTES: PANGO® TERMITE DEFENSE SYSTEM (PANGO WRAP, PANGO TAPE, AND PANGO CLAW) MANUFACTURED BY STEGO TECHNOLOGY, LLC HAS BEEN CERTIFIED FOR POINTS TOWARD NGBS GREEN CERTIFICATION TO THE ICC 700 NATIONAL GREEN BUILDING STANDARD AS DETAILED IN NGBS GREEN CERTIFIED PRODUCT REPORT #NGBSGCP-00267; CERTIFICATE #00267. Pango Wrap is Home Innovation NGBS Green Certified. Four points can be earned for the NGBS under Termite Barrier (602.1.5) where a continuous physical foundation termite barrier with low toxicity and no chemical treatments are installed in geographical areas with subterranean termite infestation potential. Pango Wrap is Safe for the Environment.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Pango Wrap Termite/Vapor Barrier is a physical barrier against Formosan termites and moisture vapor. Through patented and trade secret processes, Pango Wrap combines uniquely designed barrier materials with the flexibility and strength of extruded, high-performance polyolefin film into an easy-to-install, physical barrier against subterranean termites. Pango Wrap comes from the creators of Stego Wrap Vapor Barrier, the most widely-specified below-slab vapor barrier in North America*. Unlike chemical sprays that do nothing to prevent other contaminants from entering the building, Pango Wrap is a high performance vapor barrier as well as a termite defense barrier. Combining these two solutions in one product saves time and labor costs during construction. Pango Wrap is made from game-changing resin technology and provides high performance and longevity. Alternatively, chemical spray solutions must be re-applied to have a chance of being effective long-term against aggressive, subterranean termites. Such termiticides are known to dissipate in effectiveness over time. Pango Wrap provides a long-term solution and may allow builders to greatly reduce or eliminate the use of chemical termiticides for below-slab termite control. || Other applicable CSI MasterFormat Sections include 07 26 00 and 03 30 00 || *Stego Industries, LLC is the exclusive Representative for Pango™ Wrap and accessory products, which are produced for Stego Technology, LLC, a wholly independent company from Stego Industries, LLC. || **Stego-defined terms defined at www.stegoindustries.com/legal || Stego, the stegosaurus design logo[s], Crete Claw, StegoTack, StegoCrawl, Beast, and the Beast design logo are all deemed to be registered and/or protectable trademarks or service marks of Stego Industries, LLC. Pango, the pangolin logo, and Pango Claw are deemed to

**MANUFACTURER INFORMATION**MANUFACTURER: **Stego Technology, LLC**ADDRESS: **216 Avenida Fabricante****Suite 101****San Clemente California 92672, USA**

WEBSITE:

<https://www.stegoindustries.com/products/pango-wrap>CONTACT NAME: **Ryan Goodwin**TITLE: **Product Manager**PHONE: **(877) 464-7834**EMAIL: **ryangoodwin@stegoindustries.com***The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.***KEY****Hazard Types****AQU** Aquatic toxicity**CAN** Cancer**DEV** Developmental toxicity**END** Endocrine activity**EYE** Eye irritation/corrosivity**GEN** Gene mutation**GLO** Global warming**LAN** Land toxicity**MAM** Mammalian/systemic/organ toxicity**MUL** Multiple**NEU** Neurotoxicity**NF** Not found on Priority Hazard Lists**OZO** Ozone depletion**PBT** Persistent, bioaccumulative, and toxic**PHY** Physical hazard (flammable or reactive)**REP** Reproductive**RES** Respiratory sensitization**SKI** Skin sensitization/irritation/corrosivity**UNK** Unknown**GreenScreen (GS)****BM-4** Benchmark 4 (prefer-safer chemical)**BM-3** Benchmark 3 (use but still opportunity for improvement)**BM-2** Benchmark 2 (use but search for safer substitutes)**BM-1** Benchmark 1 (avoid - chemical of high concern)**BM-U** Benchmark Unspecified (due to insufficient data)**LT-P1** List Translator Possible 1 (Possible Benchmark-1)**LT-1** List Translator 1 (Likely Benchmark-1)**LT-UNK** List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)**NoGS** No GreenScreen.**Recycled Types****PreC** Pre-consumer recycled content**PostC** Post-consumer recycled content**UNK** Inclusion of recycled content is unknown**None** Does not include recycled content**Other Terms:****GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet**Inventory Methods:****Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product**Nano** Composed of nano scale particles or nanotechnology**Third Party Verified** Verification by independent certifier approved by HPDC**Preparer** Third party preparer, if not self-prepared by manufacturer**Applicable facilities** Manufacturing sites to which testing applies*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.**The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.**The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*