Highline Loop ECT350 by egetaepper A/S

HPD UNIQUE IDENTIFIER: 20746 CLASSIFICATION: 09 68 13 Tile Carpeting PRODUCT DESCRIPTION: Tufted loop pile carpet tile with 100% regenerated Econyl pile material and 100% recycled Ecotrust backing

Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method
- Threshold Disclosed Per

Material
 Product

Threshold level C 100 ppm C 1,000 ppm C Per GHS SDS

C Other

Residuals/Impurities

- C Considered
 Partially Considered
 Not Considered
- Explanation(s) provided for Residuals/Impurities?

All Substances Above the Threshold Indicated Are:

Basic Method / Product Threshold

Characterized O Yes Ex/SC O Yes O No

% weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No

One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow guidance.

Identified O Yes Ex/SC O Yes O No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

HIGHLINE LOOP ECT350 [NYLON 6 (POST-CONSUMER) LT-UNK DOLOMITE NoGS ALUMINUM HYDROXIDE, DRIED BM-2 POLYETHYLENE TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED) LT-UNK STYRENE BUTADIENE RUBBER (POST-CONSUMER) LT-UNK ACRYLIC LATEX Not Screened XANTHAN GUM LT-UNK LEFASOL VT 80 Not Screened]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-UNK

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Two substances' chemical identities are not known, as the suppliers do not wish to disclose the information, as the specific formulations are regarded as business secrets. For more information, we refer to the Content Inventory section of the HPD

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CRI Green Label Plus - Carpets Multi-attribute: Cradle to Cradle Certified - Bronze (V3.1)

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-06-19 PUBLISHED DATE: 2020-06-19 EXPIRY DATE: 2023-06-19

Health Product Declaration v2.2

created via: HPDC Online Builder

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

HIGHLINE LOOP ECT350					
PRODUCT THRESHOLD: 1000 ppm	RESIDUAL	S AND IMPURITIES CONSIDERED: NO			
RESIDUALS AND IMPURITIES NOTES: The risk of residuals and/or impurities to be present in at a significant level (above 1000 PPM) in the product is evaluated to be extremely low					
OTHER PRODUCT NOTES: The prod	luct contains auxiliaries and dye	es in amounts below the threshold of 1000 PPM			
NYLON 6 (POST-CONSUMER)		ID: 25038 -5	54-4		
HAZARD SCREENING METHOD: Pharos	s Chemical and Materials Library	HAZARD SCREENING DATE: 2020-06-19			
%: 25.0000	GS: LT-UNK	RC: Both NANO: No SUBSTANCE ROLE: Textile component			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No warnings found on HPD Priority Hazard Lis	sts		
SUBSTANCE NOTES: Econyl yarn					
-					
DOLOMITE		id: 16389- 8	38-1		
HAZARD SCREENING METHOD: Pharos	s Chemical and Materials Library	HAZARD SCREENING DATE: 2020-06-19			
%: 20.0000	GS: NoGS	RC: None NANO: NO SUBSTANCE ROLE: Filler			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No warnings found on HPD Priority Hazard Lis	sts		
SUBSTANCE NOTES:					
ALUMINUM HYDROXIDE, DRIE	ED	ID: 21645-5	51-2		
HAZARD SCREENING METHOD: Pharos	s Chemical and Materials Library	HAZARD SCREENING DATE: 2020-06-19			
%: 19.0000	GS: BM-2	RC: None NANO: No SUBSTANCE ROLE: Flame retardant			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No warnings found on HPD Priority Hazard Lis	sts		
bline Loop ECT350					

POLYETHYLENE TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED)				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-06-19		
%: 17.0000	GS: LT-UNK	RC: Both	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNII	NGS	
None found			No v	varnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Primary and secondary backing. Ecotrust secondary backing made from 100% recycled PET. Primary backing made from 90% recycled PET

STYRENE BUTADIENE RUBBER (POST-CONSUMER) ID: 9003-55-8					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-06-19		
%: 16.0000	GS: LT-UNK	RC: None	NANO: NO	SUBSTANCE ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings fo	und on HPD Priority Hazard Lists	

SUBSTANCE NOTES:

ACRYLIC LATEX				ID: Unknown
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-06-19		
%: 1.7200	GS: Not Screened	RC: None	NANO: NO	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	Hazard Screening not performed			

SUBSTANCE NOTES: The chemical identity of the polymer based on styrene acrylate is confidential. The supplier of the latex has entered a NDA with the Danish Cradle 2 Cradle organization "Vugge til Vugge". An undergoing optimization project is to eliminate all CMRs in Ege Carpets' standard product range

XANTHAN GUM ID: 11138-6					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-06-19			
%: 0.2700	GS: LT-UNK	RC: None	NANO: NO	SUBSTANCE ROLE: Viscosity modifier	
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS		
None found			No wa	rnings found on HPD Priority Hazard Lists	

LEFASOL VT 80				ID: Unknown	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREI	HAZARD SCREENING DATE: 2020-06-19		
%: 0.1900	GS: Not Screened	RC: None	NANO: NO	SUBSTANCE ROLE: Anti-static	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	Hazard Screening not performed				

SUBSTANCE NOTES: The chemical identity of the anti-static agent based on organic substances is confidential. The supplier of the antistatic agent has entered a NDA with the Danish Cradle 2 Cradle organization "Vugge til Vugge". An undergoing optimization project is to eliminate all CMRs in Ege Carpet's standard product range This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CRI Green Label Plus - Carpets				
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Industrivej Nord 25 Herning DK-7400 Denmark CERTIFICATE URL: https://services.carpet- rug.org/api/GLPCertificate/0009	ISSUE DATE: 2014- 12-18	EXPIRY DATE: 2020- 06-30	CERTIFIER OR LAB: The Carpet and Rug Institute		

CERTIFICATION AND COMPLIANCE NOTES: This product is a member of the product category 1Y Postdyes Nylon with SBR latex backing

MULTI-ATTRIBUTE	Cradle to Cradle Certified - Bronze (V3.1)			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: AII	ISSUE DATE: 2019- 12-23	EXPIRY DATE: 2021-12-31	CERTIFIER OR LAB: Vugge til Vugge ApS	
CERTIFICATE URL: https://www.c2ccertified.org/products/scorecard/highline- pa-6-ecotrust-egetaepper-a-s1				

CERTIFICATION AND COMPLIANCE NOTES:

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This HPD covers a singe product in a series of standard colorways as well as customized designs

MANUFACTURER INFORMATION

MANUFACTURER: egetaepper A/S ADDRESS: Industrivej Nord 25 Herning West Jutland 7400, Denmark WEBSITE: https://egecarpets.com/ CONTACT NAME: Camilla Jacobsen TITLE: CSR and environmental assistant PHONE: +4597117486 EMAIL: caja@egegroup.dk

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

- AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming
- LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) NoGS No GreenScreen.

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.