

HPD UNIQUE IDENTIFIER: 23235

CLASSIFICATION: 12 51 00 Office Furniture

PRODUCT DESCRIPTION: Filing efficiency systems. KI offers many different styles - 700 Series, All Terrain, Connection zone, and U-Series

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input checked="" type="radio"/> Nested Materials Method</p> <p><input type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p>Threshold level</p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p>Residuals/Impurities</p> <p>Residuals/Impurities Considered in 2 of 2 Materials</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances disclosed by Name (Specific or Generic) and Identifier.</i></p>
--	--	--	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

STEEL [STEEL NoGS] POWDER PAINT [POLYESTER NoGS BARIUM SULFATE BM-2 | CAN 2-PROPENOIC ACID, BUTYL ESTER, HOMOPOLYMER LT-UNK FERRIC OXIDE YELLOW LT-UNK PARAFFIN LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: Desking and Storage Indoor Advantage Gold

Multi-attribute: Files and Storage BIFMA e3 level 3 Certificate

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-12-22

PUBLISHED DATE: 2020-12-22

EXPIRY DATE: 2023-12-22

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

STEEL	%: 95.0800 - 95.0800	
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Metal
RESIDUALS AND IMPURITIES NOTES: Purchased material - considered during the manufacturing process		
HPD URL: https://www.ki.com/products/name/700-series-storage/		
OTHER MATERIAL NOTES: Frame, shelf and hardware		
All substances in this material are below the reportable threshold.		

STEEL	ID: 12597-69-2			
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-12-22		
%: 100.0000 - 100.0000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Frame and hardware				

POWDER PAINT	%: 4.1400 - 4.1400	
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: Purchased Part - considered during the manufacturing process.		
HPD URL: https://www.ki.com/products/name/700-series-storage/		
OTHER MATERIAL NOTES: PowderpaintAll substances in this material are below the reportable threshold.		

POLYESTER	ID: 113669-95-7			
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-12-22		
%: 36.0000 - 36.0000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Surface modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Mail Ingredient of Powder Paint				

BARIUM SULFATE	ID: 7727-43-7		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-12-22	

#: 35.0000 - 35.0000

GS: BM-2

RC: None

NANO: No

SUBSTANCE ROLE: Surface modifier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Powder Paint ingredient

2-PROPENOIC ACID, BUTYL ESTER, HOMOPOLYMER

ID: 9003-49-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-12-22

#: 0.5000 - 0.5000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Surface modifier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Powder Paint ingredient

FERRIC OXIDE YELLOW

ID: 51274-00-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-12-22

#: 0.2500 - 0.2500

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Surface modifier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Powder Paint ingredient

PARAFFIN

ID: 8002-74-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-12-22

#: 0.2000 - 0.2000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Surface modifier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Powder Paint ingredient

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Desking and Storage Indoor Advantage Gold		
CERTIFYING PARTY: Third Party	ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB: SCS
APPLICABLE FACILITIES: Pembroke, Canada	2015-07-08	2016-07-07	Global Services
CERTIFICATE URL: https://www.scs-certified.com/products/cert_pdfs/KI_2015_NOC_SCS-IAQ-03109_s2.pdf?r=1			
CERTIFICATION AND COMPLIANCE NOTES: 700 Series, All Terrain, Connection Zone and U-Series Files and Storage			

MULTI-ATTRIBUTE	Files and Storage BIFMA e3 level 3 Certificate		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2015-	EXPIRY DATE: 2018-	CERTIFIER OR LAB: SCS Global
APPLICABLE FACILITIES: Pembroke, Canada	12-16	12-15	Services
CERTIFICATE URL: https://www.scs-certified.com/products/cert_pdfs/KI_2015_SCS-SCF-03754_s2.pdf?r=1			
CERTIFICATION AND COMPLIANCE NOTES: 700 Series, All Terrain, Connection Zone, and U-Series			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

MAINTENANCE CLEANING	HPD URL: No HPD link provided
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Files and storage units are finished with a durable baked-on polyester paint. Clean with a damp cloth and mild cleaner. Do not use harsh solvents and abrasive powders as they may damage the finish.	

Section 5: General Notes

No general notes on filing and storage

MANUFACTURER INFORMATION

MANUFACTURER: KI
ADDRESS: 1330 Bellevue Street
Green Bay WI 54302, USA
WEBSITE: www.ki.com

CONTACT NAME: Robin Kunstmann
TITLE: Sustainability Manager
PHONE: 920-468-2335
EMAIL: robin.kunstmann@ki.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.