

HPD UNIQUE IDENTIFIER: 23641

CLASSIFICATION: 12 51 00 Office Furniture

**PRODUCT DESCRIPTION:** Synthesis tables are available in a variety of top shapes and sizes. The clean, light base design is offered in three choices - cantilevered legs, wide legs and an X base. Convenient pin-height adjustability allows you to specify the table for various uses throughout a facility. Synthesis tables offer flexibility with fixed, folding or rolling styles available. Synthesis tables offer a discreet, integrated system to address vertical and horizontal wire management either under the table or behind the modesty panel. Table tops are available in laminate and wood veneer finishes with a variety of edge styles.

**Section 1: Summary**

**Nested Method / Material Threshold**

**CONTENT INVENTORY**

Inventory Reporting Format	Threshold level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i>
<input checked="" type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	Residuals/Impurities	Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	Considered in 4 of 5 Materials	<i>% weight and role provided for all substances.</i>
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	<b>Explanation(s) provided</b>	Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Material	<input type="radio"/> Other	<b>for Residuals/Impurities?</b>	<i>All substances screened using Priority Hazard Lists with results disclosed.</i>
<input type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	Identified <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>All substances disclosed by Name (Specific or Generic) and Identifier.</i>

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**WOOD** [ **WOOD FIBER - UNSPECIFIED** NoGS **UREA FORMALDEHYDE** LT-P1 | **RES SLACK WAX (PETROLEUM)** LT-1 | CAN | **MUL UREA FORMALDEHYDE FOAM (UREA FORMALDEHYDE)** NoGS ] **STEEL** [ **STEEL** NoGS ] **ALUMINUM** [ **ALUMINUM** LT-P1 | RES | END | PHY **SILICON** LT-UNK **MAGNESIUM** LT-UNK | PHY **COPPER** LT-P1 | AQU | **MUL IRON** LT-P1 | END **MANGANESE** LT-P1 | END | **MUL | REP ZINC** LT-P1 | AQU | END | **MUL | PHY ] RUBBER** [ **ETHYLENE/PROPYLENE/DIENE TERPOLYMER (EPDM)** LT-UNK **CARBON BLACK** BM-1 | CAN **RESIDUAL OILS, PETROLEUM, SOLVENT-REFINED** LT-1 | PBT | CAN | **MUL KAOLIN CLAY (CALCINED)** LT-P1 | **MUL ZINC OXIDE** BM-1 | RES | AQU | **MUL | END 2,2'-BENZOTHAZYL DISULFIDE** LT-P1 | AQU | SKI | **MUL STEARIC ACID** LT-P1 | END **SULFUR** LT-UNK | SKI **ZINC DIBUTYLDITHIOCARBAMATE** LT-P1 | AQU | SKI | EYE | **MUL | END ] ZAMAK** [ **ZINC** LT-P1 | AQU | END | **MUL | PHY ]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1  
Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

As disclosed by suppliers.

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: Indoor Advantage Gold  
Multi-attribute: BIFMA e3 - level 2

**CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed.

Third Party Verified?

Yes

PREPARER: Self-Prepared

VERIFIER:

SCREENING DATE: 2021-02-01

PUBLISHED DATE: 2021-02-01



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpdc-collaborative.org/hpd-2-2-standard](http://www.hpdc-collaborative.org/hpd-2-2-standard)

### WOOD

#: 51.5500 - 51.5500

MATERIAL THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Wood or Lumber

RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities not considered

OTHER MATERIAL NOTES: ParticleboardAll substances in this material are below the reportable threshold.

### WOOD FIBER - UNSPECIFIED

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-02-01

#: 45.9800 - 45.9800 GS: NoGS RC: PreC NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: Particleboard layer

### UREA FORMALDEHYDE

ID: 9011-05-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-02-01

#: 5.2800 - 5.2800 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
-----	-------------------	-------------------------------------

SUBSTANCE NOTES: Particleboard

### SLACK WAX (PETROLEUM)

ID: 64742-61-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-02-01

#: 0.2600 - 0.2600 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H350 - May cause cancer
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CAN	GHS - Australia	H350 - May cause cancer

SUBSTANCE NOTES: Particleboard

### UREA FORMALDEHYDE FOAM (UREA FORMALDEHYDE)

ID: 64869-57-4

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-02-01</b>		
%: <b>0.0100 - 0.0200</b>	GS: <b>NoGS</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Binder</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: added for binder

### STEEL

%: 22.3900 - 22.3900

MATERIAL THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: No	MATERIAL TYPE: Metal
RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities not considered		

OTHER MATERIAL NOTES: Steel hardware and plate  
Steel types: 1018, 1010, 1008, 1022, 10B21, and Q195

### STEEL

ID: 12597-69-2

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-02-01</b>		
%: <b>40.0000 - 45.0000</b>	GS: <b>NoGS</b>	RC: <b>Both</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Structure component</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Frame and hardware

### ALUMINUM

%: 16.3100 - 16.3100

MATERIAL THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Metal
RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities not considered		

**ALUMINUM**

ID: 7429-90-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-01**%: **95.8200 - 96.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
PHY	EU - GHS (H-Statements)	H228 - Flammable solid
PHY	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases

SUBSTANCE NOTES: Frame

**SILICON**

ID: 7440-21-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-01**%: **1.8000 - 1.8000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Frame

**MAGNESIUM**

ID: 7439-95-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-01**%: **0.6000 - 0.7000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHY	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHY	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: Frame

**COPPER**

ID: 7440-50-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-01**%: **0.5100 - 0.5200** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: Frame

**IRON**

ID: 7439-89-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-01**%: **0.5000 - 0.6000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Frame

**MANGANESE**

ID: 7439-96-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-01**%: **0.5000 - 0.6000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: Frame

**ZINC**

ID: 7440-66-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-01**%: **0.2500 - 0.2600** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PHY	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHY	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: Frame

**RUBBER**%: **2.0300 - 2.0300**MATERIAL THRESHOLD: **100 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **Yes** MATERIAL TYPE: **Other: Rubber**RESIDUALS AND IMPURITIES NOTES: **Residuals/Impurities no considered**OTHER MATERIAL NOTES: **TubingAll substances in this material are below the reportable threshold.**

## ETHYLENE/PROPYLENE/DIENE TERPOLYMER (EPDM)

ID: 25038-36-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-01**%: **0.6500 - 0.6500** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ingredient in Rubber

## CARBON BLACK

ID: 1333-86-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-01**%: **0.6000 - 0.6000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Color of rubber

## RESIDUAL OILS, PETROLEUM, SOLVENT-REFINED

ID: 64742-01-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-01**%: **0.5500 - 0.5500** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Lubricant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
CAN	EU - GHS (H-Statements)	H350 - May cause cancer
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CAN	GHS - Australia	H350 - May cause cancer

SUBSTANCE NOTES: Ingredient in rubber

## KAOLIN CLAY (CALCINED)

ID: 66402-68-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-01**%: **0.1500 - 0.1500** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Catalyst**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: Ingredient in Rubber

### ZINC OXIDE

ID: 1314-13-2

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-02-01</b>		
#: <b>0.0300 - 0.0300</b>	GS: <b>BM-1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Binder</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Ingredient in rubber

### 2,2'-BENZOTHIAZYL DISULFIDE

ID: 120-78-5

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-02-01</b>		
#: <b>0.0100 - 0.0100</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Catalyst</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: Ingredient in rubber

### STEARIC ACID

ID: 57-11-4

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-02-01</b>		
#: <b>0.0100 - 0.0100</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Accelerator</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Ingredient in rubber



**SULFUR**

ID: 7704-34-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-01**%: **0.0100 - 0.0100** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Catalyst**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation

SUBSTANCE NOTES: Ingredient in rubber

**ZINC DIBUTYLDITHIOCARBAMATE**

ID: 136-23-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-01**%: **0.0100 - 0.0100** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Ingredient in rubber

**ZAMAK**%: **0.0010 - 0.0200**MATERIAL THRESHOLD: **100 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **Yes** MATERIAL TYPE: **Metal**

RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities not considered

OTHER MATERIAL NOTES: HardwareAll substances in this material are below the reportable threshold.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-01**%: **0.0200 - 0.0200** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PHY	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHY	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: Chemical within Zamak

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	Indoor Advantage Gold		
CERTIFYING PARTY: Third Party	ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB: SCS
APPLICABLE FACILITIES: KI Bonduel	2015-07-08	2016-07-07	Global Services
CERTIFICATE URL: <a href="https://www.scscertified.com/products/cert_pdfs/KI_2015_NOC_SCS-IAQ-03107_s5.pdf?r=1">https://www.scscertified.com/products/cert_pdfs/KI_2015_NOC_SCS-IAQ-03107_s5.pdf?r=1</a>			
CERTIFICATION AND COMPLIANCE NOTES: Indoor Air Quality Certified to SCS-EC10.3-2014			
MULTI-ATTRIBUTE	BIFMA e3 - level 2		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2015-	EXPIRY DATE: 2016-	CERTIFIER OR LAB: SCS Global
APPLICABLE FACILITIES: KI Bonduel	12-16	12-15	Services
CERTIFICATE URL: <a href="https://www.scscertified.com/products/cert_pdfs/KI_2015_SCS-SCF-03507_s2.pdf?r=1">https://www.scscertified.com/products/cert_pdfs/KI_2015_SCS-SCF-03507_s2.pdf?r=1</a>			
CERTIFICATION AND COMPLIANCE NOTES: Conforms to the ANSI/BIFM e3-2014e Furniture Sustainability Standards			

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

CARE AND MAINTENANCE	HPD URL: No HPD link provided
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:	
Recommended Cleaning Instructions - Laminate Tops To clean the laminate, use a mild solution of water and detergent. (Pine cleaner and warm water works very well). Wipe clean with a dry cloth. As a last resort, stubborn dirt or grease may be removed with a lacquer thinner or other solvent. Some stains such as grape juice may be removed by wetting the table surface and sprinkling lightly with baking soda, then wipe clean with a damp cloth. (Do not allow the baking soda to remain more than two minutes.) As always, thoroughly dry the surface with a dry cloth. Never use a harsh abrasive such as Comet cleanser, scrub pads, etc. to clean the surface. To maintain a bright attractive surface, occasionally apply a coating of wax (the same you would use on your home furniture) to the table top. Gouges and abrasions in the vinyl "Bull Nose" edging can be removed with "000" steel wool. Apply a light coating of liquid vinyl floor wax to restore the sheen. Never use a water hose or spray washer to clean a table. In the event a table becomes wet, as soon as possible thoroughly dry both sides of the top with a dry cloth. Excessive moisture will cause the particleboard core to swell the top and bottom, exposing the core behind the molding. The top will appear to grow in thickness. Recommended Maintenance Instructions - Table Frames It is recommended that frames be kept dry from water, rain, ice, snow and salt. To clean frames use warm water and a mild soap then dry thoroughly. Chrome frames can use chrome polish if additional cleaning is needed. Once clean and dry protect the coating with wax or something as equal. Wax polish retards corrosion by sealing the surface with a protective wax coat.	

## Section 5: General Notes

Final manufacture has no reportable chemical restrictions.

**MANUFACTURER INFORMATION**

**MANUFACTURER:** KI  
**ADDRESS:** 1330 Bellevue Street  
 Green Bay WI 54302, US  
**WEBSITE:** www.ki.com

**CONTACT NAME:** Robin Kunstmann  
**TITLE:** Sustainability Manager  
**PHONE:** 920-468-2335  
**EMAIL:** robin.kunstmann@ki.com

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>NoGS</b> No GreenScreen.
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*