

HPD UNIQUE IDENTIFIER: 23362

CLASSIFICATION: 09 65 19 Resilient Tile Flooring

PRODUCT DESCRIPTION: Rest & Refuge™ with Diamond 10® Technology transforms commercial spaces for a welcoming guest experience. The solid polymer core structure provides impressive dent resistance and includes an attached pad for single product acoustic performance and quick installation.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

<p><b>Inventory Reporting Format</b></p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p>	<p><b>Threshold level</b></p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p><b>Residuals/Impurities</b></p> <p><input checked="" type="radio"/> Considered</p> <p><input type="radio"/> Partially Considered</p> <p><input type="radio"/> Not Considered</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p><b>Characterized</b>      <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p>
<p><b>Threshold Disclosed Per</b></p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p><b>Explanation(s) provided for Residuals/Impurities?</b></p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><b>Screened</b>      <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p>	<p><b>Identified</b>      <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances disclosed by Name (Specific or Generic) and Identifier.</i></p>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

REST & REFUGE | CALCIUM CARBONATE BM-3 POLYVINYL CHLORIDE LT-P1 | RES DIOCTYL TEREPHTHALATE (DOTP) NoGS  
 STEARIC ACID LT-P1 | END SODIUM HYDROXIDE LT-P1 | SKI | PHY  
 CALCIUM CHLORIDE ANHYDROUS LT-UNK | EYE ZINC SULFATE LT-P1 | AQU | EYE | END | MUL POLYETHYLENE LT-UNK BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE LT-UNK WHITE  
 MINERAL OIL LT-UNK ROSIN LT-P1 | SKI PETROLEUM RESINS LT-1 | CAN IRGANOX 1010 LT-UNK 1,1'-AZOBIS(FORMAMIDE) LT-UNK | RES

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals/impurities are quantitatively measured and are displayed in the HPD when greater than 1000 ppm.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: FloorScore®

LCA: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:  
VERIFICATION #:

SCREENING DATE: 2020-10-28

PUBLISHED DATE: 2021-01-07

EXPIRY DATE: 2023-10-28

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpdc-collaborative.org/hpd-2-2-standard](http://www.hpdc-collaborative.org/hpd-2-2-standard)

### REST & REFUGE

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals/impurities are quantitatively measured and are displayed in the HPD when greater than 1000 ppm.

OTHER PRODUCT NOTES: For more information on this product visit: <https://www.armstrongflooring.com/commercial/en-us/products/lvt-luxury-flooring.html>

#### CALCIUM CARBONATE

ID: 471-34-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-28**

#: **60.0000 - 65.0000** GS: **BM-3** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Limestone filler

#### POLYVINYL CHLORIDE

ID: 9002-86-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-28**

#: **35.0000 - 40.0000** GS: **LT-P1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Binder component

#### DIOCTYL TEREPHTHALATE (DOTP)

ID: 4654-26-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-28**

#: **5.0000 - 10.0000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Binder component

#### STEARIC ACID

ID: 57-11-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-28**

#: 0.5000 - 1.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Stabilizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Stabilizer component

### SODIUM HYDROXIDE

ID: 1310-73-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-28

#: 0.5000 - 1.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Stabilizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
PHY	GHS - Korea	H290 - May be corrosive to metals

SUBSTANCE NOTES: Stabilizer component

### CALCIUM CHLORIDE ANHYDROUS

ID: 10043-52-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-28

#: 0.5000 - 1.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Stabilizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation

SUBSTANCE NOTES: Stabilizer component

### ZINC SULFATE

ID: 7733-02-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-28

#: 0.5000 - 1.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Stabilizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: Stabilizer component

### POLYETHYLENE

ID: 9002-88-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-28

#: 0.5000 - 1.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Backing component		

**BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE**

ID: 9003-55-8

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-10-28</b>		
#: <b>0.0100 - 0.5000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Adhesive</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Adhesive component				

**WHITE MINERAL OIL**

ID: 8042-47-5

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-10-28</b>		
#: <b>0.0100 - 0.5000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Adhesive</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Adhesive component				

**ROSIN**

ID: 8050-09-7

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-10-28</b>		
#: <b>0.0100 - 0.5000</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Adhesive</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization		
SUBSTANCE NOTES: Adhesive component				

**PETROLEUM RESINS**

ID: 64742-16-1

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-10-28</b>		
#: <b>0.0100 - 0.5000</b>	GS: <b>LT-1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Adhesive</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	CA EPA - Prop 65	Carcinogen		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		

SUBSTANCE NOTES: Adhesive component

**IRGANOX 1010**

ID: 6683-19-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-28**

#: **0.0100 - 0.5000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Adhesive component

**1,1'-AZOBIS(FORMAMIDE)**

ID: 123-77-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-28**

#: **0.0100 - 0.5000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
RES	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

SUBSTANCE NOTES: Backing component

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	FloorScore®		
CERTIFYING PARTY: Third Party	ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB: SCS
APPLICABLE FACILITIES: China	2020-09-01	2021-08-31	Global Services
CERTIFICATE URL: <a href="https://www.scscertified.com/products/cert_pdfs/ArmstrongFlooring_2020_SCS-FS-01334_s2.pdf">https://www.scscertified.com/products/cert_pdfs/ArmstrongFlooring_2020_SCS-FS-01334_s2.pdf</a>			
CERTIFICATION AND COMPLIANCE NOTES:			

LCA	Environmental Product Declaration		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2019-01-	EXPIRY DATE: 2024-	CERTIFIER OR LAB: ULE
APPLICABLE FACILITIES: All	01	01-01	
CERTIFICATE URL: <a href="https://www.armstrongflooring.com/pdbupimages-flr/219176.pdf">https://www.armstrongflooring.com/pdbupimages-flr/219176.pdf</a>			
CERTIFICATION AND COMPLIANCE NOTES: This is an industry wide EPD			

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

FULL SPREAD ADHESIVES: S-288 PREMIUM, S-240 EPOXY, S-310 ROLL STRONG™, S-980, S-1000	HPD URL: <a href="https://www.armstrongflooring.com/commercial/en-us/products/lvt-luxury-flooring.html">https://www.armstrongflooring.com/commercial/en-us/products/lvt-luxury-flooring.html</a>
--------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:  
When adhering product to substrate. HPDs are not available for the listed adhesives.

## Section 5: General Notes

This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information Armstrong Flooring expresses no opinion and makes no representations as to the applicability, suitability, accuracy, or completeness of the declaration form or the standards rules classifications warnings or criteria utilized or referenced therein. Information herein is qualified in the entirety by reference to the applicable product Safety Data Sheet (SDS) which can be located at [www.armstrongflooring.com](http://www.armstrongflooring.com) as well as by the additional ingredient information provided for specified substances. Please refer to the Armstrong Flooring website for more information on this product.

**MANUFACTURER INFORMATION**

**MANUFACTURER:** Armstrong Flooring, Inc.  
**ADDRESS:** No. 600 Middle Longhua Rd  
 Wujiang Shanghai 200032, China  
**WEBSITE:** www.armstrongflooring.com

**CONTACT NAME:** TechLine  
**TITLE:** Customer Service  
**PHONE:** 1-888-276-7876  
**EMAIL:** fpotechline@armstrongflooring.com

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>NoGS</b> No GreenScreen.
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*