

HPD UNIQUE IDENTIFIER: 29097

CLASSIFICATION: 09 64 00 Wood Flooring

PRODUCT DESCRIPTION: 5-5/8" x 48" x 4.5mm thick Stone Composite Flooring. 0.5 mm wear layer and with high definition decor film and quartz-enhanced acrylic coating. 1 mm anti-microbial XPE foam backing. 100% waterproof, superior stability and heat resistance, super dent resistance.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i> Characterized ☐ Yes Ex/SC ☒ Yes ☐ No <i>% weight and role provided for all substances.</i> Screened ☐ Yes Ex/SC ☒ Yes ☐ No <i>All substances screened using Priority Hazard Lists with results disclosed.</i> Identified ☐ Yes Ex/SC ☒ Yes ☐ No <i>All substances disclosed by Name (Specific or Generic) and Identifier.</i>
☒ Nested Materials Method	☒ 100 ppm	Considered in 3 of 3 Materials	
☐ Basic Method	☐ 1,000 ppm	Explanation(s) provided for Residuals/Impurities?	
Threshold Disclosed Per	☐ Per GHS SDS	☒ Yes ☐ No	
☐ Material	☐ Other		
☒ Product			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

STONE COMPOSITE CORE | CALCIUM CARBONATE BM-3 POLYVINYL CHLORIDE LT-P1 | RES BIS(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg CALCIUM STEARATE LT-UNK ZINC STEARATE LT-UNK POLYETHYLENE LT-UNK PENTAERYTHRITYL TETRASTEARATE NoGS PARAFFIN LT-UNK CARBON BLACK BM-1 | CAN] EVA FOAM [ETHYLENE-VINYL ACETATE COPOLYMER LT-UNK] WEAR LAYER [POLYVINYL CHLORIDE (PVC) (PRIMARY CASRN IS 9002-86-2) LT-P1 | RES BIS(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg ZINC STEARATE LT-UNK CALCIUM STEARATE LT-UNK POLYURETHANE FOAMS LT-UNK METHYL ETHYL KETONE LT-P1 | END | EYE | PHY TRIMETHYLOLPROPANE TRIACRYLATE LT-P1 | SKI | CAN | RES | MUL | EYE 1,6-HEXANEDIOL DIACRYLATE LT-P1 | SKI | MUL | EYE DIPROPYLENE GLYCOL DIACRYLATE LT-UNK FORMALDEHYDE, POLYMER WITH CYCLOHEXANONE LT-UNK TRIPROPYLENE GLYCOL DIACRYLATE LT-P1 | SKI | MUL | EYE | AQU ALUMINUM OXIDE BM-2 | RES NANO SILVER BM-1 | END | MUL 2-PYRROLIDINONE, 1-ETHENYL-LT-1 | CAN | EYE HYDROXYCYCLOHEXYL PHENYL KETONE LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT	CERTIFICATIONS AND COMPLIANCE
VOC Content data is not applicable for this product category.	See Section 3 for additional listings.
	VOC emissions: RFCI FloorScore
	CONSISTENCY WITH OTHER PROGRAMS
	No pre-checks completed or disclosed.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2022-07-06
☐ Yes	VERIFIER:	PUBLISHED DATE: 2022-07-07
☒ No	VERIFICATION #:	EXPIRY DATE: 2025-07-06

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

STONE COMPOSITE CORE

#: 66.6700

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: No known residuals and impurities

OTHER MATERIAL NOTES:

CALCIUM CARBONATE

ID: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-07-06 14:50:45

#: 72.5300

GS: BM-3

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: No warnings found on HPD Priority lists

POLYVINYL CHLORIDE

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-07-06 14:50:45

#: 23.3100

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RES

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

BIS(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-07-06 14:50:46

#: 1.5100

GS: BM-3dg

RC: None

NANO: No

SUBSTANCE ROLE: Plasticizer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: No warnings found on HPD Priority lists

CALCIUM STEARATE

ID: 1592-23-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-07-06 14:50:49

#: 0.6300

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Stabilizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: No warnings found on HPD Priority lists		

ZINC STEARATEID: 557-05-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-06 14:50:49		
%: 0.6300	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found	No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES: No warnings found on HPD Priority lists				

POLYETHYLENEID: 9002-88-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-06 14:50:50		
%: 0.4600	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Lubricant
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found	No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES: No warnings found on HPD Priority lists				

PENTAERYTHRITYL TETRASTEARATEID: 115-83-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-06 14:50:49		
%: 0.4600	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Surface modifier
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found	No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES: No warnings found on HPD Priority lists				

PARAFFINID: 8002-74-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-06 14:50:50		
%: 0.3100	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Surface modifier
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

CARBON BLACKID: 1333-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-06 14:50:55		
%: 0.1500	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
SUBSTANCE NOTES:		

EVA FOAM

%: 22.2200

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: No known residuals and impurities		
OTHER MATERIAL NOTES:		

ETHYLENE-VINYL ACETATE COPOLYMER

ID: 25822-09-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-07 6:48:56		
%: 100.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Insulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found	No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES: No warnings found on HPD Priority Hazard Lists				

WEAR LAYER

%: 11.1100

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Wood or Lumber
RESIDUALS AND IMPURITIES NOTES: No known residuals and impurities		
OTHER MATERIAL NOTES:		

POLYVINYL CHLORIDE (PVC) (PRIMARY CASRN IS 9002-86-2)

ID: 93050-82-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-06 14:50:44		
%: 76.0800	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
RES	AOEC - Asthmagens		Asthmagen (Rs) - sensitizer-induced	
SUBSTANCE NOTES:				

BIS(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-07-06 14:50:46			
%: 18.1100	GS: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: No warnings found on HPD Priority lists		

ZINC STEARATE

ID: 557-05-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-06 14:50:47		
%: 1.4100	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found	No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES: No warnings found on HPD Priority lists				

CALCIUM STEARATE

ID: 1592-23-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-06 14:50:47		
%: 1.4100	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found	No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES: No warnings found on HPD Priority lists				

POLYURETHANE FOAMS

ID: 9009-54-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-06 14:50:48		
%: 0.7500	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Abrasion resistance
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found	No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES: No warnings found on HPD Priority lists				

METHYL ETHYL KETONE

ID: 78-93-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-06 14:50:48		
%: 0.6600	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		

SUBSTANCE NOTES:

TRIMETHYLOLPROPANE TRIACRYLATE

ID: 15625-89-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-06 14:50:51		
%: 0.2800	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Abrasion resistance
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization		
CAN	IARC	Group 2b - Possibly carcinogenic to humans		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]		
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		

SUBSTANCE NOTES:

1,6-HEXANEDIOL DIACRYLATE

ID: 13048-33-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-06 14:50:51		
%: 0.2800	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]		
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		

SUBSTANCE NOTES:

DIPROPYLENE GLYCOL DIACRYLATE

ID: 57472-68-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-06 14:50:52		
%: 0.2800	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: No warnings found on HPD Priority lists

FORMALDEHYDE, POLYMER WITH CYCLOHEXANONE

ID: 25054-06-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2022-07-06 14:50:52**

%: **0.2800**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Desiccant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: No warnings found on HPD Priority lists

TRIPROPYLENE GLYCOL DIACRYLATE

ID: 42978-66-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2022-07-06 14:50:53**

%: **0.1900**

GS: **LT-P1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

SKI

MAK

Sensitizing Substance Sh - Danger of skin sensitization

MUL

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SKI

EU - GHS (H-Statements) Annex 6 Table 3-1

H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]

SKI

EU - GHS (H-Statements) Annex 6 Table 3-1

H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]

EYE

EU - GHS (H-Statements) Annex 6 Table 3-1

H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]

AQU

EU - GHS (H-Statements) Annex 6 Table 3-1

H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]

SUBSTANCE NOTES:

ALUMINUM OXIDE

ID: 1344-28-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2022-07-06 14:50:53**

%: **0.1900**

GS: **BM-2**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Surface modifier**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RES

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

NANO SILVER

ID: 7440-22-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2022-07-06 14:50:54**

%: **0.1900**

GS: **BM-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Antimicrobial Pesticide**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SUBSTANCE NOTES:		

2-PYRROLIDINONE, 1-ETHENYL-
ID: 88-12-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-06 14:50:54		
%: 0.1900	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Surface modifier
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	MAK		Carcinogen Group 2 - Considered to be carcinogenic for man	
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]	
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1		H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]	
SUBSTANCE NOTES:				

HYDROXYCYCLOHEXYL PHENYL KETONE
ID: 947-19-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-06 14:50:55		
%: 0.0900	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Photoinitiator
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found	No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES:				

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS		RFCI FloorScore	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2022-06-	EXPIRY DATE:	CERTIFIER OR LAB: SCS Global
APPLICABLE FACILITIES: Factory	01		Services
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Galleher
ADDRESS: 9303 Greenleaf Avenue
 Sante Fe Springs CA 90671, USA
WEBSITE: www.galleher.com

CONTACT NAME: Doug Patterson
TITLE: Environmental Compliance Manager
PHONE: 802-989-0476
EMAIL: dpatterson@galleher.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.