Reward Hardwood Flooring - Simplicity Collection by Galleher

HPD UNIQUE IDENTIFIER: 22127

CLASSIFICATION: 09 64 33 Laminated Wood Flooring

PRODUCT DESCRIPTION: 1/2" prefinished engineered wood flooring. 2mm thick hardwood wear layer (White Oak, Red Oak, Maple or Hickory) on a 10mm thick Eucalyptus plywood platform. UV urethane finish with aluminum oxide. Wear layer and plywood veneers glued together with phenol adhesive.

Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials MethodBasic Method
- Threshold Disclosed Per
- C Material
- O Product

Threshold levelF© 100 ppmF© 1,000 ppmC© Per GHS SDS

O Other

Residuals/Impurities

Residuals/Impurities Considered in 4 of 4 Materials

Explanation(s) provided for Residuals/Impurities? • Yes O No

Nested Method / Product Threshold

All Substances Above the Threshold Indicated Are:

Characterized O Yes Ex/SC O Yes O No % weight and role provided for all substances.

ScreenedO Yes Ex/SC O Yes O NoOne or more substances not screened using PriorityHazard Lists with results disclosed and/ or one or moreSpecial Condition did not follow guidance.

 Identified
 O Yes Ex/SC O Yes O No

 One or more substances not disclosed by Name
 (Specific or Generic) and Identifier and/ or one or more

 Special Condition did not follow guidance.
 (Specific or Generic)

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

PLYWOOD PLATFORM - EUCALYPTUS [EUCALYPTUS Not Screened] WEAR LAYER - WHITE OAK, RED OAK, MAPLE OR HICKORY [WHITE OAK, RED OAK, MAPLE OR HICKORY Not Screened] UV URETHANE FINISH, BASE COAT AND TOP COAT [NONHAZARDOUS ACRYLATE POLYMERS Not Screened 1,6-HEXANEDIOL DIACRYLATE LT-P1 | SKI | EYE | MUL TRIPROPYLENE GLYCOL DIACRYLATE (PRIMARY CASRN IS 42978-66-5) LT-P1 | AQU | SKI | EYE | MUL METHYL PHENYLGLYOXALATE LT-UNK BENZOPHENONE LT-1 | CAN | END] PHENOL UREA GLUE [WATER BM-4 UREA LT-UNK FORMALDEHYDE (PRIMARY CASRN IS 50-00-0) BM-1 | RES | CAN | MAM | SKI | GEN | MUL | END PHENOL (PRIMARY CASRN IS 108-95-2) LT-P1 | MAM | SKI | GEN | END | MUL | CAN | REP SODIUM HYDROXIDE (NA(OH)), MONOHYDRATE LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

The Acrylate Polymers used in our wood flooring finish cannot currently be screened and are considered Special Condition Materials by HPDC. There isn't a single CAS number registered for Acrylate Polymers and neither a GreenScreen score nor associated hazards data for screening is available in the HPD Builder. However, we have confidence that the Acrylate Polymers used are nonhazardous because the finish manufacturer is located in Europe and is subject to the EU REACH regulation which requires that the European Chemicals Agency be notified of the presence of all chemical Substances of Very High Concern. No SVHCs have been reported because none are present. Any hazards associated with the chemicals used in the manufacture of this wood flooring's finish are only present when the finish is in a wet state (i.e. when it is being applied at the factory). Through the UV curing process, the chemicals are altered and become inert such that there is no exposure to the user. Any formaldehyde used in this wood flooring's adhesive system emits at extremely low levels and meets the stringent limits set by EPA/CARB.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

O Yes ⊙ No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-10-05 PUBLISHED DATE: 2020-10-05 EXPIRY DATE: 2023-10-05 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

	PLYWOOD PLATFORM - EUCALY	PTUS %: 75.0000			
F	PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Wood or Lumber				
F	RESIDUALS AND IMPURITIES NOT	ES: Natural wood - no residuals and impurit	ies		
(OTHER MATERIAL NOTES:				
	EUCALYPTUS				ID: Not Registered
	HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARI	O SCREENIN	NG DATE: 2020-10-05
	%: 100.0000	GS: Not Screened	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
	HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS	
		Hazard Screening not performed			
	SUBSTANCE NOTES:				
	WEAR LAYER - WHITE OAK, RED HICKORY	OAK, MAPLE OR %: 21.0000			
P	PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND Yes	IMPURITIE	S CONSIDE	RED: MATERIAL TYPE: Wood or Lumber
F	RESIDUALS AND IMPURITIES NOT	ES: Natural wood - no residuals and impurit	ies.		
(OTHER MATERIAL NOTES:				
	officient watching horizo.				
	WHITE OAK, RED OAK, MAPLE (OR HICKORY			ID: Not Registered
	WHITE OAK, RED OAK, MAPLE (OR HICKORY Pharos Chemical and Materials Library	HAZARI	O SCREENIN	ID: Not Registered
	WHITE OAK, RED OAK, MAPLE (HAZARI RC: None	D SCREENIN NANO: No	
	WHITE OAK, RED OAK, MAPLE O	Pharos Chemical and Materials Library	RC: None	NANO:	IG DATE: 2020-10-05 SUBSTANCE ROLE: Structure
	WHITE OAK, RED OAK, MAPLE O HAZARD SCREENING METHOD: %: 100.0000	Pharos Chemical and Materials Library GS: Not Screened	RC: None	NANO: No	IG DATE: 2020-10-05 SUBSTANCE ROLE: Structure
	WHITE OAK, RED OAK, MAPLE O HAZARD SCREENING METHOD: %: 100.0000	Pharos Chemical and Materials Library GS: Not Screened AGENCY AND LIST TITLES	RC: None	NANO: No	IG DATE: 2020-10-05 SUBSTANCE ROLE: Structure
	WHITE OAK, RED OAK, MAPLE O HAZARD SCREENING METHOD: %: 100.0000 HAZARD TYPE	Pharos Chemical and Materials Library GS: Not Screened AGENCY AND LIST TITLES	RC: None	NANO: No	IG DATE: 2020-10-05 SUBSTANCE ROLE: Structure
	WHITE OAK, RED OAK, MAPLE O HAZARD SCREENING METHOD: %: 100.0000 HAZARD TYPE	Pharos Chemical and Materials Library GS: Not Screened AGENCY AND LIST TITLES	RC: None	NANO: No	IG DATE: 2020-10-05 SUBSTANCE ROLE: Structure
	WHITE OAK, RED OAK, MAPLE O HAZARD SCREENING METHOD: %: 100.0000 HAZARD TYPE	Pharos Chemical and Materials Library GS: Not Screened AGENCY AND LIST TITLES Hazard Screening not performed	RC: None	NANO: No	IG DATE: 2020-10-05 SUBSTANCE ROLE: Structure

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMP Yes	URITIES CONSIDERED:	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOT	ES: No known residuals and impurities		
OTHER MATERIAL NOTES:			
NONHAZARDOUS ACRYLATE PO	DLYMERS		ID: Not Registered
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING D	DATE: 2020-10-05
%: 6.0000 - 70.0000	GS: Not Screened	RC: None NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
	Hazard Screening not performed		
Condition Materials by HPDC. The associated hazards data for screen nonhazardous because the finish	ate Polymers used in our wood flooring finis here isn't a single CAS number registered f eening is available in the HPD Builder. How h manufacturer is located in Europe and is notified of the presence of all chemical Sul	or Acrylate Polymers and ne ever, we have confidence th subject to the EU REACH re	ither a GreenScreen score nor at the Acrylate Polymers used are gulation which requires that the
1,6-HEXANEDIOL DIACRYLATE			ID: 13048-33-4
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING D	ATE: 2020-10-05
%: 4.0000 - 40.0000	GS: LT-P1	RC: None NANO: No	SUBSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin i	rritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an	allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes seriou	us eye irritation
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to V	Vaters
SKIN SENSITIZE	МАК	Sensitizing Substanc	e Sh - Danger of skin sensitization
SUBSTANCE NOTES:			
TRIPROPYLENE GLYCOL DIACR 5)	YLATE (PRIMARY CASRN IS 42978-66-		ID: 193898-52-1
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DAT	E: 2020-10-05
%: 1.0000 - 10.0000	GS: LT-P1		BSTANCE ROLE: Processing ulator

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKIN SENSITIZE	МАК	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES:

METHYL PHENYLGLYOXALAT	E				ID: 15206-55-0
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05			
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE	E: Photoinitiator
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS		
None found			No warning	gs found on HPD Pric	ority Hazard Lists

SUBSTANCE NOTES:

BENZOPHENONE		ID: 119-61-9
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-05
%: 1.0000 - 5.0000	GS: LT-1	RC: None NANO: No SUBSTANCE ROLE: Photoinitiator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES:

PHENOL UREA GLUE

%: 2.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Adhesive used to laminate wear layer to plywood platform and to laminate plywood platform layers.

OTHER MATERIAL NOTES:

WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: 40.0000	GS: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS	
None found		Ν	lo warnings fo	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES:				
UREA				ID: 57-13-6
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DA	TE: 2020-10-05
%: 30.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS	

None found

SUBSTANCE NOTES:

FORMALDEHYDE (PRIMARY CASRN IS 50-00-0)				ID: 1609158-91-9
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: 17.0000	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive

No warnings found on HPD Priority Hazard Lists

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted
CANCER	US EPA - IRIS Carcinogens	(1986) Group B1 - Probable human Carcinogen
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen
MAMMALIAN	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
GENE MUTATION	EU - GHS (H-Statements)	H341 - Suspected of causing genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
SKIN SENSITIZE	МАК	Sensitizing Substance Sh - Danger of skin sensitization
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
CANCER	GHS - Korea	Carcinogenicity - Category 1 [H350 - May cause cancer]
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES:

PHENOL (PRIMARY CASRN IS 108-95-2)					ID: 8002-07-1
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	TE: 2020-10-05	
%: 10.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROL	E: Adhesive

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
GENE MUTATION	EU - GHS (H-Statements)	H341 - Suspected of causing genetic defects
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	МАК	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
GENE MUTATION	GHS - New Zealand	6.6A - Known or presumed human mutagens
GENE MUTATION	GHS - Japan	Germ cell mutagenicity - Category 1B [H340]
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B [H360]
SUBSTANCE NOTES:		

SODIUM HYDROXIDE (NA(OH)), MONOHYDRATE				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD S	ATE: 2020-10-05	
%: 3.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Catalyst
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	âS	
None found		Ν	lo warnings fo	und on HPD Priority Hazard Lists

SUBSTANCE NOTES:

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	RFCI FloorScore	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Manufacturing facilities CERTIFICATE URL:	ISSUE DATE: 2020-02- EXPIRY DATE: 01	CERTIFIER OR LAB: SCS Global Services

CERTIFICATION AND COMPLIANCE NOTES:

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

No general notes at this time.

MANUFACTURER INFORMATION

MANUFACTURER: Galleher ADDRESS: 9303 Greenleaf Ave. Santa Fe Springs CA 90670, United States WEBSITE: https://rewardflooring.com

CONTACT NAME: Doug Patterson TITLE: Environmental Compliance Manager PHONE: 802-989-0476 EMAIL: dpatterson@galleher.com

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

present on at least one GreenScreen Specified List, but the

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.