Reward Hardwood Flooring - Yukon Gold Collection by Galleher

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 22134

CLASSIFICATION: 09 64 33 Laminated Wood Flooring

PRODUCT DESCRIPTION: 1/2" prefinished engineered wood flooring. 2mm thick hardwood wear layer (Hickory) on a 10mm thick Eucalyptus or Acacia plywood platform. UV urethane finish with aluminum oxide. Wear layer and plywood veneers glued together with melamine adhesive.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 100 ppm
- ⊙ 1,000 ppm C Per GHS SDS
- Other

Residuals/Impurities

- Residuals/Impurities
- Considered in 4 of 4 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC ○ Yes ○ No.

% weight and role provided for all substances.

Screened

○ Yes Ex/SC ○ Yes ⊙ No

One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow guidance.

Identified

○ Yes Ex/SC ○ Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

PLYWOOD PLATFORM - EUCALPYTUS OR ACACIA [EUCALYPTUS OR ACACIA Not Screened | HARDWOOD WEAR LAYER - HICKORY [HICKORY Not Screened] UV URETHANE FINISH, BASE COAT AND **TOP COAT [NONHAZARDOUS ACRYLATE POLYMERS Not Screened** 1,6-HEXANEDIOL DIACRYLATE LT-P1 | SKI | EYE | MUL TRIPROPYLENE GLYCOL DIACRYLATE (PRIMARY CASRN IS 42978-66-5) LT-P1 | AQU | SKI | EYE | MUL METHYL PHENYLGLYOXALATE LT-UNK BENZOPHENONE LT-1 | CAN | END] MELAMINE GLUE [MELAMINE LT-P1 | CAN | END WATER BM-4 FORMALDEHYDE BM-1 | RES | CAN | MAM | SKI | GEN | MUL | END]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

The Acrylate Polymers used in our wood flooring finish cannot currently be screened and are considered Special Condition Materials by HPDC. There isn't a single CAS number registered for Acrylate Polymers and neither a GreenScreen score nor associated hazards data for screening is available in the HPD Builder. However, we have confidence that the Acrylate Polymers used are nonhazardous because the finish manufacturer is located in Europe and is subject to the EU REACH regulation which requires that the European Chemicals Agency be notified of the presence of all chemical Substances of Very High Concern. No SVHCs have been reported because none are present. Any hazards associated with the chemicals used in the manufacture of this wood flooring's finish are only present when the finish is in a wet state (i.e. when it is being applied at the factory). Through the UV curing process, the chemicals are altered and become inert such that there is no exposure to the user. Any formaldehyde used in this wood flooring's adhesive system emits at extremely low levels and meets the stringent limits set by EPA/CARB.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

VOC emissions: RFCI FloorScore

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified? PREPARER: Self-Prepared SCREENING DATE: 2020-08C Yes No

VERIFIER: 18 VERIFICATION #: PUBLISHED DATE: 2020-10-

EXPIRY DATE: 2023-08-18

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

PLYWOOD PLATFORM - EUCALPYTUS OR ACACIA %: 82.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Wood or Lumber

RESIDUALS AND IMPURITIES NOTES: Natural wood - no residuals and impurities

OTHER MATERIAL NOTES:

EUCALYPTUS OR ACACIA ID:				
HAZARD SCREENING ME	THOD: Pharos Chemical and Materials Library	HAZARI	D SCREENIN	NG DATE: 2020-08-18
%: 100.0000	GS: Not Screened	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
	Hazard Screening not performed			
SUBSTANCE NOTES:				

HARDWOOD WEAR LAYER - HICKORY %: 16.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Wood or Lumber

RESIDUALS AND IMPURITIES NOTES: Natural wood - no residuals and impurities.

OTHER MATERIAL NOTES:

HICKORY				ID: Not Registered
HAZARD SCREENING ME	THOD: Pharos Chemical and Materials Library	HAZAR	D SCREENIN	NG DATE: 2020-08-18
%: 100.0000	GS: Not Screened	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
	Hazard Screening not performed			
SUBSTANCE NOTES:				

UV URETHANE FINISH, BASE COAT AND TOP COAT

%: 2.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric

Material

OTHER MATERIAL NOTES:

NONHAZARDOUS ACRYLATE POLYMERS

ID: Not Registered

HAZARD SCREENING METH	HAZARD S	HAZARD SCREENING DATE: 2020-08-18			
%: 6.0000 - 70.0000	GS: Not Screened	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS		
	Hazard Screening not performed				

SUBSTANCE NOTES: The Acrylate Polymers used in our wood flooring finish cannot currently be screened and are considered Special Condition Materials by HPDC. There isn't a single CAS number registered for Acrylate Polymers and neither a GreenScreen score nor associated hazards data for screening is available in the HPD Builder. However, we have confidence that the Acrylate Polymers used are nonhazardous because the finish manufacturer is located in Europe and is subject to the EU REACH regulation which requires that the European Chemicals Agency be notified of the presence of all chemical Substances of Very High Concern. No SVHCs have been reported because none are present.

1,6-HEXANEDIOL DIACRYLA	TE	ID: 13048-33-4
HAZARD SCREENING METHO	OD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-08-18
%: 4.0000 - 40.0000	GS: LT-P1	RC: None NANO: No SUBSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization
SUBSTANCE NOTES:		

TRIPROPYLENE GLYCOL DIACRYLATE (PRIMARY CASRN IS 42978-66-5)

ID: 193898-52-1

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARI	D SCREENIN	G DATE: 2020-08-18
%: 1.0000 - 10.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effe		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation		
MULTIPLE	German FEA - Substances Hazardous t Waters	to Class 2 - Hazard to Waters		
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensiti		

SUBSTANCE NOTES:

METHYL PHENYLGLYOXALATE				ID: 15206-55-0
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	ATE: 2020-08-18
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Photoinitiator
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warning	s found on HPD Priority Hazard Lists

BENZOPHENONE		ID: 119-61-9
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-08-18
%: 1.0000 - 5.0000	GS: LT-1	RC: None NANO: No SUBSTANCE ROLE: Photoinitiator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SUBSTANCE NOTES:		

MELAMINE GLUE	%: 1.0000 - 20.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Adhesive used to laminate wood veneers into plywood and wear layer onto plywood platform

OTHER MATERIAL NOTES:

MELAMINE				ID: 108-78
HAZARD SCREENING METH	OD: Pharos Chemical and Materials Library	HAZARD S	CREENING DA	ATE: 2020-08-18
%: 45.0000 - 55.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNII	NGS	
CANCER	IARC	Group 2	2b - Possibly c	arcinogenic to humans
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potentia	al Endocrine D	isruptor
SUBSTANCE NOTES:				

WATER ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-08-18

%: 45.0000 - 55.0000

GS: BM-4

RC: None

NANO: No

SUBSTANCE ROLE: Binder

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

FORMALDEHYDE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-08-18

RC: None NANO: No SUBSTANCE ROLE: Adhesive

GS: BM-1

%: 0.5000

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted
CANCER	US EPA - IRIS Carcinogens	(1986) Group B1 - Probable human Carcinogen
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen
MAMMALIAN	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
GENE MUTATION	EU - GHS (H-Statements)	H341 - Suspected of causing genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
CANCER	GHS - Korea	Carcinogenicity - Category 1 [H350 - May cause cancer]
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES:



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

RFCI FloorScore

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Manufacturing facilities

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2019-12- EXPIRY DATE:

CERTIFIER OR LAB: SCS Global

Services



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

No general notes at this time.

MANUFACTURER INFORMATION

MANUFACTURER: Galleher

ADDRESS: 9303 Greenleaf Ave.

Santa Fe Springs CA 90670, United States

WEBSITE: https://rewardflooring.com

CONTACT NAME: Doug Patterson

TITLE: Environmental Compliance Manager

PHONE: **802-989-0476**

EMAIL: dpatterson@galleher.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.