Reward Sereno Collection by Galleher

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 20910

CLASSIFICATION: 09 64 33 Laminated Wood Flooring

PRODUCT DESCRIPTION: 1/2" prefinished engineered wood flooring. 2mm thick hardwood wear layer (European Oak on a 10mm thick Eucalyptus or Birch plywood platform. UV urethane finish with aluminum oxide. Wear layer glued to plywood with EPI adhesive. Plywood veneers glued together with phenol-formaldehyde adhesive.



Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 100 ppm
- **⊙** 1,000 ppm

Per GHS SDS

C Other

Residuals/Impurities

Residuals/Impurities Considered in 5 of 5 Materials

Explanation(s) provided for Residuals/Impurities?

Yes No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances.

Screened

O Yes Ex/SC O Yes O No

One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow quidance.

Identified

C Yes Ex/SC C Yes C No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

PLYWOOD PLATFORM - EUCALYPTUS OR BIRCH [EUCALYPTUS OR BIRCH Not Screened | WEAR LAYER - EUROPEAN OAK | EUROPEAN OAK Not Screened] UV URETHANE FINISH, BASE COAT AND TOP COAT [NONHAZARDOUS ACRYLATE POLYMERS Not Screened 1,6-HEXANEDIOL DIACRYLATE LT-P1 | SKI | EYE | MUL METHYL BENZOYLFORMATE (METHYL BENZOYLFORMATE) LT-UNK BENZOPHENONE LT-1 | CAN | END] ETHYLENE VINYL ACETATE GLUE [WATER BM-4 ETHYLENE VINYL ACETATE POLYMER (EVA) LT-UNK CALCIUM CARBONATE BM-3 ACETIC ACID ETHENYL ESTER, POLYMER WITH ETHENOL LT-UNK VINYL ACETATE LT-P1 | CAN | PHY | END | MUL | MAM | GEN] PHENOLFORMALDEHYDE GLUE [PHENOL FORMALDEHYDE LT-P1 | RES SODIUM HYDROXIDE LT-P1 | SKI | PHY]

Number of Greenscreen BM-4/BM3 contents ... 2 Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

The Acrylate Polymers used in our wood flooring finish cannot currently be screened and are considered Special Condition Materials by HPDC. There isn't a single CAS number registered for Acrylate Polymers and neither a GreenScreen score nor associated hazards data for screening is available in the HPD Builder. However, we have confidence that the Acrylate Polymers used are nonhazardous because the finish manufacturer is located in Europe and is subject to the EU REACH regulation which requires that the European Chemicals Agency be notified of the presence of all chemical Substances of Very High Concern. No SVHCs have been reported because none are present. Any hazards associated with the chemicals used in the manufacture of this wood flooring's finish are only present when the finish is in a wet state (i.e. when it is being applied at the factory). Through the UV curing process, the chemicals are altered and become inert such that there is no exposure to the user. Any formaldehyde used in this wood flooring's adhesive system emits at extremely low levels and meets the stringent limits set by EPA/CARB.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: SCS Indoor Advantage Gold - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes

PREPARER: Self-Prepared VFRIFIFR:

SCREENING DATE: 2020-07-01 PUBLISHED DATE: 2020-07-01



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

PLYWOOD PLATFORM - EUCALYPTUS OR **BIRCH**

%: 82.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED:

MATERIAL TYPE: Wood or

Yes

Lumber

RESIDUALS AND IMPURITIES NOTES: Natural wood - no residuals and impurities

OTHER MATERIAL NOTES: Flooring platform

EUCALYPTUS OR BIRC	H		ID: Undisclosed	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-07-01		
%: 100.0000	GS: Not Screened	RC: None NANO: N	substance role: Structure component	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	Hazard Screening not performed			

SUBSTANCE NOTES: Flooring platform

WEAR LAYER - EUROPEAN OAK %: 16.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Wood or Lumber

RESIDUALS AND IMPURITIES NOTES: Natural wood - no residuals and impurities

OTHER MATERIAL NOTES: Flooring wear layer

EUROPEAN OAK				ID: Not Register
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-07-01				
%: 100.0000	GS: Not Screened	RC: None	nano: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	Hazard Screening not performed			
SUBSTANCE NOTES: Flooring				

UV URETHANE FINISH, BASE COAT AND TOP COAT

%: 2.0000 - 5.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED:

MATERIAL TYPE: Polymeric

Yes

Material

RESIDUALS AND IMPURITIES NOTES: No known residuals and impurities

OTHER MATERIAL NOTES: Flooring finish

NONHAZARDOUS ACRYLATE POLYMERS

ID: Undisclosed

HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020	0-07-01
%: 7.0000 - 70.0000	GS: Not Screened	RC: None	nano: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	Hazard Screening not performed			

SUBSTANCE NOTES: The Acrylate Polymers used in our wood flooring finish cannot currently be screened and are considered Special Condition Materials by HPDC. There isn't a single CAS number registered for Acrylate Polymers and neither a GreenScreen score nor associated hazards data for screening is available in the HPD Builder. However, we have confidence that the Acrylate Polymers used are nonhazardous because the finish manufacturer is located in Europe and is subject to the EU REACH regulation which requires that the European Chemicals Agency be notified of the presence of all chemical Substances of Very High Concern. No SVHCs have been reported because none are present.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

*** 4.0000 - 40.0000

*** GS: LT-P1

*** RC: None

*** NANO: No

*** SUBSTANCE ROLE: Coating

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: Component of finish.

METHYL BENZOYLFORMATE (METHYL BENZOYLFORMATE)

ID: 15206-55-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-07-01		
%: 1.0000 - 5.0000	gs: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Coating	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	6		
None found			No warning	s found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: Component of finish.

	BENZOPHENONE	ID: 119-01-9
- 11-		

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-07-01		
%: 1.0000 - 5.0000	GS: LT-1	RC: None NANO: No SUBSTANCE ROLE: Coating		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 2b - Possibly carcinogenic to humans		
CANCER	CA EPA - Prop 65	Carcinogen		
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		

SUBSTANCE NOTES: Component of finish.

ETHYLENE VINYL ACETATE GLUE %: 1.0000 - 2.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: No known residuals and impurities

OTHER MATERIAL NOTES: Adhesive used to laminate wear layer to plywood platform.

WATER				ID: 7732-18-
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-07-01				
%: 48.0000 - 52.0000	GS: BM-4	RC: None	nano: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING:	S	
None found			No warnings	s found on HPD Priority Hazard Lists

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library MEZARD SCREENING DATE: 2020-07-01 MEZARD SCREENING DATE: 2020-07-01 METHOD: NANO: No SUBSTANCE ROLE: Binder MAZARD TYPE MATERIAL TYPE MATERIAL TYPE MORENINGS No warnings found on HPD Priority Hazard Lists

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: 18.0000 - 22.0000

GS: BM-3

RC: None

NANO: No

SUBSTANCE ROLE: Binder

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Component of glue

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREEN			ENING DATE: 2020-07-01	
%: 4.0000 - 8.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists

VINYL ACETATE ID: 108-05-4

SUBSTANCE NOTES: Component of glue.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-07-01		
%: 0.0100 - 0.5000	GS: LT-P1	RC: None NANO: No SUBSTANCE ROLE: Binde		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 2b - Possibly carcinogenic to humans		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour		
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters	o Class 2 - Hazard to Waters		
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances		
GENE MUTATION	GHS - New Zealand	6.6A - K	nown or presum	ed human mutagens

SUBSTANCE NOTES: Component of glue.

PHENOLFORMALDEHYDE GLUE %: 1.0000 - 2.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: No known residuals and impurities

OTHER MATERIAL NOTES: Adhesive used to laminate wood veneers into plywood.

PHENOL FORMALDEHYDE ID: 9003-35-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-07-01		
%: 90.0000 - 97.5000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		

SODIUM HYDROXIDE ID: 1310-73-2

HAZARD SCREENING METHOD: Pharos C	Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2020-	07-01
%: 2.5000 - 10.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - C	auses severe sk	in burns and eye damage
PHYSICAL HAZARD (REACTIVE)	GHS - Korea	H290 - May be corrosive to metals		to metals

SUBSTANCE NOTES: Component of glue.

SUBSTANCE NOTES: Component of glue.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

SCS Indoor Advantage Gold - Classroom & Office scenario

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Manufacturing facilities ISSUE DATE: 2020-

EXPIRY DATE:

CERTIFIER OR LAB: SCS Global

02-01

Services

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0 Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring. Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m3 (in compliance with CDPH/EHLB Standard Method v1.2-2017)



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

There are no general notes at this time

MANUFACTURER INFORMATION

MANUFACTURER: Galleher

ADDRESS: 9303 Greenleaf Ave.

Santa Fe Springs CA 90670, United States

WEBSITE: www.rewardhardwood.com

EMAIL: dpatterson@galleher.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GFN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or

reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

CONTACT NAME: Douglas Patterson

PHONE: 8029890476

TITLE: Environmental Compliance Manager

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.