

HPD UNIQUE IDENTIFIER: 22983

CLASSIFICATION: 04 05 13 Masonry Mortaring

PRODUCT DESCRIPTION: SPEC MIX® PORTLAND LIME & SAND TYPE N MORTAR (PCL) IS A DRY PRE-BLENDED MORTAR MIX CONTAINING PORTLAND CEMENT, HYDRATED LIME AND DRIED MASONRY SAND FORMULATED FOR SUPERIOR BOND, WATER RETENTION AND BOARD LIFE. OUR TYPE N MORTARS, SOLD UNDER THE SPEC MIX AND PACKAGE PAVEMENT BRANDS, COMPLY WITH ASTM C 270 AND ASTM C 1714 REQUIREMENTS. SPEC MIX TYPE N MORTAR IS AVAILABLE IN STANDARD OR CUSTOM COLORS AS WELL AS CUSTOM MIX DESIGNS FOR SPECIFIC APPLICATIONS OR PROPERTIES.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold level, Residuals/Impurities, and All Substances Above the Threshold Indicated Are: (Characterized, Screened, Identified).

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
TYPE N MORTAR - COLORED [QUARTZ (QUARTZ - SAND) LT-1 |
CAN PORTLAND CEMENT LT-P1 | END | CAN DOLOMITIC HYDRATED
LIME - TYPE S Not Screened FERRIC OXIDE (IRON OXIDE
PIGMENTS) BM-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest concern GreenScreen
Benchmark or List translator Score ... BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:
The primary binders of this preblended mortar, Portland Cement and Hydrated Lime are deconstructed to list the raw materials used for producing these material components of mortar. Please note that the LT-1 (BM-1) warning that is applied to Quartz Sand used in all ASTM C270 specified mortar mixes, only applies to this product in its dry form when handled, mixed with water for placement or aggravated during demolition (including but not limited to, cutting, drilling, chipping, crushing or milling). Once the mortar has cured in place the primary risk of silica dust is diffused, as is the case with quartz countertops and glass windows.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0 Regulatory (g/l): 0.0
Does the product contain exempt VOCs: No
Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self Declared
VOC content: Self Declared

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Summary table with 3 columns: Third Party Verified?, PREPARER: Self-Prepared, SCREENING DATE: 2020-11-19; VERIFIER, PUBLISHED DATE: 2020-11-20; VERIFICATION #, EXPIRY DATE: 2023-11-19.

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

TYPE N MORTAR - COLORED %: 100.0000

PRODUCT THRESHOLD: 1000 RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Other: Composite Blended Material ppm

RESIDUALS AND IMPURITIES NOTES: This product is a composite of naturally mined and processed materials. Blending is done at our factory where the composite of sand, cement, lime and pigments are added to form the finished product.

OTHER MATERIAL NOTES: Pre-Blended Product Composed of Mason Sand, Portland Cement and Hydrated Lime. Total Pre-Consumer Recycled Content is 1.5%.

QUARTZ (QUARTZ - SAND)

ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-11-19

%: 75.0000 - 80.0000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Risk is associated with quartz dust exposure during mixing of the dry product. There is no risk of dust exposure when the product is activated with water and cured in place.

PORTLAND CEMENT

ID: 65997-15-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-11-19

%: 13.5000 - 16.5000 GS: LT-P1 RC: PreC NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: This substance contains 8.6% Pre-Consumer Recycled Content

DOLOMITIC HYDRATED LIME - TYPE S

ID: **Not Registered**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-11-19			
%: 5.5000 - 7.0000	GS: Not Screened	RC: None	NANO: No	SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	Hazard Screening not performed	

SUBSTANCE NOTES: There are no known impurities in this substance

FERRIC OXIDE (IRON OXIDE PIGMENTS)

ID: **1309-37-1**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-11-19			
%: 0.0100 - 1.5000	GS: BM-1	RC: PostC	NANO: No	SUBSTANCE ROLE: Dye

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Has 95% - Post Consumer Recycled Content

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Self Declared		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2020-11-	EXPIRY DATE: 2023-	CERTIFIER OR LAB: Self
APPLICABLE FACILITIES: Stormville, NY / Ravena, NY	20	11-20	
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: This Product Does Not Emit Measurable VOC's.			

VOC CONTENT	Self Declared		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2020-11-	EXPIRY DATE: 2023-	CERTIFIER OR LAB: Self
APPLICABLE FACILITIES: Stormville, NY / Ravena NY	20	11-20	
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: This Product Does Not Contain VOC's.			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This product is crafted to meet or exceed the specifications of ASTM C270 and CSA A179 when mixed and used in accordance with industry standards and practices. Prior to use, the user must be made aware of the risks of silica dust, and the chemical risks associated with exposure of Portland cement and lime, which can cause serious damage to skin, eyes and lungs. Proper safety gear must be used, including waterproof safety gloves and work boots, an ANSI approved dust mask and eye protection and long sleeve shirt to avoid exposure.

MANUFACTURER INFORMATION

MANUFACTURER: Package Pavement - Spec Mix
ADDRESS: 675 Leetown Rd
P.O. Box 408
Stormville New York 12582, United States
WEBSITE: www.packagepavement.com

CONTACT NAME: John J. Doherty
TITLE: Vice President
PHONE: 8007248193
EMAIL: jd@packagepavement.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.