

Terroxy Iso-Crack Membrane Part B
by Terrazzo and Marble Supply



Health Product Declaration v2.3

THIRD-PARTY VERIFIED created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 1533797376
CLASSIFICATION: 09 66 23 Resinous Matrix Terrazzo Flooring
PRODUCT DESCRIPTION: Part B of the two component Terroxy Iso-Crack Membrane. Terroxy Iso-Crack Membrane is a 100% solid, flexible epoxy membrane designed to suppress reflective cracking in Terroxy Resin flooring systems. The unique bonding and elongation properties of polymer provide extraordinary crack suppression and is recommended for use over interior concrete surfaces prior to the flooring's installation. Iso-Crack Membrane is available in clear and gray.

Section 1: Summary
Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
☐ Nested Materials Method ☒ Basic Method	☒ 100 ppm ☐ 1,000 ppm ☐ Per GHS SDS ☐ Other	☒ Completed ☐ Partially Completed ☐ Not Completed	Characterized ☒ Yes ☐ No <i>Provided weight and role.</i> Screened ☒ Yes ☐ No <i>Provided screening results using HPDC-approved methods.</i> Identified ☒ Yes ☐ No <i>Provided name and CAS RN or other identifier.</i>
Threshold Disclosed Per	Explanation(s) provided :		
☐ Material ☒ Product	☒ Yes ☐ No		

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

[PRODUCT](#) | [MATERIAL OR SUBSTANCE](#) | [RESIDUAL OR IMPURITY](#)
[GREENSCREEN SCORE](#) | HAZARD TYPE

TERROXY ISO-CRACK MEMBRANE PART B [4-NONYLPHENOL (BRANCHED) LT-1] END | MUL | PBT | SKI | AQU | REP | MAM | EYE
DIAMINOPOLYPROPYLENE GLYCOL LT-P1 | MUL | SKI | EYE | MAM
AMINOETHYLPIPERAZINE LT-P1 | MUL | SKI | EYE | AQU | MAM **1,4-BIS(AMINOCYCLOHEXYL)METHANE LT-P1** | MUL | SKI | EYE | AQU | MAM | REP]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD includes all chemicals and residuals present in the product above the stated threshold of 100 ppm. Percentage (%) range used to keep exact formulation proprietary.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0 Regulatory (g/l): 0.0
Does the product contain exempt VOCs: No
Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*
VOC emissions: GreenGuard - Gold (previously Children & Schools)
VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS
Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

Third Party Verified? ☒ Yes ☐ No	PREPARER: Self-Prepared VERIFIER: WAP Sustainability Consulting VERIFICATION #: zPr-1521	SCREENING DATE: 2025-03-14 PUBLISHED DATE: 2025-03-14 EXPIRY DATE: 2028-03-14
---	--	---

AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
REP	GHS - Korea	H361 - Suspected of damaging fertility or the unborn child [Reproductive toxicity - Category 2]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1B
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 2
REP	GHS - Australia	H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
END	EU - SVHC List	Equivalent Concern - Candidate List: endocrine disrupting properties cause probable serious effects to the environment or human health
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Core Restrictions
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025 Red List substances to avoid in Living Building Challenge V4.0 projects
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Cosmetics and Personal Care Products

SUBSTANCE NOTES: Percentage (%) range used to keep exact formulation proprietary.

DIAMINOPOLYPROPYLENE GLYCOL

ID: 9046-10-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-03-14 7:32:26

%: 25.0000 - 50.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		
SKI	GHS - New Zealand	Skin corrosion category 1C		
EYE	GHS - New Zealand	Serious eye damage category 1		
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]		
MAM	GHS - New Zealand	Acute dermal toxicity category 3		
MAM	GHS - New Zealand	Acute oral toxicity category 3		
MAM	GHS - Australia	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Percentage (%) range used to keep exact formulation proprietary.

AMINOETHYLPIPERAZINE

ID: 140-31-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-03-14 7:32:26

%: 10.0000 - 20.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
----------------------	--------------------	----------	----------	------------------------------

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
SKI	GHS - New Zealand	Skin corrosion category 1C
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
SKI	GHS - New Zealand	Skin sensitisation category 1
MAM	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Percentage (%) ranged used to as means of keeping exact formulation proprietary.		

1,4-BIS(AMINOCYCLOHEXYL)METHANE		ID: 1761-71-3
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-03-14 7:32:27
?: 5.0000 - 10.0000	GreenScreen: LT-P1	RC: None
	NANO: No	SUBSTANCE ROLE: Curing agent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	GHS - New Zealand	Skin corrosion category 1C
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
SKI	GHS - New Zealand	Skin sensitisation category 1
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
MAM	GHS - New Zealand	Acute inhalation toxicity category 1
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1B]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents

SUBSTANCE NOTES: Percentage (%) range used to keep exact formulation proprietary.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	GreenGuard - Gold (previously Children & Schools)	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2019-04-25 00:00:00	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All	EXPIRY DATE:	Environment
CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5cc1f5bf55b0e850e83b613d?page_type=Products%20Catalog		
CERTIFICATION AND COMPLIANCE NOTES: UL 2818 - 2022 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings		
VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2025-02-28 00:00:00	CERTIFIER OR LAB: ASTM D2369
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Residuals and impurities were collected from suppliers and those that fall above the threshold are included.

MANUFACTURER INFORMATION

MANUFACTURER: **Terrazzo and Marble Supply**
 ADDRESS: **3555 West 123rd**
Alsip, Illinois 60803
 COUNTRY: **United States**

WEBSITE: **www.tmsupply.com**
 CONTACT NAME: **Erik Wachholder**
 TITLE: **Chemist**
 PHONE: **7083856633**
 EMAIL: **EWACHHOLDER@TMSUPPLY.COM**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

