

HPD UNIQUE IDENTIFIER: 23404

CLASSIFICATION: 07 52 13.11 Cold Adhesive Applied Atactic-Polypropylene-Modified Bituminous Membrane Roofing

PRODUCT DESCRIPTION: DELTA®-ADHESIVE LVC is a lower volatile organic compound (VOC) formulation, it is a rubber-based adhesive for self-adhering membranes such as DELTA®-VENT SA. FEATURES: Quick setting Aggressive tack provides increased adhesion of membrane Suitable for application at normal and low temperatures Easily applied Compliant with OTC rules for industrial adhesives and California South Coast Rule 1168.

**Section 1: Summary**

**Basic Method / Product Threshold**

**CONTENT INVENTORY**

<p><b>Inventory Reporting Format</b></p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p><b>Threshold Disclosed Per</b></p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p><b>Threshold level</b></p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p><b>Residuals/Impurities</b></p> <p><input checked="" type="radio"/> Considered</p> <p><input type="radio"/> Partially Considered</p> <p><input type="radio"/> Not Considered</p> <p><b>Explanation(s) provided for Residuals/Impurities?</b></p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p><b>Characterized</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p><b>Screened</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p><b>Identified</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances disclosed by Name (Specific or Generic) and Identifier.</i></p>
--	--	--	---

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**DELTA-ADHESIVE LVC [ METHYL ACETATE LT-UNK | PHY | EYE**  
**NAPHTHA (PETROLEUM), LIGHT STEAM-CRACKED,**  
**DEBENZENIZED, POLYMERS, HYDROGENATED LT-UNK STYRENE**  
**BUTADIENE RUBBER (SBR) LT-UNK N-HEXANE LT-1 | REP | AQU |**  
**PHY | MAM | SKI | MUL | END DISTILLATES (PETROLEUM),**  
**HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI); LT-1 | PBT | CAN**  
**| MUL PARACHLOROENZOTRIFLUORIDE (PCBTF) LT-P1 | MUL**  
**SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPHATIC LT-1 | MAM |**  
**GEN | CAN | MUL CYCLOHEXANE LT-P1 | AQU | PHY | MAM | SKI | MUL**  
**N-HEPTANE LT-P1 | AQU | PHY | MAM | SKI | END | MUL ]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1  
Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

This HPD was created with Basic Inventory.

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): <240 Regulatory (g/l): <240  
Does the product contain exempt VOCs: No  
Are ultra-low VOC tints available: N/A

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: N/A  
VOC content: OTC Model Rule for Adhesives and Sealants  
VOC content: SCAQMD Rule 1168 Adhesive and Sealant Applications  
VOC content: AVAQMD Rule 1168 Adhesive and Sealant Application

**CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients Option 1

<p>Third Party Verified?</p> <p><input type="radio"/> Yes</p> <p><input checked="" type="radio"/> No</p>	<p>PREPARER: Self-Prepared</p> <p>VERIFIER:</p> <p>VERIFICATION #:</p>	<p>SCREENING DATE: 2018-11-12</p> <p>PUBLISHED DATE: 2021-01-13</p> <p>EXPIRY DATE: 2021-11-12</p>
--	--	--

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### DELTA-ADHESIVE LVC

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered based on process chemistry via Pharos Chemical and Material Library (CML). 6PPD, CARBON BLACK, POLYCYCLIC AROMATIC HYDROCARBONS - Associated with STYRENE BUTADIENE RUBBER (SBR). DISTILLATES (PETROLEUM), C6-RICH - Associated with N-HEXANE.

OTHER PRODUCT NOTES:

#### METHYL ACETATE

ID: 79-20-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2018-11-12

#: 35.0000 - 55.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHY	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation

SUBSTANCE NOTES: N/A

#### NAPHTHA (PETROLEUM), LIGHT STEAM-CRACKED, DEBENZENIZED, POLYMERS, HYDROGENATED

ID: 68132-00-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2018-11-12

#: 20.0000 - 30.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Adhesive

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

#### STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2018-11-12

#: 10.0000 - 15.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Viscosity modifier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-11-12**%: **5.0000 - 15.0000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
REP	CA EPA - Prop 65	Reproductive Toxicity - Male
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
PHY	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour
MAM	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation
REP	EU - GHS (H-Statements)	H361f - Suspected of damaging fertility
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
END	ChemSec - SIN List	Endocrine Disruption
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: N/A

**DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI);**

ID: 64742-52-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-11-12**%: **5.0000 - 15.0000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
CAN	EU - GHS (H-Statements)	H350 - May cause cancer
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CAN	Japan - GHS	Carcinogenicity - Category 1A
CAN	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: N/A

**PARACHLOROBENZOTRIFLUORIDE (PCBTF)**

ID: 98-56-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-11-12**

#: 5.0000 - 10.0000

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SUBSTANCE NOTES: N/A		

**SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPHATIC**

ID: 64742-89-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-11-12**

#: 1.0000 - 5.0000

GS: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAM	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
GEN	EU - GHS (H-Statements)	H340 - May cause genetic defects
CAN	EU - GHS (H-Statements)	H350 - May cause cancer
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
GEN	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
GEN	EU - Annex VI CMRs	Mutagen - Category 1B
GEN	Australia - GHS	H340 - May cause genetic defects
CAN	Australia - GHS	H350 - May cause cancer
SUBSTANCE NOTES: N/A		

**CYCLOHEXANE**

ID: 110-82-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-11-12**

#: Impurity/Residual

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
PHY	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour
MAM	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SUBSTANCE NOTES: N/A		

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-11-12**%: **Impurity/Residual** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
PHY	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour
MAM	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: N/A

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

<b>VOC EMISSIONS</b>	<b>N/A</b>
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: N/A CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES: No VOC Emissions Certification required	ISSUE DATE: 2018-11-12 EXPIRY DATE: CERTIFIER OR LAB: N/A
<b>VOC CONTENT</b>	<b>OTC Model Rule for Adhesives and Sealants</b>
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2018-11-07 EXPIRY DATE: CERTIFIER OR LAB: None
<b>VOC CONTENT</b>	<b>SCAQMD Rule 1168 Adhesive and Sealant Applications</b>
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2018-11-07 EXPIRY DATE: CERTIFIER OR LAB: None
<b>VOC CONTENT</b>	<b>AVAQMD Rule 1168 Adhesive and Sealant Application</b>
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2018-11-07 EXPIRY DATE: CERTIFIER OR LAB: None
<b>VOC CONTENT</b>	<b>El Dorado County AQMD Rule 236 Adhesives</b>
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2018-11-07 EXPIRY DATE: CERTIFIER OR LAB: None
<b>VOC CONTENT</b>	<b>Placer County APCD Rule 235 Adhesives</b>
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2018-11-07 EXPIRY DATE: CERTIFIER OR LAB: None
<b>VOC CONTENT</b>	<b>Sacramento Metropolitan AQMD Rule 460 Adhesives and Sealants</b>
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2018-11-07 EXPIRY DATE: CERTIFIER OR LAB: None
<b>VOC CONTENT</b>	<b>San Diego County APDC Rule 67.21 Adhesive Material Application Operations</b>

CERTIFYING PARTY: Self-declared  
APPLICABLE FACILITIES: All  
CERTIFICATE URL:

ISSUE DATE: 2018-11-07 EXPIRY DATE:

CERTIFIER OR LAB: None

CERTIFICATION AND COMPLIANCE NOTES:

**VOC CONTENT**

**Santa Barbara APCD Rule 353 Adhesives and Sealants**

CERTIFYING PARTY: Self-declared  
APPLICABLE FACILITIES: All  
CERTIFICATE URL:

ISSUE DATE: 2018-11-07 EXPIRY DATE:

CERTIFIER OR LAB: None

CERTIFICATION AND COMPLIANCE NOTES:

**VOC CONTENT**

**Shasta County AQMD Rule 3:32 Adhesives and Sealants**

CERTIFYING PARTY: Self-declared  
APPLICABLE FACILITIES: All  
CERTIFICATE URL:

ISSUE DATE: 2018-11-07 EXPIRY DATE:

CERTIFIER OR LAB: None

CERTIFICATION AND COMPLIANCE NOTES:

**VOC CONTENT**

**Tehama County APCD Rule 4:40 Adhesives and Sealants**

CERTIFYING PARTY: Self-declared  
APPLICABLE FACILITIES: All  
CERTIFICATE URL:

ISSUE DATE: 2018-11-07 EXPIRY DATE:

CERTIFIER OR LAB: None

CERTIFICATION AND COMPLIANCE NOTES:

**VOC CONTENT**

**Ventura County APCD Rule 74.20 Adhesives and Sealants**

CERTIFYING PARTY: Self-declared  
APPLICABLE FACILITIES: All  
CERTIFICATE URL:

ISSUE DATE: 2018-11-07 EXPIRY DATE:

CERTIFIER OR LAB: None

CERTIFICATION AND COMPLIANCE NOTES:

**VOC CONTENT**

**Yolo-Solano AQMD Rule 2.33 Adhesive Operations**

CERTIFYING PARTY: Self-declared  
APPLICABLE FACILITIES: All  
CERTIFICATE URL:

ISSUE DATE: 2018-11-07 EXPIRY DATE:

CERTIFIER OR LAB: None

CERTIFICATION AND COMPLIANCE NOTES:

**VOC CONTENT**

**San Joaquin Valley Unified APCD Rule 4653 Adhesives**

CERTIFYING PARTY: Self-declared  
APPLICABLE FACILITIES: All  
CERTIFICATE URL:

ISSUE DATE: 2018-11-07 EXPIRY DATE:

CERTIFIER OR LAB: None

CERTIFICATION AND COMPLIANCE NOTES:

**+ Section 4: Accessories**

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

**NO ACCESSORIES ARE REQUIRED FOR THIS PRODUCT**

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

N/A

Job sites are neither reliably dry nor reliably dust or dirt free. While a membrane might adhere to a given substrate without primer, it will adhere to whatever it comes into contact with first. In most cases, that is the dust and the dirt. Because the dust and dirt are not bonded to the substrate, neither is the membrane truly adhered to the substrate. This is the role of DELTA®-ADHESIVE LVC. Primers prepare the surface for the proper adhesion of the membrane by consolidating all the dust and dirt, allowing intimate contact between the adhesive and the substrate. This product is recommended for use with membranes such as DELTA®-VENTS SA when applied to masonry, concrete, exterior grade gypsum board and metal surfaces APPLICATION: DELTA®-ADHESIVE LVC is applied by brush or roller. Rollers should have a heavy nap of natural material such as lamb's wool. Allow adhesive to dry 30 minutes before applying membrane, longer under cold conditions. Coated surfaces not covered by membrane during the working day must be re-coated. Please visit our web site at – [www.dorcken.com](http://www.dorcken.com) – for any additional information or contact our technical support team at 1-888-433-5824 ext. 326



**MANUFACTURER INFORMATION**

**MANUFACTURER:** Dörken Systems Inc.  
**ADDRESS:** 4655 Delta Way  
 Beamsville Ontario L0R 1B4, Canada  
**WEBSITE:** www.dorken.com

**CONTACT NAME:** Krzysztof Apriasz  
**TITLE:** Technical Service Manager  
**PHONE:** 1-888-4DETLA4 (433-5824) x 326  
**EMAIL:** kapriasz@dorken.com

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	<b>NoGS</b> No GreenScreen.

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*