

HPD UNIQUE IDENTIFIER: 23402

CLASSIFICATION: 07 27 00 Air Barriers

**PRODUCT DESCRIPTION:** DELTA®-VENT SA is a light-weight, tear-resistant, fully adhered, water-resistive barrier and air barrier, which yields high performance. DELTA®-VENT SA allows moisture within the building enclosure to escape through the membrane via vapor diffusion. No fasteners are required, eliminating leaks and improving the performance of the building enclosure with increased air-tightness, making it ideal for energy-efficient construction. This membrane withstands the rigors of job sites, as well as tough wind and weather. DELTA®-VENT SA is the only self-adhering WRB and air barrier with the security of a self-adhesive edge lap. It may be adhered to concrete, masonry, OSB, plywood, or exterior grade drywall. DELTA®-VENT SA gives you the confidence that you will have an energy efficient, airtight structure for years to come.

**Section 1: Summary**

**Basic Method / Product Threshold**

**CONTENT INVENTORY**

<b>Inventory Reporting Format</b>	<b>Threshold level</b>	<b>Residuals/Impurities</b>	<i>All Substances Above the Threshold Indicated Are:</i>
<input type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	<input checked="" type="radio"/> Considered	<b>Characterized</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	<input type="radio"/> Partially Considered	<i>% weight and role provided for all substances.</i>
	<input type="radio"/> Per GHS SDS	<input type="radio"/> Not Considered	
<b>Threshold Disclosed Per</b>	<input type="radio"/> Other		
<input type="radio"/> Material		<b>Explanation(s) provided for Residuals/Impurities?</b>	<b>Screened</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	<i>All substances screened using Priority Hazard Lists with results disclosed.</i>
			<b>Identified</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>All substances disclosed by Name (Specific or Generic) and Identifier.</i>

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**DELTA-VENT SA [ POLYPROPYLENE LT-UNK BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE LT-UNK 1,3-PENTADIENE, POLYMER WITH 2-METHYL-2-BUTENE LT-UNK BENZENE, (1-METHYLETHENYL)-, POLYMER WITH 2-METHYL-2-BUTENE AND 1,3-PENTADIENE LT-UNK DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI); LT-1 | PBT | CAN | MUL ANOX 20 LT-UNK 2-(2H-BENZOTRIAZOL-2-YL)-4,6-DITERTPENTYLPHENOL LT-1 | PBT | MUL 3,5-BIS(1,1-DIMETHYLETHYL)-4-HYDROXYBENZENEPROPANOIC ACID OCTADECYL ESTER LT-P1 TRIS(2,4-DI-TERT-BUTYLPHENYL) PHOSPHITE LT-UNK | PBT 1,3-PROPANEDIAMINE, N,N''-1,2-ETHANEDIYLBIS-, REACTION PRODUCTS WITH CYCLOHEXANE AND PEROXIDIZED N-BUTYL-2,2,6,6-TETRAMETHYL-4-PIPERIDINAMINE-2,4,6-TRICHLORO-1,3,5-TRIAZINE REACTION PRODUCTS BM-1 | PBT HOSTAVIN N 30 NoGS CHIMASSORB 2020 NoGS CALCIUM CARBONATE BM-3 CARBON BLACK LT-1 | CAN ]**

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1  
Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

This HPD was created with Basic Inventory.

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: N/A

**CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-01-02

PUBLISHED DATE: 2021-01-13

EXPIRY DATE: 2022-01-02

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### DELTA-VENT SA

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered based on process chemistry via Pharos Chemical and Material Library (CML). 1,2,4-trimethylpiperazine | 2,2,6,6-tetramethylpiperidine | MAGNESIUM CHLORIDE | METHANOL | COPPER | PROPYLENE | Titanium (III) chloride - Associated with POLYPROPYLENE; HYDROCARBONS, C EQUAL OR GREATER THAN 20, PETROLEUM WASTES - Associated with DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI); AMMONIA | IRON - Associated with 3,5-BIS(1,1-DIMETHYLETHYL)-4-HYDROXYBENZENEPROPANOIC ACID OCTADECYL ESTER POLYCYCLIC AROMATIC HYDROCARBONS - Associated with CARBON BLACK

OTHER PRODUCT NOTES:

#### POLYPROPYLENE

ID: 9003-07-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-01-02

#: 32.0000 - 43.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Textile component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

#### BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE

ID: 25038-32-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-01-02

#: 14.0000 - 23.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Adhesive

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

#### 1,3-PENTADIENE, POLYMER WITH 2-METHYL-2-BUTENE

ID: 26813-14-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-01-02

#: 11.0000 - 23.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Adhesive

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

**BENZENE, (1-METHYLETHENYL)-, POLYMER WITH 2-METHYL-2-BUTENE AND 1,3-PENTADIENE**

ID: 62258-49-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-01-02**

#: **6.0000 - 17.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

**DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9C);**

ID: 64742-52-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-01-02**

#: **6.0000 - 17.0000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
CAN	EU - GHS (H-Statements)	H350 - May cause cancer
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CAN	Japan - GHS	Carcinogenicity - Category 1A
CAN	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: N/A

**ANOX 20**

ID: 6683-19-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-01-02**

#: **0.0040 - 1.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Antioxidant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

**2-(2H-BENZOTRIAZOL-2-YL)-4,6-DITERTPENTYLPHENOL**

ID: 25973-55-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-01-02**

#: **0.0040 - 1.0000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Heat or UV stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	EU - SVHC Authorisation List	PBT - Candidate list
PBT	EU - SVHC Authorisation List	PBT - Prioritized for listing
PBT	EU - SVHC Authorisation List	vPvB - Candidate list
PBT	EU - SVHC Authorisation List	vPvB - Prioritized for listing
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Substance of Possible Concern
PBT	ChemSec - SIN List	PBT / vPvB (Persistent, Bioaccumulative, & Toxic / very Persistent & very Bioaccumulative)
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: N/A

**3,5-BIS(1,1-DIMETHYLETHYL)-4-HYDROXYBENZENEPROPANOIC ACID OCTADECYL ESTER**

ID: 2082-79-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-01-02**

#: **0.0040 - 1.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Antioxidant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

**TRIS(2,4-DI-TERT-BUTYLPHENYL) PHOSPHITE**

ID: 31570-04-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-01-02**

#: **0.0040 - 1.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Antioxidant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	EU - ESIS PBT	Under PBT evaluation

SUBSTANCE NOTES: N/A

**1,3-PROPANEDIAMINE, N,N''-1,2-ETHANEDIYLBIS-, REACTION PRODUCTS WITH CYCLOHEXANE AND PEROXIDIZED N-BUTYL-2,2,6,6-TETRAMETHYL-4-PIPERIDINAMINE-2,4,6-TRICHLORO-1,3,5-TRIAZINE REACTION PRODUCTS**

ID: 191680-81-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-01-02**

#: **0.0040 - 1.0000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Flame retardant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	EHP - San Antonio Statement on BFRs & CFRs	Flame retardant substance class of concern for PB&T & long range transport

SUBSTANCE NOTES: N/A

**HOSTAVIN N 30**

ID: 202483-55-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-01-02**

%: **0.0040 - 1.0000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Heat or UV stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

**CHIMASSORB 2020**

ID: 192268-64-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-01-02**

%: **0.0040 - 1.0000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Heat or UV stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

**CALCIUM CARBONATE**

ID: 471-34-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-01-02**

%: **0.0000 - 9.0000** GS: **BM-3** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

**CARBON BLACK**

ID: 1333-86-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-01-02**

%: **0.0000 - 2.0000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: N/A

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### VOC EMISSIONS

N/A

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2018-12-

EXPIRY DATE:

CERTIFIER OR LAB: N/A

APPLICABLE FACILITIES: N/A

20

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: No VOC Certification or Compliance required

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### DELTA-ADHESIVE LVC (VOC <240.00 G/L)

HPD URL: [https://hpdrepository.hpd-](https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_268_DELTA_ADHESIVE_LVC_1485446176.pdf)

[collaborative.org/repository/HPDs/publish\\_268\\_DELTA\\_ADHESIVE\\_LVC\\_1485446176.pdf](https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_268_DELTA_ADHESIVE_LVC_1485446176.pdf)

#### CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Not all product installations require the use of primer. However, in certain exceptions primer may be used to enhance adhesion. The ability of self-adhering membranes to adhere to a substrate may become compromised by irregular surface texture, chemical release agents, moisture content, dirt and debris, or even low temperatures or high wind conditions. An adhesion test is recommended to confirm substrate suitability. Adhesion enhancements are required when an assembly is unable to maintain a continuous and secure installation. Where enhanced adhesion is needed, Dörken Systems Inc. offers DELTA®-HF PRIMER (water-based, highly vapor permeable), DELTA®-ADHESIVE LVC or DELTA®-ADHESIVE (cold weather) for surface preparation.

### DELTA®-ADHESIVE

HPD URL: No HPD available

#### CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Not all product installations require the use of primer. However, in certain exceptions primer may be used to enhance adhesion. The ability of self-adhering membranes to adhere to a substrate may become compromised by irregular surface texture, chemical release agents, moisture content, dirt and debris, or even low temperatures or high wind conditions. An adhesion test is recommended to confirm substrate suitability. Adhesion enhancements are required when an assembly is unable to maintain a continuous and secure installation. Where enhanced adhesion is needed, Dörken Systems Inc. offers DELTA®-HF PRIMER (water-based, highly vapor permeable), DELTA®-ADHESIVE LVC or DELTA®-ADHESIVE (cold weather) for surface preparation.

### DELTA®-HF PRIMER

HPD URL: No HPD available

#### CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Not all product installations require the use of primer. However, in certain exceptions primer may be used to enhance adhesion. The ability of self-adhering membranes to adhere to a substrate may become compromised by irregular surface texture, chemical release agents, moisture content, dirt and debris, or even low temperatures or high wind conditions. An adhesion test is recommended to confirm substrate suitability. Adhesion enhancements are required when an assembly is unable to maintain a continuous and secure installation. Where enhanced adhesion is needed, Dörken Systems Inc. offers DELTA®-HF PRIMER (water-based, highly vapor permeable), DELTA®-ADHESIVE LVC or DELTA®-ADHESIVE (cold weather) for surface preparation.

### DELTA®-MULTI BAND

HPD URL: No HPD available

#### CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

DELTA®-MULTI BAND pure acrylic adhesive tape used at overlaps of DELTA® Air & Water-resistive Barriers.

### DELTA®-THAN

HPD URL: No HPD available

#### CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

DELTA®-THAN is a permanently elastic, special rubber compound sealant and adhesive.

---

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

DELTA®-FAS CORNER pre-formed to make corners in window and door openings air and water tight.

---

**DELTA®-FLASHING**HPD URL: **No HPD available**

---

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

DELTA®-FLASHING used to seal openings for windows and doors to complete the DELTA® Air & WRB System.

---

**DELTA®-FLEXX-BAND**HPD URL: **No HPD available**

---

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

DELTA®-FLEXX-BAND stretchable butyl rubber tape used at penetrations.

---

**DELTA®-TILAXX**HPD URL: **No HPD available**

---

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

DELTA®-TILAXX used to seal overlaps (end laps and side laps) of DELTA® air and waterresistive barriers.

---

**DELTA®-TW FLASHING**HPD URL: **No HPD available**

---

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

DELTA®-TW FLASHING premium, durable, self-adhering flashing used to seal the interface between common building substrates, including lintels and brick ledges, and to all DELTA® air- and water-resistive barrier membranes at vulnerable detail areas.

---

 **Section 5: General Notes**

Please visit our web site at – [www.dorcen.com](http://www.dorcen.com) – for any additional information or contact our technical support team at 1-888-433-5824 ext. 326



**MANUFACTURER INFORMATION**

**MANUFACTURER:** Dörken Systems Inc.  
**ADDRESS:** 4655 Delta Way  
 Beamsville Ontario L0R 1B4, Canada  
**WEBSITE:** www.dorcken.com

**CONTACT NAME:** Krzysztof Apriasz  
**TITLE:** Technical Service Manager  
**PHONE:** 1-888-4DETLA4 (433-5824) x 326  
**EMAIL:** kapriasz@dorcken.com

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	<b>NoGS</b> No GreenScreen.

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*