BENJAMIN MOORE BLOCK FILLER (244) by Benjamin Moore & Co.

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 21600 CLASSIFICATION: 09 00 00 Finishes

PRODUCT DESCRIPTION: Benjamin Moore® Block Filler has been designed specifically for spraying and filling voids in interior masonry block. Formulated for spray, although it may also be applied by brush and roller. Can be tinted with Benjamin Moore's proprietary zero-VOC waterborne colorants.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 1,000 ppm
- Per GHS SDS
- C Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities? Yes No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances.

 ○ Yes Ex/SC Yes No Screened

All substances screened using Priority Hazard Lists with results disclosed.

O Yes Ex/SC O Yes O No Identified

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

BENJAMIN MOORE BLOCK FILLER (244) [LIMESTONE LT-UNK WATER (PRIMARY CASRN IS 7732-18-5) BM-4 KAOLIN, CALCINED (PRIMARY CASRN IS 92704-41-1) LT-UNK 2-PROPENOIC ACID, BUTYL ESTER. POLYMER WITH ETHENYL ACETATE LT-UNK MICA LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END QUARTZ LT-1 | CAN TEXANOL LT-UNK | CAN PROPYLENE GLYCOL BM-2 | END SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346 LT-UNK ENGLISH FULLERS EARTH Nogs PENTAPOTASSIUM TRIPHOSPHATE LT-UNK POLYETHYLENE GLYCOL BENZYL (1,1,3,3-TETRAMETHYLBUTYL)PHENYL ETHER LT-UNK 2-AMINO-2-METHYLPROPANOL LT-UNK | SKI | EYE]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Reviewed per GHS criteria

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 19 Regulatory (g/l): 35

Does the product contain exempt VOCs: No Are ultra-low VOC tints available: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

VOC content: SCAQMD Rule 1113 Architectural Coatings - Fire Proofing Exterior Coatings, Fire Retardant Coatings, Graphic Arts (Sign) Coatings, High Temperature IM Coatings, Japans/Faux Finishing Coatings, Magnesite Cement Coatings, Roof Primers (Bituminous), Shellac, S

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

PREPARER: Self-Prepared VERIFIER:

SCREENING DATE: 2020-09-03 PUBLISHED DATE: 2020-09-03

€ No

EXPIRY DATE: 2023-09-03



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

BENJAMIN MOORE BLOCK FILLER (244)

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities reviewed

OTHER PRODUCT NOTES: None

SUBSTANCE NOTES: None

HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREEN	HAZARD SCREENING DATE: 2020-09-03		
%: 45.0000 - 50.0000	gs: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings for	ound on HPD Priority Hazard Lis	

HAZARD SCREENING DATE: 2020-09-03		
nano: No	SUBSTANCE ROLE: Diluent	
NGS		
No warning	s found on HPD Priority Hazard Lists	
	NGS	

KAOLIN, CALCINED (PRIMARY CASRN IS 92704-41-1) ID: 1505447-71-1 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-03 %: 10.0000 - 15.0000 GS: LT-UNK RC: None NANO: **No** SUBSTANCE ROLE: Filler HAZARD TYPE AGENCY AND LIST TITLES WARNINGS None found No warnings found on HPD Priority Hazard Lists

2-PROPENOIC ACID, BUTYL ESTER, POLYMER WITH ETHENYL ACETATE

ID: **25067-01-0**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-03		
%: 5.0000 - 10.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found No warnings found on HPD Prio				und on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

MICA				ID: 12001-26 -
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-				09-03
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings for	ound on HPD Priority Hazard Lists
None found SUBSTANCE NOTES: none			No warnings f	ound on HPD Priority Hazard

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-03		
%: 1.0000 - 5.0000	gs: LT-1	RC: None NANO: No SUBSTANCE ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		

QUARTZ ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-03

%: Impurity/Residual	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CANCER	IARC		Group 1 - Agent is Carcinogenic to humans		
CANCER	US CDC - Occupational Carcinogens	3	Occupational Carcinogen		
CANCER	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	IARC		Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CANCER	US NIH - Report on Carcinogens		Known to be Human Carcinogen (respirable size - occupational setting)		
CANCER	MAK		Carcinogen Gro	up 1 - Substances that cause cancer in	
CANCER	GHS - New Zealand		6.7A - Known or presumed human carcinogens		
CANCER	GHS - Japan		Carcinogenicity - Category 1A [H350]		
CANCER	GHS - Australia		H350i - May cau	se cancer by inhalation	
SUBSTANCE NOTES: Impurity					

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-03		
%: 0.5000 - 1.0000	gs: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Coalescent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS	
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effect but not sufficient to establish MAK/BAT value		

PROPYLENE GLYCOL ID: 57-55-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-03		
%: 0.1000 - 0.5000	GS: BM-2	RC: None	nano: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		ruptor

SUBSTANCE NOTES: none

SUBSTANCE NOTES: None

TEXANOL

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346

ID: **64742-65-0**

ID: **25265-77-4**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-03

 %: 0.1000 - 0.5000
 GS: LT-UNK
 RC: NANO: No Defoamer

 HAZARD TYPE
 AGENCY AND LIST TITLES
 WARNINGS

 None found
 No warnings found on HPD Priority Hazard Lists

 SUBSTANCE NOTES: none

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: 0.1000 - 0.5000

GS: NOGS

RC: None

NANO: No

SUBSTANCE ROLE: Filler

None found

No warnings found on HPD Priority Hazard Lists

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

METHOD: NANO: No SUBSTANCE ROLE: Corrosion inhibitor

MAZARD TYPE

MORE FOUND

No warnings found on HPD Priority Hazard Lists

POLYETHYLENE GLYCOL BENZYL (1,1,3,3-TETRAMETHYLBUTYL)PHENYL ETHER

ID: 60864-33-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-03		
%: 0.1000 - 0.5000	gs: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings f	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES: none				

2-AMINO-2-METHYLPROPANOL

SUBSTANCE NOTES: None

SUBSTANCE NOTES: None

ID: 124-68-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-03

MEDIANO: No. SUBSTANCE ROLE: Buffer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation

SUBSTANCE NOTES: None



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-

EXPIRY DATE:

CERTIFIER OR LAB: N/A

APPLICABLE FACILITIES: All

09-03

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: No emission certification available

VOC CONTENT

SCAQMD Rule 1113 Architectural Coatings - Fire Proofing Exterior Coatings, Fire Retardant Coatings, Graphic Arts (Sign) Coatings, High Temperature IM Coatings, Japans/Faux Finishing Coatings, Magnesite Cement Coatings, Roof Primers (Bituminous), Shellac, S

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All

CERTIFICATE URL:

ISSUE DATE: 2020-

09-03

EXPIRY DATE: 2021-

CERTIFIER OR LAB: None

09-03

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GENNEX COLORANTS

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

For tinted products



Section 5: General Notes

SDS and TDS available on www.benjaminmoore.com

MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co.

ADDRESS: 101 Paragon Drive

Montvale NJ 07645, United States

WEBSITE: www.benjaminmoore.com

CONTACT NAME: Edja Kouassi

TITLE: Sr. Technical Project Manager

PHONE: 973-252-2607

EMAIL: Edja.Kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or

reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown (the chemical is

present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.