ULTRA SPEC HP D.T.M. ACRYLIC GLOSS ENAMEL (WH28) by Benjamin Moore & Co.

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 23885

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: This product is designed to perform a dual purpose as a direct to metal primer and finish. Both coats of the product provide rust inhibition for superior corrosion control. The acrylic formula provides excellent gloss and color retention. The film is fast drying permitting fast recoat. This product is also an excellent finish for masonry, plaster, wallboard and interior wood surfaces.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities

Considered

C Partially Considered

Not Considered

Explanation(s) provided for Residuals/Impurities?

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances.

Screened

○ Yes Ex/SC ○ Yes ○ No

One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more

Special Condition did not follow guidance.

Identified

○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more

Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

2 ZINC HYDROXIDE LT-UNK]

ULTRA SPEC HP D.T.M. ACRYLIC GLOSS ENAMEL (WH28) [WATER BM-4 PROPRIETARY POLYMER Not Screened TITANIUM DIOXIDE LT-1 | CAN | END ETHYLENE GLYCOL, MONO(2-ETHYLHEXYL) ETHER LT-UNK ZINC PHOSPHATE LT-P1 | AQU | MUL SILICON DIOXIDE BM-1 | CAN PROPYLENE GLYCOL BM-2 | END ALCOHOLS, C8-22, ETHOXYLATED LT-UNK ALUMINUM HYDROXIDE, DRIED BM- Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Regulatory (g/l): 99.756 Material (g/l): 48.112 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listinas.

VOC emissions: No emission Cert available

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007

amendments

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

O Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-02-23 PUBLISHED DATE: 2021-02-23 EXPIRY DATE: 2024-02-23

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

ULTRA SPEC HP D.T.M. ACRYLIC GLOSS ENAMEL (WH28)

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Based on data provided by raw material suppliers

OTHER PRODUCT NOTES: None

WATER				ID: 7732-18-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-02-23
%: 40.0000 - 50.0000	GS: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings fo	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

PROPRIETARY POLYMER				ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2021-02-23
%: 25.0000 - 35.0000	GS: Not Screened	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
	Hazard Screening not performed			

SUBSTANCE NOTES: Non-Hazardous per GHS criteria

TITANIUM DIOXIDE				ID: 1	3463-67-7
HAZARD SCREENING METHOD: Pharos Chemic	cal and Materials Library	HAZARD SCR	EENING DATE:	2021-02-23	
%: 10.0000 - 20.0000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pi	gment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: None

SUBSTANCE NOTES: None

ETHYLENE GLYCOL, MONO(2-ETHYLHEXYL) ETHER

ID: 1559-35-9

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DAT	E: 2021-02-23
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Coalescent
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	NINGS	
None found			No warnings	s found on HPD Priority Hazard Lists
				•

ZINC PHOSPHATE ID: 7779-90-0

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZA	RD SCR	EENING DATE:	2021-02-23
%: 0.5000 - 2.0000	GS: LT-P1	RC: N	one	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES		WARNI	NGS	
AQU	EU - GHS (H-Statements)		H400 -	Very toxic to aq	uatic life
AQU	EU - GHS (H-Statements)		H410 -	Very toxic to aq	uatic life with long lasting effects
MUL	German FEA - Substances Hazardous t Waters	to	Class 2	- Hazard to Wa	ters
SUBSTANCE NOTES: None					

SILICON DIOXIDE ID: 7631-86-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-02-23

%: 0.5000 - 2.0000 GS: BM-1 RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]
SUBSTANCE NOTES: None		

PROPYLENE GLYCOL				ID: 57-55-
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-02-23
%: 0.0500 - 1.0000	GS: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
END	TEDX - Potential Endocrine Disruptors	Potent	ial Endocrine Dis	sruptor
SUBSTANCE NOTES: None				

ALCOHOLS, C8-22, ETHOX	YLATED			ID: 69013-19-0
HAZARD SCREENING METH	HOD: Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-02-23
%: 0.0500 - 1.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings f	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES: None	e			

ALUMINUM HYDROXIDE, DRIED				ID: 21645-51-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-02-23
%: 0.0500 - 1.0000	GS: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings for	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

ZINC HYDROXIDE				ID: 20427-58-1
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2021-02-23
%: 0.0500 - 0.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings fo	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	No emission Cert available
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2021-02- EXPIRY DATE: CERTIFIER OR LAB: N/A 23
CERTIFICATION AND COMPLIANCE NOTES: None	
VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coating quick dry enamels, roof coatings only - 2007 amendments
VOC CONTENT CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GENNEX COLORANTS (229)

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

None

Section 5: General Notes

SDS and TDS available on www.benjaminmoore.com

MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co.

ADDRESS: 101 Paragon Drive Montvale NJ 07645, United States

WEBSITE: www.Benjaminmoore.com

CONTACT NAME: Edja Kouassi
TITLE: Technical Project Manager

PHONE: 9732522607

EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity **GEN** Gene mutation

GEN GONO MARGION

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.