

HPD UNIQUE IDENTIFIER: 21254

CLASSIFICATION: 06 06 00 Schedules for Wood, Plastics, and Composites

PRODUCT DESCRIPTION: Versatile, practical and beautiful, Compact is a structural, two-sided laminate that provides endless creative possibilities for fixtures and furniture in commercial, institutional & hospitality settings that stand up to heat and humidity. It consist of multiple ply's of kraft paper saturated with phenolic resin solids to form the core base Laminate surfaces consist of papers saturated with melamine resin solids.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided
for Residuals/Impurities?

- Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | **SUBSTANCE** | *RESIDUAL OR IMPURITY*

GREENSCREEN SCORE | **HAZARD TYPE**

COMPACT | **KRAFT PAPER** **NoGS** | **PHENOLIC RESIN** **LT-P1** | **RES PULP,**
CELLULOSE **NoGS** | **MELAMINE RESIN** **LT-UNK**]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Ranges for substances' percent weight are provided.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: GreenGuard - Gold (previously Children & Schools)

Formaldehyde content: GreenGuard - Gold (previously Children & Schools)

Sustainable forestry: FSC Certification - Chain of Custody (COC)

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-03-15

PUBLISHED DATE: 2020-08-04

EXPIRY DATE: 2021-03-15



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- *Basic Inventory method with Product-level threshold.*
- *Nested Material Inventory method with Product-level threshold*
- *Nested Material Inventory method with individual Material-level thresholds*

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

COMPACT

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are tested by UL environment on a quarterly basis and Greenguard Gold certificate is achieved for Total VOC on all Formica Grades including Compact.

OTHER PRODUCT NOTES: Formica HPL are layers of paper saturated with phenolic resins for the core and melamine resins for the surface décor sheets. They are pressed under high pressure and 300 deg F temperatures. The monomers and polymers react under these conditions thus polymerizing into a thermoset hard resin system. The residuals are a very small fraction of the unreacted monomers and are less than 7.3 parts per billion under the Greenguard test protocol.mentioned in this HPD.

KRAFT PAPER

ID: 65996-61-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-03-15**%: **66.0000 - 74.0000** GS: **NoGS** RC: **PreC** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard ListsSUBSTANCE NOTES: **Pre consumer content 2.3%****PHENOLIC RESIN**

ID: 9003-35-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-03-15**%: **22.0000 - 24.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

RESPIRATORY **AOEC - Asthmagens** **Asthmagen (Rs) - sensitizer-induced**SUBSTANCE NOTES: **Used to saturate kraft paper prior to pressing and curing operation.****PULP, CELLULOSE**

ID: 65996-61-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-03-15**%: **0.6000 - 6.3000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard ListsSUBSTANCE NOTES: **Used to impart design and protection as surface layer****MELAMINE RESIN**

ID: 9003-08-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-03-15**%: **0.5000 - 5.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard ListsSUBSTANCE NOTES: **Used to saturate decorative and protective surface sheets prior to pressing and curing operation.**

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

GreenGuard - Gold (previously Children & Schools)

CERTIFYING PARTY: **Third Party** ISSUE DATE: **2004-** EXPIRY DATE: **2019-** CERTIFIER OR LAB: **UL**
APPLICABLE FACILITIES: **Evendale Ohio and St Jean** **10-28** **10-28** **Environment Greenguard**
Canada

CERTIFICATE URL:
<http://www.formica.com/en/us/landing-pages/sustainability-2017/sustainability17/emissions-and-greenguard>

CERTIFICATION AND COMPLIANCE NOTES: Residuals are tested by UL environment on a quarterly basis and Greenguard Gold certificate is achieved for Total VOC on all Formica Compact Grades.

FORMALDEHYDE CONTENT

GreenGuard - Gold (previously Children & Schools)

CERTIFYING PARTY: **Third Party** ISSUE DATE: **2007-** EXPIRY DATE: **2018-** CERTIFIER OR LAB: **UL**
APPLICABLE FACILITIES: **St. Jean Canada** **04-30** **10-28** **Environment Greenguard**

CERTIFICATE URL:
<http://www.formica.com/en/us/landing-pages/sustainability-2017/sustainability17/emissions-and-greenguard>

CERTIFICATION AND COMPLIANCE NOTES: Certification is renewed on an annual basis. The renew cycle date is October 28th. Formica laminates have been evaluated under the GREENGUARD certification program since 2007 UL 2818-2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings. Building products and interior finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2007 using a Classroom Environment

SUSTAINABLE FORESTRY

FSC Certification - Chain of Custody (COC)

CERTIFYING PARTY: **Third Party** ISSUE DATE: **2015-** EXPIRY DATE: **2020-** CERTIFIER OR LAB: **scs**
APPLICABLE FACILITIES: **St Jean, Canada** **06-04** **06-04**

CERTIFICATE URL:
<http://www.formica.com/en/us/landing-pages/sustainability-2017/sustainability17/fsc-certified-wood>

CERTIFICATION AND COMPLIANCE NOTES: FSC is an independent, non-government, not-for-profit organization established to promote responsible forest management practices worldwide. It was created out of concern for the loss of the world's forests and failure to address deforestation. FSC forest management certification is awarded to forest managers who adopt practices that provide environmental, social and economic benefits. FSC Principles and Criteria provide a foundation for all forest management standards globally.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

Z-CLIP OR FRENCH CLEAT FASTENERS

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Necessary when used as an interior vertical panel

Section 5: General Notes

Formica brand laminates have been evaluated under the GREENGUARD certification program since 2007 UL 2818-2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings. Building products and interior finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2007 using a Classroom Environment. A generic EPD is available at <http://www.formica.com/en/us/landing-pages/sustainability-2017/sustainability17/leed>.

MANUFACTURER INFORMATION

MANUFACTURER: **Formica**ADDRESS: **10155 Reading Rd
Cincinnati Ohio 45241, USA**WEBSITE: **http://www.formica.com/en/us**CONTACT NAME: **Dave Swenson**TITLE: **Sales Tech Services**PHONE: **513 786 3536**EMAIL: **dave.swenson@formica.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types**AQU** Aquatic toxicity**CAN** Cancer**DEV** Developmental toxicity**END** Endocrine activity**EYE** Eye irritation/corrosivity**GEN** Gene mutation**GLO** Global warming**LAN** Land toxicity**MAM** Mammalian/systemic/organ toxicity**MUL** Multiple**NEU** Neurotoxicity**NF** Not found on Priority Hazard Lists**OZO** Ozone depletion**PBT** Persistent, bioaccumulative, and toxic**PHY** Physical hazard (flammable or reactive)**REP** Reproductive**RES** Respiratory sensitization**SKI** Skin sensitization/irritation/corrosivity**UNK** Unknown**GreenScreen (GS)****BM-4** Benchmark 4 (prefer-safer chemical)**BM-3** Benchmark 3 (use but still opportunity for improvement)**BM-2** Benchmark 2 (use but search for safer substitutes)**BM-1** Benchmark 1 (avoid - chemical of high concern)**BM-U** Benchmark Unspecified (due to insufficient data)**LT-P1** List Translator Possible 1 (Possible Benchmark-1)**LT-1** List Translator 1 (Likely Benchmark-1)**LT-UNK** List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)**NoGS** No GreenScreen.**Recycled Types****PreC** Pre-consumer recycled content**PostC** Post-consumer recycled content**UNK** Inclusion of recycled content is unknown**None** Does not include recycled content**Other Terms:****GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet**Inventory Methods:****Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product**Nano** Composed of nano scale particles or nanotechnology**Third Party Verified** Verification by independent certifier approved by HPDC**Preparer** Third party preparer, if not self-prepared by manufacturer**Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.