# RectorSeal® Smoke and Acoustic Sealant by RectorSeal LLC

**Health Product Declaration v2.3**

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER:** 3401318432768
**CLASSIFICATION:** 07 84 00 Firestopping
**PRODUCT DESCRIPTION:** RectorSeal Smoke and AcousticSealant is high grade acrylic latex sealant formulated to provide a permanent seal for penetrations, membrane openings, and static or dynamic joints in smoke or sound rated assemblies. RectorSeal Smoke and Acoustic Sealant has been tested in accordanceto the following standards: ASTM E84, ASTM E90, ASTM E1399, and tested for air leakage in accordance to modified UL 1479 and modified UL 2079. RectorSeal Smoke and Acoustic Sealant meets the requirements for LEED criteria under Environmental Air Quality and Regional Materials.

## Section 1: Summary

**Basic Method / Product Threshold**

### CONTENT INVENTORY

**Inventory Reporting Format**
- ○ Nested Materials Method
- ◉ Basic Method

**Threshold Disclosed Per**
- ○ Material
- ◉ Product

**Threshold Level**
- ○ 100 ppm
- ○ 1,000 ppm
- ◉ Per GHS SDS
- ○ Other

**Residuals/Impurities Evaluation**
- ○ Completed
- ○ Partially Completed
- ◉ Not Completed

**Explanation(s) provided :**
- ◉ Yes ○ No

*For all contents above the threshold, the manufacturer has:*

**Characterized** ○ Yes ◉ No

*Provided weight and role.*

**Screened** ○ Yes ◉ No

*Provided screening results using HPDC-approved methods.*

**Identified** ○ Yes ◉ No

*Provided name and CAS RN or other identifier.*

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**PRODUCT** | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

**RECTORSEAL® SMOKE AND ACOUSTIC SEALANT [ UNDISCLOSED** NoGS **UNDISCLOSED** NoGS **]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None

Nanomaterial ... No

### INVENTORY AND SCREENING NOTES:

Special Conditions applied: [GeologicalMaterial]
Special Conditions applied: [Polymers]

All ingredients screen Per GHS SDS

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?
- ○ Yes
- ◉ No

PREPARER: Self-Prepared
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2024-11-05
PUBLISHED DATE: 2024-11-05
EXPIRY DATE: 2027-11-05

## Section 2: Content in Descending Order of Quantity

*This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:*

- *Basic Inventory method with Product-level threshold.*
- *Nested Material Inventory method with Product-level threshold*
- *Nested Material Inventory method with individual Material-level thresholds*

*Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard*

### RECTORSEAL® SMOKE AND ACOUSTIC SEALANT

PRODUCT THRESHOLD: Per GHS SDS

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: No residuals and impurities are known.

OTHER PRODUCT NOTES:

#### UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-11-05 9:57:14**

%: **50.0000 - 80.0000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Raw material concentrations my vary.

#### UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-11-05 9:57:14**

%: **10.0000 - 40.0000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Flame retardant**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Raw material concentrations may vary.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

**VOC EMISSIONS** — **CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario**

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Intertek
CERTIFICATE URL:

ISSUE DATE: 2024-10-08 00:00:00
EXPIRY DATE: 2025-07-13 00:00:00

CERTIFIER OR LAB: Intertek

CERTIFICATION AND COMPLIANCE NOTES:

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

# Section 6: References

**MANUFACTURER INFORMATION**


MANUFACTURER: **RectorSeal LLC**
ADDRESS: **2601 Spenwick Drive**

**Houston, TX 77055**
COUNTRY: **USA**

WEBSITE: **www.rectorseal.com**
CONTACT NAME: **Scott Kerns**
TITLE: **EHS Manager**
PHONE: **713-263-8001 x3286**
EMAIL: **scott.kerns@rectorseal.com**


*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

**AQU** Aquatic toxicity
**CAN** Cancer
**DEV** Developmental toxicity
**END** Endocrine activity
**EYE** Eye irritation/corrosivity
**GEN** Gene mutation
**GLO** Global warming
**LAN** Land toxicity
**MAM** Mammalian/systemic/organ toxicity
**MUL** Multiple
**NEU** Neurotoxicity
**NF** Not found on Priority Hazard Lists
**OZO** Ozone depletion
**PBT** Persistent, bioaccumulative, and toxic
**PHY** Physical hazard (flammable or reactive)
**REP** Reproductive
**RES** Respiratory sensitization
**SKI** Skin sensitization/irritation/corrosivity
**UNK** Unknown

**GreenScreen (GS)**

**BM-4** Benchmark 4 (prefer-safer chemical)
**BM-3** Benchmark 3 (use but still opportunity for improvement)
**BM-2** Benchmark 2 (use but search for safer substitutes)
**BM-1** Benchmark 1 (avoid - chemical of high concern)
**BM-U** Benchmark Unspecified (due to insufficient data)
**LT-P1** List Translator Possible 1 (Possible Benchmark-1)
**LT-1** List Translator 1 (Likely Benchmark-1)
**LT-UNK** List Translator Benchmark Unknown
**NoGS** No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

**Recycled Types**

**PreC** Pre-consumer recycled content
**PostC** Post-consumer recycled content
**UNK** Inclusion of recycled content is unknown
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method** / **Material Threshold** Substances listed within each material per threshold indicated per material
**Nested Method** / **Product Threshold** Substances listed within each material per threshold indicated per product
**Basic Method** / **Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology
**Third Party Verified** Verification by independent certifier approved by HPDC
**Preparer** Third party preparer, if not self-prepared by manufacturer
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and*

*for compliance with the HPD standard noted.*