

HPD UNIQUE IDENTIFIER: 21132

CLASSIFICATION: 09-84-00 Acoustic Room Components

PRODUCT DESCRIPTION: TerraCORE® Poly is an acoustic product manufactured with a special blend of very low denier polyester fibers which enhance acoustical performance. It is available in both standard and high densities, white and black colors and standard 1" thickness with other sizes available.

## Section 1: Summary

## Nested Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method
- Basic Method

#### Threshold Disclosed Per

- Material
- Product

#### Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Other

#### Residuals/Impurities

Residuals/Impurities  
Considered in 0 of 1 Materials

Explanation(s) provided  
for Residuals/Impurities?

- Yes  No

*All Substances Above the Threshold Indicated Are:*

**Characterized**  Yes Ex/SC  Yes  No

*% weight and role provided for all substances.*

**Screened**  Yes Ex/SC  Yes  No

*All substances screened using Priority Hazard Lists with results disclosed.*

**Identified**  Yes Ex/SC  Yes  No

*All substances disclosed by Name (Specific or Generic) and Identifier.*

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**

**GREENSCREEN SCORE | HAZARD TYPE**

**POLYETHYLENE TEREPHTHALATE | POLYETHYLENE TEREPHTHALATE (PET) [LT-UNK ]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-UNK

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

TerraCORE® Poly is an acoustic product manufactured with a special blend of very low denier polyester fibers which enhance acoustical performance. It is available in both standard and high densities, white and black colors and standard 1" thickness with other sizes available.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: MAS Certified Green - VOC Emissions

VOC emissions: MAS Certified Green - VOC Emissions

Other: ILFI Declare - Red List Free

#### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-02-20

PUBLISHED DATE: 2020-07-28

EXPIRY DATE: 2023-02-20



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### POLYETHYLENE TEREPHTHALATE

#: 100.0000 - 100.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: This is the base material for the product. All substances in this material are below the reportable threshold.

OTHER MATERIAL NOTES: This is the base material for the product. All substances in this material are below the reportable threshold.

### POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-02-20

#: 100.0000 - 100.0000

GS: LT-UNK

RC: PostC

NANO: No

SUBSTANCE ROLE: Insulator

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: TerraCORE® Poly is manufactured without the use of water and 100% recyclable. The product contains over 80% post-consumer recycled material and does not use any added chemicals or binders. TerraCORE® Poly is VOC free and a safe, non-irritant, non-toxic and non-allergenic product.

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### VOC EMISSIONS

### MAS Certified Green - VOC Emissions

CERTIFYING PARTY: <b>Third Party</b>	ISSUE	EXPIRY	CERTIFIER OR LAB:
APPLICABLE FACILITIES: <b>N/A</b>	DATE:	DATE:	<b>Materials</b>
CERTIFICATE URL: <a href="https://2f3785c4-e873-4fc5-9f51-8909f3528769.filesusr.com/ugd/c3b0ae_c1581fcecceb4849ab64a94f2c209d95.pdf">https://2f3785c4-e873-4fc5-9f51-8909f3528769.filesusr.com/ugd/c3b0ae_c1581fcecceb4849ab64a94f2c209d95.pdf</a>	2020-07-01	2021-08-01	<b>Analytical Services, LLC</b>
CERTIFICATION AND COMPLIANCE NOTES:			

### VOC EMISSIONS

### MAS Certified Green - VOC Emissions

CERTIFYING PARTY: <b>Second Party</b>	ISSUE	EXPIRY	CERTIFIER OR LAB:
APPLICABLE FACILITIES: <b>Materials Analytical Services LLC</b>	DATE:	DATE:	<b>Materials</b>
CERTIFICATE URL: <a href="https://2f3785c4-e873-4fc5-9f51-8909f3528769.filesusr.com/ugd/c3b0ae_e06e315f1ec242aeb8aa296dd6df3ca6.pdf">https://2f3785c4-e873-4fc5-9f51-8909f3528769.filesusr.com/ugd/c3b0ae_e06e315f1ec242aeb8aa296dd6df3ca6.pdf</a>	2019-06-01	2020-06-30	<b>Analytical Services LLC</b>
CERTIFICATION AND COMPLIANCE NOTES: <b>Low Emitting Material certificate of Compliance - VOC Emissions</b>			

### OTHER

### ILFI Declare - Red List Free

CERTIFYING PARTY: <b>Self-declared</b>	ISSUE DATE: <b>2019-11-01</b>	EXPIRY DATE: <b>2020-11-01</b>	CERTIFIER OR LAB: <b>None</b>
APPLICABLE FACILITIES: <b>Declare - Red list Free</b>			
CERTIFICATE URL: <a href="https://living-future.org/declare-products/terracore-poly/">https://living-future.org/declare-products/terracore-poly/</a>			
CERTIFICATION AND COMPLIANCE NOTES: <b>Declare - Red list Free</b>			

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### FABRITRAK, GEOTRAK AND FABRISPAN WIDE WIDTH FABRICS

HPD URL: <https://www.fabritrak.com/products>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

FabriTRAK® and eco-friendly, PVC-free GeoTRAK® offer over 50 wall and ceiling trak profiles, that combined with TerraCORE® Poly infill and fabric, will enhance any space and improve acoustics.

## Section 5: General Notes

Terra CORE® Poly is an environmentally friendly substitution for fiberglass infill or as a stand-alone wall solution.



## MANUFACTURER INFORMATION

MANUFACTURER: **FabriTRAK Systems, inc.**  
 ADDRESS: **111 West Park Drive**  
**Mt. Laurel New Jersey 08054, USA**  
 WEBSITE: **https://www.fabritrak.com/**

CONTACT NAME: **Bill Meise**  
 TITLE: **Admin**  
 PHONE: **609-409-6700**  
 EMAIL: **bmeise@fabritrak.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

## KEY

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>NoGS</b> No GreenScreen.
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	

### Recycled Types

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms:

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*