

HPD UNIQUE IDENTIFIER: 22789

CLASSIFICATION: 09 68 00 Carpeting

PRODUCT DESCRIPTION: Woven carpet is one of the most sustainable flooring options, as it lasts up to 3 times longer than tufted carpet and has less impact on the environment. This is due to simpler yet sturdy construction, fewer material inputs, and less energy used during production. Because woven carpet lasts longer than other carpet constructions, it can outlive the building occupants, avoiding the need to replace it or recycle. Woven construction is the oldest method of producing textiles. In the weaving process, pile yarns are intricately interlaced into the foundation, creating a structure whereby backing and face yarns become one. The art of weaving allows for a construction that is denser than other carpet constructions, resulting in a beautiful carpet that retains its original appearance over time.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p>Threshold level</p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p>Residuals/Impurities</p> <p><input checked="" type="radio"/> Considered</p> <p><input type="radio"/> Partially Considered</p> <p><input type="radio"/> Not Considered</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances disclosed by Name (Specific or Generic) and Identifier.</i></p>
--	--	--	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

WOVEN NYLON BROADLOOM CARPET [POLYETHYLENE TEREPHTHALATE (PET) LT-UNK STYRENE BUTADIENE RUBBER (SBR) (STYRENE BUTADIENE RUBBER (SBR)) LT-UNK 2-PROPENOIC ACID, 2-METHYL-, BUTYL ESTER, POLYMER WITH BUTYL 2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE LT-UNK POLYPROPYLENE LT-UNK ALUMINA TRIHYDRATE (ALUMINA TRIHYDRATE) BM-2 2-PROPENOIC ACID, ETHYL ESTER, POLYMER WITH SODIUM 2-PROPENOATE (2-PROPENOIC ACID, ETHYL ESTER, POLYMER WITH SODIUM 2-PROPENOATE) LT-UNK NYLON 6,6 LT-UNK NYLON 6 LT-UNK LIMESTONE; CALCIUM CARBONATE LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All inventory reported to threshold.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CRI Green Label Plus - Carpets
Multi-attribute: ILFI Declare - Red List Free
Multi-attribute: NSF/ANSI 140-2007e - Gold

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

Yes

PREPARER: Self-Prepared

VERIFIER:

SCREENING DATE: 2020-11-02

PUBLISHED DATE: 2020-11-02

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpdc-collaborative.org/hpd-2-2-standard

WOVEN NYLON BROADLOOM CARPET

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered based on best practices of raw material suppliers, MHK's EHS policies, and enrollment in CRI's GLP program for IAQ.

OTHER PRODUCT NOTES: Mohawk's EHS policies considered for residuals and impurities for each raw material. The residuals have been evaluated to California Department of Public Health Version 1.2

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-11-02

%: 10.0000 - 20.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Backing Yarns

STYRENE BUTADIENE RUBBER (SBR) (STYRENE BUTADIENE RUBBER (SBR))

ID: 9003-55-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-11-02

%: 5.0000 - 15.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Back Coating

2-PROPENOIC ACID, 2-METHYL-, BUTYL ESTER, POLYMER WITH BUTYL 2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE

ID: 25322-99-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-11-02

%: 0.0000 - 1.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Surfactant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Fiber Treatment

POLYPROPYLENE

ID: 9003-07-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-11-02**%: **0.0000 - 5.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Backing Yarn

ALUMINA TRIHYDRATE (ALUMINA TRIHYDRATE)

ID: 21645-51-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-11-02**%: **0.0000 - 1.0000** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Component is bound in backing compounds and is not inhalable in the finished product.

2-PROPENOIC ACID, ETHYL ESTER, POLYMER WITH SODIUM 2-PROPENOATE (2-PROPENOIC ACID, ETHYL ESTER, POLYMER WITH SODIUM 2-PROPENOATE)

ID: 26949-30-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-11-02**%: **0.0000 - 5.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Backing Yarn

NYLON 6,6

ID: 32131-17-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-11-02**%: **0.0000 - 65.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Textile component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The range is controlled by the pattern and aesthetics requested by the customer. The fiber layer is the largest component in the carpet structure.

NYLON 6

ID: 25038-54-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-11-02**%: **0.0000 - 65.0000** GS: **LT-UNK** RC: **PreC** NANO: **No** SUBSTANCE ROLE: **Textile component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The range is controlled by the selection of pattern and the aesthetics required by the customer. The fiber layer is the largest component of the carpet structure.

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-11-02**

%: **0.0000 - 20.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Coating Adhesive Filler

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CRI Green Label Plus - Carpets		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Eden NC CERTIFICATE URL: http://www.carpet-rug.org	ISSUE DATE: 2004-10-28	EXPIRY DATE:	CERTIFIER OR LAB: CRI
CERTIFICATION AND COMPLIANCE NOTES: Pre-dyed Nylon with SB Latex Unitary Backing			
MULTI-ATTRIBUTE	ILFI Declare - Red List Free		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Eden NC CERTIFICATE URL: http://www.mohawkgroup.com	ISSUE DATE: 2016-11-01	EXPIRY DATE:	CERTIFIER OR LAB: ILFI
CERTIFICATION AND COMPLIANCE NOTES: Red List Free			
MULTI-ATTRIBUTE	NSF/ANSI 140-2007e - Gold		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Eden NC CERTIFICATE URL: http://mohawkgroup.com	ISSUE DATE: 2009-07-13	EXPIRY DATE:	CERTIFIER OR LAB: NSF
CERTIFICATION AND COMPLIANCE NOTES: NSF140			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

NUBROADLOK PREMIUM MULTI-PURPOSE ADHESIVE	HPD URL: http://www.mohawkgroup.com
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Use of Mohawk's Nubroadlok Premium Multi-Purpose Adhesive is required for full warranties. NuBroadlok® Premium Multi-Purpose Adhesive is specially designed to install all Mohawk Group broadloom products. NuBroadlok® Premium Multi-Purpose Adhesive is nonflammable and has low odor and low VOC's which makes it ideal for use in schools, health care facilities, public buildings, and anywhere odor is a concern. The adhesive is CRI Green Label Plus approved and meets or exceeds California SCQAMD Rule 1168.	

Section 5: General Notes

Woven carpets deliver unparalleled, time-tested textures and patterns. Extended life of the woven carpets means less carpet to the landfill. Compliant with LEED IEQ 4.1 Low-Emitting Materials. May contribute to or comply with LEED credits MR 4.0, MR 5.0, IEQ 4.3 and Innovation credit for ANSI/NSF 140. Quality and experience combine to offer a unique construction not available through all manufacturers.

MANUFACTURER INFORMATION

MANUFACTURER: Mohawk Group
ADDRESS: 160 South Industrial Blvd
 Calhoun GA 30701, USA
WEBSITE: <http://www.mohawkkind.com>

CONTACT NAME: Robert Marshall
TITLE: Director, Sustainable Development
PHONE: 706-624-5860
EMAIL: robert_marshall@mohawkkind.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.