# Seismic Fire Barrier Wall System (FLF140/FLW140) by Nystrom

**Health Product Declaration v2.3**

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER:** 1858233344
**CLASSIFICATION:** 07 95 13 Expansion Joint Cover Assemblies
**PRODUCT DESCRIPTION:** The Nystrom Seismic Fire Barrier Wall System is constructed of fire retardant materials to contain fires from spreading through joint openings. Available in 1, 2 or 3 hour ratings. The system installs with tongue and groove process with limited or no caulking requirements.

## Section 1: Summary

**Nested Method / Product Threshold**

### CONTENT INVENTORY

**Inventory Reporting Format**
- (•) Nested Materials Method
- ( ) Basic Method

**Threshold Disclosed Per**
- ( ) Material
- (•) Product

**Threshold Level**
- (•) 100 ppm
- ( ) 1,000 ppm
- ( ) Per GHS SDS
- ( ) Other

**Residuals/Impurities Evaluation**
Completed in 4 of 4 Materials

**Explanation(s) provided for Residuals/Impurities?**
- (•) Yes ( ) No

*For all contents above the threshold, the manufacturer has:*

**Characterized** (•) Yes ( ) No
*Provided weight and role.*

**Screened** (•) Yes ( ) No
*Provided screening results using HPDC-approved methods.*

**Identified** (•) Yes ( ) No
*Provided name and CAS RN or other identifier.*

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**NESTED MATERIAL** | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY*
GREENSCREEN SCORE | HAZARD TYPE

**DURABLANKET [ REFRACTORY CERAMIC FIBERS** LT-1 | CAN | MUL | MAM | SKI **] GALVANIZED STEEL [ IRON, ELEMENTAL** LT-P1 | END **ZINC, ELEMENTAL** LT-P1 | MUL | AQU **ALUMINUM** BM-1 | END | MAM | PHY **MANGANESE** LT-P1 | END | MUL | REP | MAM | AQU **SILICON, ELEMENTAL** LT-UNK **NICKEL** LT-1 | CAN | MUL | RES | MAM | SKI | AQU **] INTUMESCENT PAD [ ALKALINE EARTH SILICATE FIBRES** NoGS **CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE** LT-UNK **GRAPHITE** LT-UNK **] SCRIM [ FIBERGLASS** LT-UNK **ALUMINUM** BM-1 | END | MAM | PHY **POLYETHYLENE TEREPHTHALATE (PET)** LT-P1 **2-PROPENOIC ACID, BUTYL ESTER, POLYMER WITH ETHENYLBENZENE** LT-UNK **ANTIMONY TRIOXIDE** BM-1 | MUL | CAN | SKI | EYE | MAM | AQU **]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, LT-P1, BM-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

This HPD covers Nystrom FLF140/FLW140 Seismic Fire Barrier Wall Systems.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: VOC Emissions Unknown

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

Third Party Verified?
- ( ) Yes
- (•) No

PREPARER: Self-Prepared
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2024-11-26
PUBLISHED DATE: 2024-11-26
EXPIRY DATE: 2027-11-26

## Section 2: Content in Descending Order of Quantity

*This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:*

- *Basic Inventory method with Product-level threshold.*
- *Nested Material Inventory method with Product-level threshold*
- *Nested Material Inventory method with individual Material-level thresholds*

*Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard*

**DURABLANKET** **%: 70.0000**

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: No residuals and impurities notes

OTHER MATERIAL NOTES:

**REFRACTORY CERAMIC FIBERS** ID: **142844-00-6**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-26 10:39:27**

%: **100.0000** GreenScreen: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Intumescent**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CAN | EU - Annex VI CMRs | Carcinogen Category 1B - Presumed Carcinogen based on animal evidence |
| MUL | ChemSec - SIN List | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant |
| CAN | US NIH - Report on Carcinogens | Reasonably Anticipated to be Human Carcinogen |
| CAN | US NIH - Report on Carcinogens | Reasonably Anticipated to be Human Carcinogen (respirable size - occupational setting) |
| CAN | GHS - Japan | H350 - May cause cancer [Carcinogenicity - Category 1B] |
| CAN | EU - GHS (H-Statements) Annex 6 Table 3-1 | H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B] |
| MAM | GHS - Japan | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3] |
| CAN | GHS - Japan | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| SKI | GHS - Japan | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |
| CAN | EU - REACH Annex XVII CMRs | Carcinogens: Category 1B |
| CAN | EU - SVHC List | Carcinogenic - Candidate list |
| CAN | EU - SVHC List | Carcinogenic - Prioritized for listing |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Formulated Consumer Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024<br><br>All Products |

SUBSTANCE NOTES:

## GALVANIZED STEEL %: 19.7800

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material

OTHER MATERIAL NOTES:

### IRON, ELEMENTAL ID: 7439-89-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-26 10:39:27**

%: **76.0000 - 79.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES:

### ZINC, ELEMENTAL ID: 7440-66-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-26 10:39:28**

%: **20.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| MUL | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - acute category 1 |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - chronic category 1 |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List<br><br>Antimicrobials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024<br><br>Children's Toy Products |

SUBSTANCE NOTES:

**ALUMINUM** ID: **7429-90-5**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-26 10:39:28**

%: **0.0050 - 16.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM | GHS - Japan | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |
| PHY | GHS - Japan | H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2] |
| PHY | GHS - Malaysia | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1] |
| PHY | GHS - Australia | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1] |
| PHY | GHS - New Zealand | Pyrophoric solids category 1 |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024<br><br>Children's Toy Products |

SUBSTANCE NOTES:

**MANGANESE** ID: **7439-96-5**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-26 10:39:29**

%: **0.4000 - 1.6000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| MUL | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters |
| REP | GHS - Japan | H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM | GHS - Australia | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1] |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - chronic category 3 |
| AQU | GHS - Japan | H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2] |
| AQU | GHS - Japan | H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024<br><br>Children's Toy Products |

SUBSTANCE NOTES:

## SILICON, ELEMENTAL

ID: **7440-21-3**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-26 10:39:29**

%: **0.0040 - 0.8400** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES:

## NICKEL

ID: **7440-02-0**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-26 10:39:29**

%: **0.0004 - 0.4000** GreenScreen: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | MAK | Carcinogen Group 1 - Substances that cause cancer in man |
| MUL | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters |
| CAN | IARC | Group 1 - Agent is Carcinogenic to humans |
| CAN | CA EPA - Prop 65 | Carcinogen |
| CAN | US NIH - Report on Carcinogens | Known to be a human Carcinogen |
| CAN | IARC | Group 2b - Possibly carcinogenic to humans |
| CAN | US NIH - Report on Carcinogens | Reasonably Anticipated to be Human Carcinogen |
| RES | MAK | Sensitizing Substance Sah - Danger of airway & skin sensitization |
| CAN | EU - GHS (H-Statements) Annex 6 Table 3-1 | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| MAM | EU - GHS (H-Statements) Annex 6 Table 3-1 | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1] |
| CAN | GHS - New Zealand | Carcinogenicity category 2 |
| CAN | GHS - Japan | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM | GHS - Australia | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1] |
| MAM | GHS - Japan | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |
| CAN | EU - Annex VI CMRs | Carcinogen Category 2 - Suspected human Carcinogen |
| SKI | GHS - New Zealand | Skin sensitisation category 1 |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - acute category 1 |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - chronic category 1 |
| CAN | GHS - Australia | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List<br><br>Certain Metals |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Footwear, Apparel & Jewelry Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024<br><br>All Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024<br><br>Children's Toy Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024<br><br>Cosmetics and Personal Care Products |

SUBSTANCE NOTES:

**INTUMESCENT PAD** **%: 5.0000**

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Glass

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered

OTHER MATERIAL NOTES:

## ALKALINE EARTH SILICATE FIBRES

ID: **436083-99-7**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-26 10:39:30**

%: **40.0000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Intumescent**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES:

## CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: **65997-17-3**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-26 10:39:30**

%: **31.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Intumescent**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| EXEMPT | European Union / European Commission (EU EC) | EU - REACH Exemptions<br><br>Exempted from REACH Annex V listing due to intrinsic safety |

SUBSTANCE NOTES:

## GRAPHITE

ID: **7782-42-5**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-26 10:39:31**

%: **29.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Intumescent**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES:

**SCRIM** **%: 4.5000**

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Other: undefined

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered

OTHER MATERIAL NOTES: None

## FIBERGLASS

ID: **65997-17-3**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-26 10:39:30**

%: **31.0300 - 31.0300** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| EXEMPT | European Union / European Commission (EU EC) | EU - REACH Exemptions<br><br>Exempted from REACH Annex V listing due to intrinsic safety |

SUBSTANCE NOTES:

## ALUMINUM

ID: **7429-90-5**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-26 10:39:31**

%: **30.8800 - 30.8800** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM | GHS - Japan | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |
| PHY | GHS - Japan | H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2] |
| PHY | GHS - Malaysia | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1] |
| PHY | GHS - Australia | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1] |
| PHY | GHS - New Zealand | Pyrophoric solids category 1 |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024<br><br>Children's Toy Products |

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool.

## POLYETHYLENE TEREPHTHALATE (PET)

ID: **25038-59-9**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-26 10:39:31**

%: **25.6700 - 25.6700** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES:

## 2-PROPENOIC ACID, BUTYL ESTER, POLYMER WITH ETHENYLBENZENE

ID: **25767-47-9**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-26 10:39:32**

%: **10.2400 - 10.2400** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Adhesive**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES:

## ANTIMONY TRIOXIDE

ID: **1309-64-4**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-26 10:39:32**

%: **2.1800 - 2.1800** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Textile component**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| MUL | ChemSec - SIN List | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant |
| CAN | CA EPA - Prop 65 | Carcinogen |
| CAN | IARC | Group 2b - Possibly carcinogenic to humans |
| CAN | MAK | Carcinogen Group 2 - Considered to be carcinogenic for man |
| CAN | US NIH - Report on Carcinogens | Reasonably Anticipated to be Human Carcinogen |
| CAN | IARC | Group 2a - Agent is probably Carcinogenic to humans |
| CAN | GHS - Japan | H350 - May cause cancer [Carcinogenicity - Category 1B] |
| CAN | EU - GHS (H-Statements) Annex 6 Table 3-1 | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| SKI | GHS - New Zealand | Skin irritation category 2 |
| EYE | GHS - New Zealand | Eye irritation category 2 |
| CAN | GHS - New Zealand | Carcinogenicity category 2 |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM | GHS - New Zealand | Specific target organ toxicity - repeated exposure category 1 |
| CAN | EU - Annex VI CMRs | Carcinogen Category 2 - Suspected human Carcinogen |
| MAM | GHS - Japan | H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2] |
| SKI | GHS - Korea | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1] |
| AQU | GHS - Korea | H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2] |
| CAN | GHS - Australia | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| CAN | GHS - Korea | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| RESTRICTED LIST | Perkins+Will (P+W) | P&W - Precautionary List<br><br>Precautionary list of substances recommended for avoidance |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List<br><br>Certain Metals |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Cosmetics & Personal Care Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024<br><br>Children's Toy Products |

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

**VOC EMISSIONS** — **VOC Emissions Unknown**

CERTIFYING PARTY: Self-declared
APPLICABLE FACILITIES: All
CERTIFICATE URL:

ISSUE DATE: 2024-11-25 00:00:00
EXPIRY DATE:

CERTIFIER OR LAB: N/A

CERTIFICATION AND COMPLIANCE NOTES:

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

**FIRE CAULK**
MANUFACTURER (OR GENERIC): **Inpro**

HPD URL: No HPD available
ACCESSORY TYPE: Installation Accessory
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Caulk is used to fill in any gaps and help seal the joint.

## Section 5: General Notes

Passive fire barrier system for 1 or 2 hour fire ratings - Tested in accordance with UL 20179/ULC S-115 "FTH" and ASTM-E119/E1399/E1966 - For use in horizontal and vertical expansion joints ranging 2-4" in size.

# Section 6: References

**MANUFACTURER INFORMATION**


MANUFACTURER: **Nystrom**
ADDRESS: **9300 73rd Avenue North**
**Minneapolis, MN 55428**
COUNTRY: **USA**

WEBSITE: **https://www.nystrom.com**
CONTACT NAME: **Dave Clark**
TITLE: **Product Manager**
PHONE: **(763) 488-9298**
EMAIL: **dclark@nystrom.com**


*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

**AQU** Aquatic toxicity
**CAN** Cancer
**DEV** Developmental toxicity
**END** Endocrine activity
**EYE** Eye irritation/corrosivity
**GEN** Gene mutation
**GLO** Global warming
**LAN** Land toxicity
**MAM** Mammalian/systemic/organ toxicity
**MUL** Multiple
**NEU** Neurotoxicity
**NF** Not found on Priority Hazard Lists
**OZO** Ozone depletion
**PBT** Persistent, bioaccumulative, and toxic
**PHY** Physical hazard (flammable or reactive)
**REP** Reproductive
**RES** Respiratory sensitization
**SKI** Skin sensitization/irritation/corrosivity
**UNK** Unknown

**GreenScreen (GS)**

**BM-4** Benchmark 4 (prefer-safer chemical)
**BM-3** Benchmark 3 (use but still opportunity for improvement)
**BM-2** Benchmark 2 (use but search for safer substitutes)
**BM-1** Benchmark 1 (avoid - chemical of high concern)
**BM-U** Benchmark Unspecified (due to insufficient data)
**LT-P1** List Translator Possible 1 (Possible Benchmark-1)
**LT-1** List Translator 1 (Likely Benchmark-1)
**LT-UNK** List Translator Benchmark Unknown
**NoGS** No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

**Recycled Types**

**PreC** Pre-consumer recycled content
**PostC** Post-consumer recycled content
**UNK** Inclusion of recycled content is unknown
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology
**Third Party Verified** Verification by independent certifier approved by HPDC
**Preparer** Third party preparer, if not self-prepared by manufacturer
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and*

*for compliance with the HPD standard noted.*