

HPD UNIQUE IDENTIFIER: 56227953664

CLASSIFICATION: 06 10 00 Rough Carpentry

PRODUCT DESCRIPTION: D-Blaze is a fire retardant water-borne solution that is pressure impregnated by wood preserving facilities into wood products to help contain the spread of smoke and fire, increasing the time that people have to evacuate and move to safety.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities Evaluation, and screening options (Characterized, Screened, Identified).

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE D-BLAZE FIRE RETARDANT PRESSURE TREATED WOOD [WOOD NoGS BORIC ACID LT-1 | END | DEV | REP | MUL | EYE | MAM | SKI PHOSPHORUS PENTOXIDE LT-P1 | SKI | EYE | MAM]

Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, LT-P1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Antimicrobial Pesticides Reporting: This product contains substance(s) that are intentionally added above the [Product - 100 ppm] threshold to act as antimicrobials. Information is not available as to whether the product contains substance(s) that are intentionally added below the selected threshold to act as antimicrobials.

N/A

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Green Guard Gold D-BLAZE FIRE RETARDANT PRESSURE TREATED WOOD

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Summary table with 3 columns: Third Party Verified?, PREPARER: Self-Prepared, SCREENING DATE: 2023-08-03; VERIFIER:, PUBLISHED DATE: 2024-09-04; VERIFICATION #:, EXPIRY DATE: 2026-08-03

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

D-BLAZE FIRE RETARDANT PRESSURE TREATED WOOD

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: Residual and impurities have not been considered for D-Blaze fire retardant treated wood.

OTHER PRODUCT NOTES: D-Blaze is a fire retardant water-borne solution that is pressure impregnated by wood preserving facilities into wood products to help contain the spread of smoke and fire, increasing the time that people have to evacuate and move to safety.

WOOD ID: **Not registered**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-08-03 12:37:34**

%: **90.0000 - 98.9800** GreenScreen: **NoGS** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|----------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|----------------------|--|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Untreated wood can be source from a myriad of different mills/sources.

BORIC ACID ID: **11113-50-1**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-08-03 12:37:34**

%: **0.0100 - 5.0000** GreenScreen: **LT-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Flame retardant**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|---|--|
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| DEV | MAK | Pregnancy Risk Group B |
| REP | EU - Annex VI CMRs | Reproductive Toxicity - Category 1B |
| MUL | ChemSec - SIN List | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant |
| END | EU - Priority Endocrine Disruptors | Category 1 - In vivo evidence of Endocrine Disruption Activity |
| REP | GHS - Japan | H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B] |
| REP | GHS - Australia | H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B] |
| REP | EU - GHS (H-Statements) Annex 6 Table 3-1 | H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B] |
| EYE | GHS - New Zealand | Eye irritation category 2 |
| MAM | GHS - Japan | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |
| SKI | GHS - Japan | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |
| REP | GHS - New Zealand | Reproductive toxicity category 2 |
| REP | EU - SVHC List | Toxic to reproduction - Candidate list |
| REP | EU - SVHC List | Toxic to reproduction - Prioritized for listing |
| REP | EU - REACH Annex XVII CMRs | Reproductive toxicants: Category 1B |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|--|--|
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes of Problematic Chemicals Antimicrobials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products |

SUBSTANCE NOTES: Boric Acid is used as a fire retardant

%: **0.0100 - 5.0000**GreenScreen: **LT-P1**RC: **UNK**NANO: **No**SUBSTANCE ROLE: **Flame retardant**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---|--|
| SKI | EU - GHS (H-Statements) Annex 6 Table 3-1 | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] |
| EYE | GHS - New Zealand | Serious eye damage category 1 |
| EYE | GHS - Japan | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1] |
| SKI | GHS - Japan | H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1] |
| SKI | GHS - Australia | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] |
| SKI | GHS - Korea | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1] |
| SKI | GHS - New Zealand | Skin corrosion category 1B |
| MAM | Québec CSST - WHMIS 1988 | Class D1A - Very toxic material causing immediate and serious toxic effects |
| MAM | GHS - Korea | H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 2] |
| MAM | GHS - Japan | H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Phosphorus Pentoxide is used as a fire retardant

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Green Guard Gold D-BLAZE FIRE RETARDANT PRESSURE TREATED WOOD

CERTIFYING PARTY: Third Party

ISSUE DATE: 2016-06-10 00:00:00

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: All

EXPIRY DATE: 2024-06-10 00:00:00

Environment

CERTIFICATE URL:

https://www.treatedwood.com/assets/uploads/documents/products/d-blaze/GREENGUARD-Certification_2023-07-21-113303_dpfc.pdf

CERTIFICATION AND COMPLIANCE NOTES: Certificate number = 81162-410

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

D-Blaze is a fire retardant wood treatment that is impregnated into framing lumber and plywood products by pressure process to reduce combustibility and smoke development, and is suitable for fire rated wall assemblies and interior applications where fire retardant construction materials are specified or required by building codes. D-Blaze® Fire Retardant Treated Wood (FRTW) is covered by a 50-year limited warranty, and is now GREENGUARD Gold certified for low chemical emissions. Highly effective in controlling the spread of flame and the smoke development caused by fire, D-Blaze FRTW shows no evidence of significant progressive combustion after 30 minutes exposure to flame. D-Blaze is UL® Classified with an FR-S rating for many wood species, for its low smoke development and low flame spread indexes. D-Blaze FRTW has been installed in many notable projects including the new One World Trade Center in NYC, the Sears Tower and Navy Pier in Chicago, and offers a lower in-place cost than many non-combustible materials.

MANUFACTURER INFORMATION

MANUFACTURER: **Viance LLC.**
 ADDRESS: **8001 IBM Drive**
Charlotte, North Carolina 28262
 COUNTRY: **USA**

WEBSITE: **http://treatedwood.com/**
 CONTACT NAME: **Todd Schoffstoll**
 TITLE: **Western Regional Manager**
 PHONE: **704-340-3376**
 EMAIL: **tschoffstoll@viance.net**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

| | | |
|---------------------------------------|---|--|
| AQU Aquatic toxicity | LAN Land toxicity | PHY Physical hazard (flammable or reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive |
| DEV Developmental toxicity | MUL Multiple | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | NF Not found on Priority Hazard Lists | UNK Unknown |
| GEN Gene mutation | OZO Ozone depletion | |
| GLO Global warming | PBT Persistent, bioaccumulative, and toxic | |

GreenScreen (GS)

| | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-P1 List Translator Possible 1 (Possible Benchmark-1) |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-1 List Translator 1 (Likely Benchmark-1) |
| BM-2 Benchmark 2 (use but search for safer substitutes) | LT-UNK List Translator Benchmark Unknown |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | NoGS No GreenScreen. |
| BM-U Benchmark Unspecified (due to insufficient data) | |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

- PreC** Pre-consumer recycled content
- PostC** Post-consumer recycled content
- UNK** Inclusion of recycled content is unknown
- None** Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

