

HPD UNIQUE IDENTIFIER: 21757

CLASSIFICATION: 09 67 23 Resinous Flooring

PRODUCT DESCRIPTION: Hybri-Flex systems offer the additional benefits of high moisture tolerance and a thicker, self-priming, self-leveling floor making it the ideal choice for installation on freshly placed concrete, rough existing floors, or where higher impact resistance is desired. This HPD covers all Hybri-Flex resinous flooring systems, including Hybri-Flex EB, EC, EQ, ES, ReFLEXions, MB, MC, MQ, AB, AC, and AQ.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

HYBRI-FLEX RESINOUS FLOORING SYSTEMS | QUARTZ LT-1 | CAN CEMENT DUST LT-P1 | END | CAN CASTOR OIL NoGS 4,4'-METHYLENEDIIPHENYL DIISOCYANATE LT-UNK | RES | MUL | SKI | EYE | CAN BENZENE, 1,1'-METHYLENEBIS[ISOCYANATO- LT-UNK | MUL | SKI | EYE | RES | CAN POLYMETHYLENE POLYPHENYL ISOCYANATE LT-UNK | RES | MUL | CAN WATER BM-4 GLASS, OXIDE, CHEMICALS LT-UNK BRANCHED C10-ALKYL BENZOATES NoGS ISOPHORONE DIAMINE LT-P1 | SKI | MUL CALCIUM HYDROXIDE (CA(OH)2) LT-P1 HEXANE, 1,6-DIISOCYANATO-, HOMOPOLYMER LT-P1 BENZENEMETHANOL BM-2 CALCIUM CARBONATE LT-UNK DIETHYLENE GLYCOL LT-P1 | END OXIRANE, MONO[(C12-14-ALKYLOXY)METHYL] DERIVS. LT-P1 | SKI | MUL TITANIUM DIOXIDE LT-1 | CAN | END GYPSUM LT-UNK CASTOR OIL, ESTER WITH PENTAERYTHRITOL LT-UNK ISOCYANIC ACID, POLYMETHYLENEPOLYPHENYLENE ESTER, POLYMER WITH α-HYDRO-ω-HYDROXYPOLY(OXY-1,2-ETHANEDIYL) LT-UNK POLY(OXY(METHYL-1,2-ETHANEDIYL)), α-HYDRO-ω-HYDROXY- LT-UNK PROPANOIC ACID, 2-METHYL-, 2,2-DIMETHYL-1-(1-METHYLETHYL)-1,3-PROPANEDIYL ESTER LT-P1 | END BENZOIC ACID, 2-HYDROXY- LT-UNK | EYE | DEV POLY(OXY(METHYL-1,2-ETHANEDIYL)), α-HYDRO-ω-HYDROXY-, ETHER WITH D-GLUCITOL (6:1) LT-UNK PHENOL, 4,4'-(1-METHYLETHYLIDENE)BIS-, POLYMER WITH (CHLOROMETHYL)OXIRANE LT-P1 | AQU | SKI | EYE | MUL DISTILLATES, PETROLEUM, HYDROTREATED LIGHT BM-2 | MAM | CAN 2-METHYL-1,5-PENTAMETHYLENEDIAMINE NoGS UNDISCLOSED LT - UNK | SKI UNDISCLOSED LT - UNK | SKI CALCIUM OXIDE LT-P1 UNDISCLOSED LT -

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

The Hybri-Flex flooring system is a modular system meant to cover a variety of end-use applications. This HPD has considered all of the Hybri-Flex systems and their components and any substance that could fall above the stated threshold has been included.

UNK UNDISCLOSED LT - P1 | END UNDISCLOSED LT - UNK ALUMINUM
OXIDE BM-2 | RES C.I. PIGMENT YELLOW 42 LT-UNK CARBON BLACK
BM-1 | CAN IRON OXIDE (FE3O4) BM-1 | CAN MAGNESIUM OXIDE (MGO)
LT-UNK | CAN PHOSPHOROUS ACID, TRIPHENYL ESTER LT-P1 | AQU |
SKI | EYE | MUL UNDISCLOSED NoGS 1,3,3-TRIMETHYL-N-(2-
METHYLPROPYLIDENE)-5-[(2-
METHYLPROPYLIDENE)AMINO]CYCLOHEXANEMETHYLAMINE LT-UNK
1,3-DIOXOLAN-2-ONE, 4-METHYL- LT-UNK | EYE CARBONIC ACID,
DIMETHYL ESTER LT-UNK | PHY PROPANOL, 1(OR 2)-(2-
METHOXYMETHYLETHOXY)-, ACETATE LT-UNK BARIUM SULFATE BM-2
| CAN CALCIUM CARBONATE BM-3 POLYVINYL ACETATE LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): <100 Regulatory (g/l): <100
Does the product contain exempt VOCs: No
Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) -
Classroom & Office scenario
VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2020-09-18
PUBLISHED DATE: 2020-09-18
EXPIRY DATE: 2023-09-18



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

HYBRI-FLEX RESINOUS FLOORING SYSTEMS

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: All residuals and impurities have been collected from the suppliers and those falling above the stated threshold have been included.

OTHER PRODUCT NOTES:

QUARTZ

ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-18

#: 19.0000 - 70.0000

GS: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line. The typical range is 50-70%, though one product has a much lower filler load bringing down the minimum.

CEMENT DUST

ID: 65997-15-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-18

#: 8.0000 - 16.0000

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

CASTOR OIL

ID: 8001-79-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-18**

?: **2.0000 - 6.0000**

GS: **NoGS**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

4,4'-METHYLENEDIPHENYL DIISOCYANATE

ID: 101-68-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-18**

?: **2.0000 - 5.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Activator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagens (G) - generally accepted
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
RESPIRATORY	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

BENZENE, 1,1'-METHYLENEBIS[ISOCYANATO-

ID: 26447-40-5

%: **2.0000 - 5.0000**GS: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Activator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
RESPIRATORY	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

POLYMETHYLENE POLYPHENYL ISOCYANATEID: **9016-87-9**%: **2.0000 - 5.0000**GS: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Activator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RESPIRATORY	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

WATERID: **7732-18-5**%: **1.5000 - 6.0000**GS: **BM-4**RC: **None**NANO: **No**SUBSTANCE ROLE: **Activator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line. The GreenScreen assessment for this substance can be found at PharosProject.net.

GLASS, OXIDE, CHEMICALS

ID: 65997-17-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-09-18**%: **1.0000 - 3.0000**GS: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Filler**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

BRANCHED C10-ALKYL BENZOATES

ID: 131298-44-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-09-18**%: **0.5000 - 2.0000**GS: **NoGS**RC: **None**NANO: **No**SUBSTANCE ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

ISOPHORONE DIAMINE

ID: 2855-13-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-09-18**%: **0.4000 - 2.0000**GS: **LT-P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Activator**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

SKIN IRRITATION

EU - GHS (H-Statements)

H314 - Causes severe skin burns and eye damage

SKIN SENSITIZE

EU - GHS (H-Statements)

H317 - May cause an allergic skin reaction

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SKIN SENSITIZE

MAK

Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

CALCIUM HYDROXIDE (CA(OH)2)

ID: 1305-62-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-09-18**%: **0.4000 - 1.0000**GS: **LT-P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Filler**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

HEXANE, 1,6-DIISOCYANATO-, HOMOPOLYMER

ID: 28182-81-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-09-18**%: **0.4000 - 4.0000**GS: **LT-P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Activator**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

BENZENEMETHANOL

ID: 100-51-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-09-18**%: **0.2000 - 2.0000**GS: **BM-2**RC: **None**NANO: **No**SUBSTANCE ROLE: **Activator**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line. The GreenScreen assessment for this substance can be found at PharosProject.net.**CALCIUM CARBONATE**

ID: 1317-65-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-09-18**%: **0.2000 - 2.0000**GS: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

DIETHYLENE GLYCOL

ID: 111-46-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-09-18**%: **0.2000 - 0.5000**GS: **LT-P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

OXIRANE, MONO[(C12-14-ALKYLOXY)METHYL] DERIVS.

ID: 68609-97-2

%: **0.2000 - 8.0000**GS: **LT-P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

TITANIUM DIOXIDEID: **13463-67-7**%: **0.1000 - 3.0000**GS: **LT-1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

GYPSUMID: **13397-24-5**%: **0.1000 - 1.0000**GS: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

CASTOR OIL, ESTER WITH PENTAERYTHRITOLID: **68459-68-7**

#: 0.1000 - 0.5000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

ISOCYANIC ACID, POLYMETHYLENEPOLYPHENYLENE ESTER, POLYMER WITH α -HYDRO- ω -HYDROXYPOLY(OXY-1,2-ETHANEDIYL)

ID: 57636-09-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-18**

#: 0.1000 - 0.5000

GS: LT-UNK

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Activator**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

POLY(OXY(METHYL-1,2-ETHANEDIYL)), α -HYDRO- ω -HYDROXY-

ID: 25322-69-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-18**

#: 0.1000 - 0.5000

GS: LT-UNK

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

PROPANOIC ACID, 2-METHYL-, 2,2-DIMETHYL-1-(1-METHYLETHYL)-1,3-PROPANEDIYL ESTER

ID: 6846-50-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-18**

#: 0.1000 - 0.5000

GS: LT-P1

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

BENZOIC ACID, 2-HYDROXY-

ID: 69-72-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-18**

#: 0.0500 - 0.2000

GS: LT-UNK

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Activator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage
DEVELOPMENTAL	EU - GHS (H-Statements)	H361d - Suspected of damaging the unborn child

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

POLY[OXY(METHYL-1,2-ETHANEDIYL)], α -HYDRO- ω -HYDROXY-, ETHER WITH D-GLUCITOL (6:1)

ID: 52625-13-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-18**

#: **0.0500 - 0.2000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

PHENOL, 4,4'-(1-METHYLETHYLIDENE)BIS-, POLYMER WITH (CHLOROMETHYL)OXIRANE

ID: 25068-38-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-18**

#: **0.0500 - 6.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Activator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

DISTILLATES, PETROLEUM, HYDROTREATED LIGHT

ID: 64742-47-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-18**

#: **0.0100 - 1.5000** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line. The GreenScreen assessment for this substance can be found at PharosProject.net.

2-METHYL-1,5-PENTAMETHYLENEDIAMINE

ID: 15520-10-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-18**

?: **0.0100 - 0.5000**

GS: **NoGS**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Activator**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

UNDISCLOSED

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library**

HAZARD SCREENING DATE: **2020-09-18**

?: **0.0000 - 4.0000**

GS: **LT - UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

SKIN IRRITATION

EU - GHS (H-Statements)

H317

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

UNDISCLOSED

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library**

HAZARD SCREENING DATE: **2020-09-18**

?: **0.0000 - 2.0000**

GS: **LT - UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

SKIN IRRITATION

EU - GHS (H-Statements)

H317

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

CALCIUM OXIDE

ID: 1305-78-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-18**

?: **0.0000 - 1.0000**

GS: **LT-P1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Filler**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

UNDISCLOSEDHAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library**HAZARD SCREENING DATE: **2020-09-18**%: **0.0000 - 1.0000**GS: **LT - UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

UNDISCLOSEDHAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library**HAZARD SCREENING DATE: **2020-09-18**%: **0.0000 - 1.0000**GS: **LT - P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ENDOCRINE

TEDX - Potential Endocrine Disruptor

Potential Endocrine Disruptor

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

UNDISCLOSEDHAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library**HAZARD SCREENING DATE: **2020-09-18**%: **0.0000 - 1.0000**GS: **LT - UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

ALUMINUM OXIDEID: **1344-28-1**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-09-18**%: **0.0000 - 0.5000**GS: **BM-2**RC: **None**NANO: **No**SUBSTANCE ROLE: **Filler**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagens (Rs) - sensitizer-induced

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line. The GreenScreen assessment for this substance can be found at PharosProject.net.**C.I. PIGMENT YELLOW 42**ID: **51274-00-1**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-09-18**

#: 0.0000 - 0.5000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

CARBON BLACK

ID: 1333-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-18

#: 0.0000 - 0.5000

GS: BM-1

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

CANCER

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line. The GreenScreen assessment for this substance can be found at PharosProject.net.

IRON OXIDE (FE3O4)

ID: 1317-61-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-18

#: 0.0000 - 0.5000

GS: BM-1

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line. The GreenScreen assessment for this substance can be found at PharosProject.net.

MAGNESIUM OXIDE (MGO)

ID: 1309-48-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-18

#: 0.0000 - 0.5000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

MAK

Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

PHOSPHOROUS ACID, TRIPHENYL ESTER

ID: 101-02-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-18**

#: **0.0000 - 0.5000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

UNDISCLOSED

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library**

HAZARD SCREENING DATE: **2020-09-18**

#: **0.0000 - 0.5000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

1,3,3-TRIMETHYL-N-(2-METHYLPROPYLIDENE)-5-[(2-METHYLPROPYLIDENE)AMINO]CYCLOHEXANEMETHYLAMINE

ID: 54914-37-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-18**

#: **0.0000 - 0.2000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

1,3-DIOXOLAN-2-ONE, 4-METHYL-

ID: 108-32-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-18**

#: **0.0000 - 0.2000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Activator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

CARBONIC ACID, DIMETHYL ESTER

ID: 616-38-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-09-18**

#: **0.0000 - 0.2000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Activator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

PROPANOL, 1(OR 2)-(2-METHOXYMETHYLETHOXY)-, ACETATE

ID: 88917-22-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-09-18**

#: **0.0000 - 0.2000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

BARIUM SULFATE

ID: 7727-43-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-09-18**

#: **0.0000 - 11.0000** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line. The GreenScreen assessment for this substance can be found at PharosProject.net.

CALCIUM CARBONATE

ID: 471-34-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-09-18**

#: **0.0000 - 11.0000** GS: **BM-3** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line. The GreenScreen assessment for this substance can be found at PharosProject.net.

POLYVINYL ACETATE

ID: 9003-20-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-18**

#: **0.0000 - 5.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Filler**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to cover the various options offered within the Hybri-Flex product line.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.1 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2012-04-10**

EXPIRY DATE:

CERTIFIER OR LAB: **Air Quality Services**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

https://s3orprodpu.origin.build/origin/100320467-aqs_test_results_hybri-flex_ec.pdf

CERTIFICATION AND COMPLIANCE NOTES: **This test report is for Hybri-Flex EC, though it is considered a worst-case scenario and as such, covers the full product system.**

VOC CONTENT

EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2020-09-18**

EXPIRY DATE:

CERTIFIER OR LAB: **Internally calculated**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **VOCs are calculated to be <100g/L for all systems, though several are 0 g/L. Please see dur-a-flex.com for more specific details.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes



MANUFACTURER INFORMATION

MANUFACTURER: **Dur-A-Flex**
 ADDRESS: **95 Goodwin Street**
Hartford CT 06108, United States
 WEBSITE: **www.dur-a-flex.com**

CONTACT NAME: **Matthew Lavallee**
 TITLE: **Product Manager**
 PHONE: **860-282-4155**
 EMAIL: **matthewl@dur-a-flex.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.