

HPD UNIQUE IDENTIFIER: 50956989440

CLASSIFICATION: 08 81 00 Glass Glazing

PRODUCT DESCRIPTION: This HPD covers Walker Textures® full surface acid-etched products as well as all patterned acid-etched glass that is part of the Nuance and Traction lines. All of these products are available in various glass substrates, dimensions, and thicknesses. Acid-etched glass is suitable for interior and exterior applications, such as interior partitions, office enclosures, shower and bath enclosures, interior and exterior doors, balustrades and railings, closet doors, display fixtures, flooring and stairs, spandrel, sealed units, backsplashes, furniture and kitchen components, shelving, and wall decoration.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
<input type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	<input checked="" type="radio"/> Completed	Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	<input type="radio"/> Partially Completed	<i>Provided weight and role.</i>
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	<input type="radio"/> Not Completed	Screened <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	Identified <input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY*
GREENSCREEN SCORE | HAZARD TYPE
WALKER TEXTURES® FULL SURFACE AND PATTERNED ACID-ETCHED GLASS [**SODA LIME BOROSILICATE GLASS** **LT-UNK**]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD has been prepared using the Basic Content Inventory. Float glass is a material with Special Conditions as per the HPDC and guidelines for reporting float glass materials are still under development by HPDC. Walker Glass will update the HPD accordingly once these guidelines are published. Substances present in Walker Textures® full surface and patterned acid-etched a glass, as well as known residuals and impurities, have been disclosed at 100 ppm. More details about how residuals and impurities were considered available in the appropriate section.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: Inherently non-emitting source per LEED® - Glass
: Environmental Product Declaration (EPD)
: Environmental Product Declaration (EPD)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4 Option 2.
Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

- Yes
- No

PREPARER: Vertima
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2024-01-10
PUBLISHED DATE: 2024-01-10
EXPIRY DATE: 2027-01-10

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

WALKER TEXTURES® FULL SURFACE AND PATTERNED ACID-ETCHED GLASS

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED:
Yes

RESIDUALS AND IMPURITIES NOTES: Walker confirms that there are no residuals or impurities remaining on the acid-etched glass surface following the etching process. Walker has multiple suppliers of soda-lime glass and all declared their product to be 100% soda-lime glass.

OTHER PRODUCT NOTES: The only material used for acid-etched glass is soda-lime glass. Walker Textures® full surface and patterned acid-etched glass is available in various substrates such as: clear, bronze, grey, blue, black, low-iron, Starphire Ultra-Clear™, green, etc. Not all suppliers provide tinted glass. Tinted glasses are very similar in composition to clear glass with adjustments to trace elements for coloring purposes and sometimes accompanied by minor changes to the other components where necessary for proper melting.

SODA LIME BOROSILICATE GLASS

ID: 65997-17-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-01-10 7:34:51**

%: **100.0000 - 100.0000** GreenScreen: **LT-UNK** RC: **PreC** NANO: **No** SUBSTANCE ROLE: **Glass component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex V listing due to intrinsic safety

SUBSTANCE NOTES: Soda Lime Float Glass (CAS number 65997-17-3) is made by melting various substances such as silicon dioxide, sodium oxide, calcium oxide, magnesium oxide and trace elements together. Tinted glasses are similar to clear glass; however, the composition varies slightly. In all cases, clear, tinted or low-iron glass, the product as delivered is 100% Soda Lime Float Glass.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Inherently non-emitting source per LEED® - Glass

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2024-01-08 00:00:00

CERTIFIER OR LAB: N/A

APPLICABLE FACILITIES: N/A

EXPIRY DATE:

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Inherently non-emitting sources: Products that are inherently non-emitting sources of VOCs (stone, ceramic, powder-coated metals, plated or anodized metal, glass, concrete, clay brick, and unfinished or untreated solid wood flooring) are considered fully compliant without any VOC emissions testing if they do not include integral organic based surface coatings, binders, or sealants.

LCA

Environmental Product Declaration (EPD)

CERTIFYING PARTY: Third Party

ISSUE DATE: 2022-10-26 00:00:00

CERTIFIER OR LAB: CSA Group

APPLICABLE FACILITIES: Montreal, Quebec.

EXPIRY DATE: 2027-10-25 00:00:00

CERTIFICATE URL:

https://www.csaregistries.ca/GHG_VR_Listing/EPD_ProjectDetail?ProjectId=918

CERTIFICATION AND COMPLIANCE NOTES: This EPD covers Walker Textures® Acid-etched glasses. They are available with four finishes: Satinlite, Satin, Velour and Opaque. The EPD is registered with CSA under registration number 3072-6746.

LCA

Environmental Product Declaration (EPD)

CERTIFYING PARTY: Third Party

ISSUE DATE: 2019-08-30 00:00:00

CERTIFIER OR LAB: CSA Group

APPLICABLE FACILITIES: Montreal, Quebec.

EXPIRY DATE: 2024-08-29 00:00:00

CERTIFICATE URL:

https://www.csaregistries.ca/epd/epd_label_e.cfm?No=926

CERTIFICATION AND COMPLIANCE NOTES: This EPD covers Walker Textures® Patterned Acid-etched Glass (Walker Textures® Nuance and Walker Textures® Traction) and the AviProtek series of Bird Friendly Glass (AviProtek®, AviProtek® E and AviProtek® T). The EPD is registered with CSA under registration number 2845-5740.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Other applicable CSI Masterformat identifiers: 08 41 00 – Entrances and Storefronts / 08 42 00 – Entrances / 08 43 00 – Storefronts / 08 44 00 – Glazed Curtainwalls / 08 50 00 – Windows / 08 60 00 – Roof, Windows and Skylights / 08 81 13 – Decorative Glass Glazing / 10 22 00 – Partitions / 10 28 19.16 – Shower Doors / 08 44 30 Slip Resistant Acid Etched Glazing.

MANUFACTURER INFORMATION

MANUFACTURER: **Walker Glass Company Ltd.**
 ADDRESS: **9551 Ray Lawson Blvd**
Montreal, QC H1J 1L5
 COUNTRY: **Canada**
 LATITUDE: **45.6202000**
 LONGITUDE: **-73.5680000**

WEBSITE: **www.walkerglass.com**
 CONTACT NAME: **Vince Grippo**
 TITLE: **Research and Development Director**
 PHONE: **514 352 3030**
 EMAIL: **vince@walkerglass.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.