

HPD UNIQUE IDENTIFIER: 6964698112
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 09 68 00 Carpeting
PRODUCT DESCRIPTION: Thanks to its multifaceted composition, the loop carpet is highly versatile. The interplay of matt and glossy fibres creates an exciting accentuation while the fabric-like surface appears natural and neat.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format → Basic Method	Residuals/Impurities Evaluation → Completed	For all contents above the threshold, the manufacturer has:
Threshold Disclosed Per → Product	Explanation(s) provided : Yes	Characterized Provided weight and role. Yes
Threshold Level → 1,000 ppm		Screened Provided screening results using HPDC-approved methods. Yes
		Identified Provided name and CAS RN or other identifier. Yes

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

MOVE X GROOVE | ACRYLIC ACID, ESTER WITH 2-(2-HYDROXYETHYL)PHTHALIMIDE LT-P1 | MUL POLYAMIDE FIBERS

NoGS POLYESTER FIBERS NoGS ALUMINUM HYDROXIDE HYDRATE

NoGS POLYETHYLENE TEREPHTHALATE (PET) LT-UNK

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Chemical substance are listed by weight in the entire product instead of grouped by materials. Nano materials are not used in the product. All substances including residuals are disclosed to 500 ppm.

PFAS DETAILS:

This product does **not** contain intentionally added PFAS and materials and substances from suppliers are verified to **not** contain PFAS.

Attestation:


2026-05-25

VOLATILE ORGANIC COMPOUND (VOC) CONTENT
VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.
VOC emissions: CRI Green Label Plus - Carpets
VOC emissions: PRODIS-GUT
LCA: Environmental Product Declaration (EPD) by IBU
(Arbeitsgemeinschaft Umweltverträgliches Bauprodukt E.V.(AUB)

CONSISTENCY WITH OTHER PROGRAMS
No pre-checks completed or disclosed.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

MOVE X GROOVE

PRODUCT THRESHOLD: 1000 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes		
RESIDUALS AND IMPURITIES NOTES: All substances including residuals are disclosed to 500 ppm				
OTHER PRODUCT NOTES: nothing to add				
ACRYLIC ACID, ESTER WITH 2-(2-HYDROXYETHYL)PHTHALIMIDE				ID: 15458-78-3
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-05-25 22:27:37	
%: 38.9000 - 39.9000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

POLYAMIDE FIBERS				ID: 63428-84-2
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-05-25 22:27:37	
%: 30.2000 - 32.2000	GreenScreen: NoGS	RC: PreC	NANO: No	SUBSTANCE ROLE: Textile component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: 100 % recycled from fisher nets and old carpet yarn				

POLYESTER FIBERS	ID: 80595-68-2
------------------	----------------

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-05-25 22:27:37	
%: 7.9000 - 8.9000	GreenScreen: NoGS	RC: PostC	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: 50% recycled content, 50 % Virgin				

ALUMINUM HYDROXIDE HYDRATE

ID: 1330-44-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-05-25 22:27:38		
%: 6.3000 - 6.5000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-05-25 22:27:38	
%: 6.0000 - 6.0000	GreenScreen: LT-UNK	RC: PostC	NANO: No	SUBSTANCE ROLE: Textile component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List		
		Bisphenols and Phthalates		
SUBSTANCE NOTES: 65 % recycelt content, 35 % Virgin PET				

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CRI Green Label Plus - Carpets	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Carpet and Rug Institute COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: UL Environment COMPLIANCE URL: https://carpet-rug.org/glpproducts COMPLIANCE NOTES: GLP100136 The product identified above has been tested and determined to be in compliance with CRI's Green Label Plus Indoor Air Quality Testing Program.	ISSUE DATE: 2018-12-19	EXPIRY DATE: 2026-12-31
VOC EMISSIONS	PRODIS-GUT	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: GUT - Gemeinschaft umweltfreundlicher Teppichboden e.V. COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: All COMPLIANCE URL: COMPLIANCE NOTES:	ISSUE DATE: 2022-05-24	EXPIRY DATE: No expiration
LCA	Environmental Product Declaration (EPD) by IBU (Arbeitsgemeinschaft Umweltverträgliches Bauprodukt E.V.(AUB)	
COMPLIANCE TYPE: Third-party certification CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Institut für Bauen und Umwelt COMPLIANCE DETAILS: COMPLIANCE SCOPE: Product Line APPLICABLE FACILITIES: Green Building Systems COMPLIANCE URL: https://epd-online.com COMPLIANCE NOTES:	ISSUE DATE: 2023-02-01	EXPIRY DATE: 2028-01-31

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

- Method of production ISO 2424 Tufted
- Width ISO 3018 approx. 400
- Surface structure ISO 2424 Loop
- Colourways Style
- Pile material ISO 2424 100% Econyl by Aquafil
- Primary backing ISO 2424 PES

Secondary backing ISO 2424 Action back
Overall weight ISO 8543 approx. 1425 g/m2
Overall thickness ISO 1765 approx. 5,5 mm
Pile service weight approx. 670 g/m2
Effective pile thickness ISO 1766 approx. 3.4 mm
Stitch rate ISO 1763 approx. 252000/m2
Application
Wearability EN 1307 commercial use heavy (33)
Comfort class EN 1307 LC2

MANUFACTURER INFORMATION

MANUFACTURER: **Object Carpet**
ADDRESS: **Object Carpet GmbH**
Marie-Curie-Straße 3
Denkendorf, Baden-Württemberg 73770
COUNTRY: **Germany**

WEBSITE: **www.object-carpet.com**
CONTACT NAME: **Patric Kannberg**
TITLE: **Sustainability Manager**
PHONE: **+49711-3402145**
EMAIL: **patric.kannberg@object-carpet.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.