

HPD UNIQUE IDENTIFIER: 30253123084288

CLASSIFICATION: 09 68 13 Tile Carpeting

PRODUCT TYPE: Tile (Carpet)

PRODUCT DESCRIPTION: All styles and colors of nylon solution dyed machined tufted with EcoSquare backing manufactured in Carpets International Thailand Public Company Limited.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities Evaluation, and screening status (Characterized, Screened, Identified).

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY  
GREENSCREEN SCORE | HAZARD TYPE

100%NYLON SOLUTION DYED MACHINED TUFTED WITH ECOSQUARE BACKING [ LIMESTONE; CALCIUM CARBONATE (POST-CONSUMER) (LIMESTONE; CALCIUM CARBONATE (POST-CONSUMER)) NYLON 6 (WITH STAIN RESISTANCE) (NYLON 6 (WITH STAIN RESISTANCE)) NYLON 6,6 (WITH STAIN RESISTANCE) DIISONONYL PHTHALATE (DINP-2 OR DINP-3, MIXTURE OF ISOMERS AS MANUFACTURED) (DIISONONYL PHTHALATE (DINP-2 OR DINP-3, MIXTURE OF ISOMERS AS MANUFACTURED)) | END | CAN | DEV | REP POLYVINYL CHLORIDE (PVC) (POLYVINYL CHLORIDE (PVC)) | MAM POLYETHYLENE TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED) (POLYETHYLENE TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED)) ETHYLENE VINYL ACETATE POLYMER (EVA) SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS) (SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)) | CAN ]

Number of Greenscreen BM-4/BM3 contents ... 1  
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-P1  
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

As included in the finish of product, none of materials identified with "Hazard Type".

\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CRI Green Label Plus - Carpets  
Multi-attribute: SGLS Singapore Green Labelling Scheme

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.  
Pre-checked for LEED v4.1 Option 1.

Table with 3 columns: Third Party Verified?, PREPARER: Self-Prepared, SCREENING DATE: 2024-06-19; VERIFIER: VERIFICATION #: PUBLISHED DATE: 2024-06-19; EXPIRY DATE: 2027-06-19

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### 100%NYLON SOLUTION DYED MACHINED TUFTED WITH ECOSQUARE BACKING

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED:  
No

RESIDUALS AND IMPURITIES NOTES: As included in the finished product, none of the materials identified with a "Hazard Type"

OTHER PRODUCT NOTES: VOC content data is not applicable for this product category.

#### LIMESTONE; CALCIUM CARBONATE (POST-CONSUMER) (LIMESTONE; CALCIUM CARBONATE (POST-CONSUMER))

ID: 1317-65-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2024-06-19 20:14:58

%: 45.0000 - 54.0000

GreenScreen: **BM-3dg**

RC: **PreC**

NANO: **No**

SUBSTANCE ROLE: **Filler**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Filler in EcoSquare bacing

#### NYLON 6 (WITH STAIN RESISTANCE) (NYLON 6 (WITH STAIN RESISTANCE))

ID: 25038-54-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2024-06-19 20:14:58

%: 0.0000 - 26.0000

GreenScreen: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Textile component**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Face yarn

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-06-19 20:14:59**

%: **0.0000 - 26.0000**      GreenScreen: **LT-UNK**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Textile component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

None found		No listings found on Additional Hazard Lists
------------	--	--

SUBSTANCE NOTES: Face yarn

**DIISONONYL PHTHALATE (DINP-2 OR DINP-3, MIXTURE OF ISOMERS AS MANUFACTURED) (DIISONONYL PHTHALATE (DINP-2 OR DINP-3, MIXTURE OF ISOMERS AS MANUFACTURED))**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-06-19 20:14:59**

%: **11.0000 - 15.6000**      GreenScreen: **BM-1**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
-----	---------------------------------------	-------------------------------

END	ChemSec - SIN List	Endocrine Disruption
-----	--------------------	----------------------

CAN	CA EPA - Prop 65	Carcinogen
-----	------------------	------------

DEV	US NIH - Reproductive & Developmental Monographs	Some Evidence of Adverse Effects - Developmental Toxicity
-----	--	---

END	EU - Priority Endocrine Disruptors	Category 2 - In vitro evidence of biological activity related to Endocrine Disruption
-----	------------------------------------	---

REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
-----	-------------	---

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List  Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List  Bisphenols and Phthalates
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List  Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024  Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: EcoSquare backing

**POLYVINYL CHLORIDE (PVC) (POLYVINYL CHLORIDE (PVC))**

ID: 9002-86-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-06-19 20:14:59**

%: **11.0000 - 13.6000**      GreenScreen: **LT-P1**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

  

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List  Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024  Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: EcoSquare backing

**POLYETHYLENE TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED) (POLYETHYLENE TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED))**

ID: 25038-59-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2024-06-19 20:14:58

%: **2.5000 - 3.0000** GreenScreen: **LT-P1** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Primary backing

**ETHYLENE VINYL ACETATE POLYMER (EVA)**

ID: 24937-78-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2024-06-19 20:14:59

%: **2.0000 - 3.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Adhesive

**SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS) (SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS))**

ID: 65997-17-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2024-06-19 20:14:59

%: **1.4000 - 1.6000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	EU - R-phrases	R40 - Limited Evidence of Carcinogenic Effects

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

EXEMPT

European Union / European Commission (EU  
EC)

EU - REACH Exemptions

Exempted from REACH Annex V listing due to intrinsic  
safety

SUBSTANCE NOTES: Reinforcement in EcoSquare backing

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### VOC EMISSIONS

### CRI Green Label Plus - Carpets

CERTIFYING PARTY: Third Party

ISSUE DATE: 2010-01-18 00:00:00

CERTIFIER OR LAB: CRI - The

APPLICABLE FACILITIES: Predyed Nylon with PVC  
Backing

EXPIRY DATE: 2024-09-30 00:00:00

Carpet and Rug Institute

CERTIFICATE URL: <https://carpet-rug.org/glp-carpets/75b136d2-6399-e711-8134-c4346bad6748/>

CERTIFICATION AND COMPLIANCE NOTES: Range Of Total VOCs: 0.5 mg/m<sup>3</sup> or less

### MULTI-ATTRIBUTE

### SGLS Singapore Green Labelling Scheme

CERTIFYING PARTY: Third Party

ISSUE DATE: 2017-05-17 00:00:00

CERTIFIER OR LAB: Singapore

APPLICABLE FACILITIES: Environmentally Preferred  
Carpet

EXPIRY DATE: 2026-05-16 00:00:00

Environment Council

CERTIFICATE URL: <https://www.sgls.sec.org.sg/sgl-directory-product.php?pid=2803>

CERTIFICATION AND COMPLIANCE NOTES: All styles and colors of Nylon Solution Dyed Machined Tufted with EcoSquare backing.

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

## Section 5: General Notes

As included in the finished product , none of materials identified with "Hazard Type"

**MANUFACTURER INFORMATION**

MANUFACTURER: **Carpets International Thailand Public Company Limited**  
 ADDRESS: **80 Moo.1 Patumthani- Bangbuathong Rd, Tambol Bangkoowat Muang, Patumthani 12000**  
 COUNTRY: **Thailand**

WEBSITE: **80 Moo.1 Patumthani- Bangbuathong Rd,, Tambol Bangkoowat**  
 CONTACT NAME: **Narupat Kuptiyanuwat**  
 TITLE: **Asst R&D Mgr**  
 PHONE: **29760123**  
 EMAIL: **narupat@carpetsinter.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*



*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*