80%Wool, 20%Nylon Axminster with Permise Backing- ROYAL THAI by Carpets International Thailand Public Company Limited

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 21544

CLASSIFICATION: 09 68 13 Tile Carpeting

PRODUCT DESCRIPTION: Axminster is made up of a fiber blend of 80% Wool and 20% nylon. Backings for axminster carpets consist of yarns called stuffers that are interwoven with the face yarn during the construction process. Since the yarns are interlocked components of the carpet with EcoSoft backing for good cushion performance. This HPD cover all styles and colors of 80% Wool and 20% Nylon Axminster Ecosoft Tile manufactured in Carpets International Thailand Public Company Limited.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- C Material
- Product

Threshold level • 100 ppm • 1,000 ppm • Per GHS SDS • Other

Residuals/Impurities

C Considered C Partially Considered Not Considered

Explanation(s) provided for Residuals/Impurities? All Substances Above the Threshold Indicated Are:

Characterized	○ Yes Ex/SC ⊙ Yes ○ No
% weight and role pro	ovided for all substances.

Screened O Yes Ex/SC O Yes O No

All substances screened using Priority Hazard Lists with results disclosed.

Identified O Yes Ex/SC O Yes O No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

80%WOOL, 20%NYLON AXMINSTER WITH PERMISE BACKING- ROYAL THAI [SHEEPS WOOL NoGS POLYETHYLENE TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED) LT-UNK CALCIUM CARBONATE (PRIMARY CASRN IS 471-34-1) BM-3 POLYPROPYLENE LT-UNK VINYL CHLORIDE-VINYL ACETATE COPOLYMERS (PRIMARY CASRN IS 9003-22-9) LT-UNK NYLON 6,6 (WITH STAIN RESISTANCE) LT-UNK LIMESTONE; CALCIUM CARBONATE LT-UNK ETHYLENE VINYL ACETATE POLYMER (EVA) LT-UNK DIISONONYL PHTHALATE (DINP-2 OR DINP-3, MIXTURE OF ISOMERS AS MANUFACTURED) BM-1 | CAN | END | DEV | MUL | REP POLYETHYLENE TEREPHTHALATE (PET) LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

As include in the finished product, none of materials identified with "Hazard Type"

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: CRI Green Label Plus - Carpets

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

O Yes O No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-08-19 PUBLISHED DATE: 2020-08-31 EXPIRY DATE: 2023-08-19 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

	80%WOOL, 20%NYLOI THAI	N AXMINSTER WITH PERMISE BAC	KING- ROYAL			
	product threshold: 100 p	pm		RI N		AND IMPURITIES CONSIDERED:
	RESIDUALS AND IMPURITIES NO	TES: As included in the finished prod	uct, none of mat	terials id	entified	d with "Hazard type"
	OTHER PRODUCT NOTES: VOC	C content data is not applicable for t	his product cate	egory.		
	SHEEPS WOOL					ID: Not registered
	HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING	g date: 202	20-08-19)
	%: 20.5000 - 30.0000	GS: NoGS	RC: None NA	NO: No	SUBSTA	NCE ROLE: Textile component
	HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	NGS		
	None found			No v	varnings	found on HPD Priority Hazard Lists
	SUBSTANCE NOTES: natural	fiber				
ľ						
	POLYETHYLENE TEREPI RECYCLED)	HTHALATE (PET) (POST-CONSUMER				ID: 25038-59-9
	HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2	2020-08-	-19
	%: 13.6500 - 18.7500	GS: LT-UNK	RC: PostC	NANO: NO	SUBST	ANCE ROLE: Structure component
	HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS		
	None found			No v	varnings	found on HPD Priority Hazard Lists
	SUBSTANCE NOTES: Second	lary Backing				
	-					
	CALCIUM CARBONATE ((PRIMARY CASRN IS 471-34-1)				ID: 114453-69-9
	HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCRE	EENING DAT	e: 2020-	08-19
	%: 10.0000 - 12.5000	GS: BM-3	RC: PreC	NANC): No	SUBSTANCE ROLE: Filler

80%Wool, 20%Nylon Axminster with Permise Backing- ROYAL THAI hpdrepository.hpd-collaborative.org

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	warnings found on HP	D Priority Hazard Lists
SUBSTANCE NOTES: Filler in I	PVC compound			
POLYPROPYLENE				ID: 9003-07-0
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREENING DATE: 20	020-08-19	
%: 7.5000 - 8.5000	GS: LT-UNK	RC: None NANO: No	SUBSTANCE ROLE: Te	xtile component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	warnings found on HP	D Priority Hazard Lists
SUBSTANCE NOTES: primary	backing			
VINYL CHLORIDE-VINYL 9003-22-9)	ACETATE COPOLYMERS (PRIMARY CAS	SRN IS		ID: 34149-92-3
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020-08-1	9
%: 6.5000 - 8.5000	GS: LT-UNK	RC: None	NANO: NO SUBS	FANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	warnings found on HP	D Priority Hazard Lists
SUBSTANCE NOTES: PVC cop	oolymer for Binder			
NYLON 6,6 (WITH STAIN I	RESISTANCE)			ID: 32131-17-2
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREENING DATE: 20	020-08-19	
%: 5.0000 - 7.5000	GS: LT-UNK	RC: None NANO: No	SUBSTANCE ROLE: Te	xtile component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	warnings found on HP	D Priority Hazard Lists
SUBSTANCE NOTES: face fibe	er to blend with wool fiber			
LIMESTONE; CALCIUM C	ARBONATE			ıd: 1317-65-3
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREENING D/	ATE: 2020-08-19	
%: 4.6500 - 5.7500	GS: LT-UNK	RC: None NA	NO: NO SUBSTA	NCE ROLE: Filler

HAZA	RD	TYPE	

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

ID: 24937-78-8

ID: 28553-12-0

None found

SUBSTANCE NOTES: Filler in adhesive coating

ETHYLENE VINYL ACETATE POLYMER (EVA)

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-19		
%: 4.6500 - 5.7500	GS: LT-UNK	RC: None	NANO: NO	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	
None found			No warning	is found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Adhesive

DIISONONYL PHTHALATE (DINP-2 OR DINP-3, MIXTURE OF ISOMERS AS MANUFACTURED)

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-19		
%: 4.5000 - 6.0000 GS: BM-1		RC: None NANO: No SUBSTANCE ROLE: Plasticizer		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	CA EPA - Prop 65	Carcinogen		
ENDOCRINE	EU - Priority Endocrine Disruptors	Category 2 - In vitro evidence of biological activity related to Endocrine Disruption		
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Some Evidence of Adverse Effects - Developmental Toxicity		
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published		
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development		
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
REPRODUCTIVE	US EPA - PPT Chemical Action Plans	Reproductive effects		

SUBSTANCE NOTES: Plasticizer

	POLYETHYLENE TEREPHTHALATE	: (PET)			ID: 25038-59-9
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCRE	ENING DATE: 20	020-08-19	
	%: 3.7500 - 4.1500	GS: LT-UNK	RC: None	NANO: NO	SUBSTANCE ROLE: Textile component

None found

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: primary backing

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CRI Green Label Plus - Carpets			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Pre-dyed Wool with EVA Backing CERTIFICATE URL: https://services.carpet- rug.org/api/GLPCertificate/0104	ISSUE DATE: 2014- 10-16	EXPIRY DATE: 2020- 12-31	CERTIFIER OR LAB: CRI - The Carpet and Rug Institute	

CERTIFICATION AND COMPLIANCE NOTES: Range Of Total VOCs: 0.5 mg/m³ or less

🖶 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

As included in the finished product, none of materials identified with "Hazard type"

MANUFACTURER INFORMATION

MANUFACTURER: Carpets International Thailand Public Company Limited ADDRESS: 80 Moo.1 Pathum-Bangbuatong Rd. Tambol Bangkoowat Muang Pathumthani 12000, THAILAND WEBSITE: www.royalthai.com CONTACT NAME: Narupat Kuptiyanuwat TITLE: Asst. R&D Manager PHONE: + 66(0)2976-0123 EMAIL: narupat@carpetsinter.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) NoGS No GreenScreen.

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

GreenScreen (GS)

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern) **BM-U** Benchmark Unspecified (due to insufficient data)

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

80%Wool, 20%Nylon Axminster with Permise Backing- ROYAL THAI hpdrepository.hpd-collaborative.org The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.