Pulsar by Kvadrat A/S

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER:20711CLASSIFICATION:12 05 13 FabricsPRODUCT DESCRIPTION:Pulsar is an upholstery textile used for interior and design.

Threshold level

• 100 ppm

C Other

C 1,000 ppm

C Per GHS SDS

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- C Material
- Product

Residuals/Impurities

- C Considered C Partially Considered
 - Not Considered

Explanation(s) provided

for Residuals/Impurities?

All Substances Above the Threshold Indicated Are:

Characterized O Yes Ex/SC O Yes O No

% weight and role provided for all substances except SC substances characterized according to SC guidance.

Screened O Yes Ex/SC O Yes O No

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

Identified O Yes Ex/SC O Yes O No

All substances disclosed by Name (Specific or Generic) and Identifier except SC substances identified according to SC guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

PULSAR [SC:WOOL Not Screened NYLON 6,6 LT-UNK POLYETHYLENE TEREPHTHALATE (PET) LT-UNK] Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified Multi-attribute: REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals

Management: ISO 9001:2015 Quality management systems Management: ISO 14001:2015 Environmental management systems

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1 and Option 2

Third Party Verified?

O Yes

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-06-17 PUBLISHED DATE: 2020-06-17 EXPIRY DATE: 2023-06-17 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

PULSAR

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: The residuals/impurities have not been considered as there by our requirements have not been used substances of concern and the textile is produced with a high focus on sustainability in all its processes. The textile follow the EU Ecolabel dye restrictions incl. AZO dye and heavy metal restrictions. No content of formaldehyde. Complies with REACH regulation.

OTHER PRODUCT NOTES: Website link to see further technical specifications and certifications: https://kvadrat.dk/products/1262

ZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE	E 2020-06-17
90.0000	GS: Not Screened	RC: None NANO: NC	SUBSTANCE ROLE: Textile compone
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
	Hazard Screening not performed		
SUBSTANCE NOTES: Version: SCBioMats/2 Category: Animal-base Identifier: Wool			
	not provide information on allergens, hyper-accivities, pesticides, and other potential hazards o		
	fied by CAS RN# as it has none. Benefits of wo o absorb/give off humidity, Wool is flame retard		-
YLON 6,6			ıd: 32131- 1
ZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2	2020-06-17
8.0000	GS: LT-UNK	RC: None NANO: No	SUBSTANCE ROLE: Textile componen
	GS: LT-UNK	RC: None NANO: No WARNINGS	SUBSTANCE ROLE: Textile componen
IAZARD TYPE		WARNINGS	
HAZARD TYPE		WARNINGS	
8.0000 HAZARD TYPE None found SUBSTANCE NOTES:	AGENCY AND LIST TITLES	WARNINGS	arnings found on HPD Priority Hazard Li
IAZARD TYPE None found SUBSTANCE NOTES: DLYETHYLENE TEREI	AGENCY AND LIST TITLES	WARNINGS	arnings found on HPD Priority Hazard Lis
AZARD TYPE None found SUBSTANCE NOTES: DLYETHYLENE TEREI	AGENCY AND LIST TITLES	warnings No wa	arnings found on HPD Priority Hazard Lis ID: 25038-{ 2020-06-17
AZARD TYPE Ione found SUBSTANCE NOTES: DLYETHYLENE TEREI	AGENCY AND LIST TITLES PHTHALATE (PET) Pharos Chemical and Materials Library	WARNINGS No wa HAZARD SCREENING DATE: 2	arnings found on HPD Priority Hazard Lis ID: 25038-{ 2020-06-17
AZARD TYPE None found SUBSTANCE NOTES: DLYETHYLENE TEREI ZARD SCREENING METHOD: 2.0000	AGENCY AND LIST TITLES PHTHALATE (PET) Pharos Chemical and Materials Library GS: LT-UNK	WARNINGS No wa HAZARD SCREENING DATE: 2 RC: NONE NANO: NO WARNINGS	arnings found on HPD Priority Hazard Lis ID: 25038-5 2020-06-17 SUBSTANCE ROLE: Textile componen
AZARD TYPE Ione found SUBSTANCE NOTES: DLYETHYLENE TEREI ZARD SCREENING METHOD: 2.0000 IAZARD TYPE Ione found	AGENCY AND LIST TITLES PHTHALATE (PET) Pharos Chemical and Materials Library GS: LT-UNK	WARNINGS No wa HAZARD SCREENING DATE: 2 RC: NONE NANO: NO WARNINGS	SUBSTANCE ROLE: Textile component armings found on HPD Priority Hazard Lis ID: 25038-5 2020-06-17 SUBSTANCE ROLE: Textile component armings found on HPD Priority Hazard Lis
AZARD TYPE Ione found SUBSTANCE NOTES: DLYETHYLENE TEREI ZARD SCREENING METHOD: 2.0000 IAZARD TYPE	AGENCY AND LIST TITLES PHTHALATE (PET) Pharos Chemical and Materials Library GS: LT-UNK	WARNINGS No wa HAZARD SCREENING DATE: 2 RC: NONE NANO: NO WARNINGS	arnings found on HPD Priority Hazard Lis ID: 25038-5 2020-06-17 SUBSTANCE ROLE: Textile componen
AZARD TYPE Ione found SUBSTANCE NOTES: DLYETHYLENE TEREI ZARD SCREENING METHOD: 2.0000 IAZARD TYPE Ione found	AGENCY AND LIST TITLES PHTHALATE (PET) Pharos Chemical and Materials Library GS: LT-UNK	WARNINGS No wa HAZARD SCREENING DATE: 2 RC: NONE NANO: NO WARNINGS	arnings found on HPD Priority Hazard Lis ID: 25038-5 2020-06-17 SUBSTANCE ROLE: Textile componen

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGua	UL/GreenGuard Gold Certified		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Building materials, finishes and furnishings. CERTIFICATE URL: https://static.kvadrat.dk/assets/pdf/collection/gree guard-gold/a4/ggg-1262-sgreenguard-certificate.p CERTIFICATION AND COMPLIANCE NOTES: As the Greeng expiry date.	en- odf		CERTIFIER OR LAB: UL Environment	
MULTI-ATTRIBUTE	REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals			
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL: https://echa.europa.eu/	ISSUE DATE: 2007- 06-01	EXPIRY DATE:	CERTIFIER OR LAB: NONE	
CERTIFICATION AND COMPLIANCE NOTES:				
MANAGEMENT	ISO 9001:2015 Qua	SO 9001:2015 Quality management systems		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All	ISSUE DATE: 2019- 11-27		CERTIFIER OR LAB: Dovre	

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Certificate is renewed every third year.

MANAGEMENT	ISO 14001:2015 Environmental management systems		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2019- EXPIRY DATE: 11-27	CERTIFIER OR LAB: Dovre Certification AS	

CERTIFICATION AND COMPLIANCE NOTES: Certificate is renewed every third year.

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Test results for Pulsar: Abrasion: Approximately 100.000 Martindale rubs, EN ISO 12947. Pilling: Note 4, EN ISO 12945. Lightfastness: Note 6-7, ISO 105-B02. Flame resistance: EN 1021-1/2, BS 5852 part 1, DIN 4102 B2, Önorm B1/Q1, NF D 60 013, UNI 9175 1IM, US Cal. Bull. 117-2013, IMO FTP Code 2010:Part 8. BS 5852 Crib 5 (if FR treated).

MANUFACTURER INFORMATION

MANUFACTURER: Kvadrat A/S ADDRESS: Lundbergsvej 10 Ebeltoft Syddjurs 8400, Denmark WEBSITE: https://kvadrat.dk/

CONTACT NAME: Johanne Villumsen TITLE: Technical Manager PHONE: +86 13162157990 EMAIL: jovi@kvadrat.org

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

- **AQU** Aquatic toxicity **CAN** Cancer **DEV** Developmental toxicity **END** Endocrine activity **EYE** Eye irritation/corrosivity **GEN** Gene mutation GLO Global warming
- LAN Land toxicity MAM Mammalian/systemic/organ toxicity **MUL** Multiple **NEU** Neurotoxicity NF Not found on Priority Hazard Lists **OZO** Ozone depletion PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive) **REP** Reproductive **RES** Respiratory sensitization SKI Skin sensitization/irritation/corrosivity **UNK** Unknown

LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) NoGS No GreenScreen.

GreenScreen (GS)

BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2 Benchmark 2 (use but search for safer substitutes) BM-1 Benchmark 1 (avoid - chemical of high concern) BM-U Benchmark Unspecified (due to insufficient data) LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content **UNK** Inclusion of recycled content is unknown None Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- . a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.