

HPD UNIQUE IDENTIFIER: 22322

CLASSIFICATION: 09 20 00 Plaster and Gypsum Board

PRODUCT DESCRIPTION: PABCO® MOLD CURB® Plus Type X gypsum panels are designed for interior wall and ceiling assemblies where enhanced mold and moisture resistance is crucial. The proprietary fire-resistant Type X gypsum core is formulated with MOLD CURB® Plus technology and encased in 100% recycled moisture, mold, and mildew resistant paper.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

| | | | |
|--|--|--|---|
| <p>Inventory Reporting Format</p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p> | <p>Threshold level</p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p> | <p>Residuals/Impurities</p> <p><input checked="" type="radio"/> Considered</p> <p><input type="radio"/> Partially Considered</p> <p><input type="radio"/> Not Considered</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p> | <p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances disclosed by Name (Specific or Generic) and Identifier.</i></p> |
|--|--|--|---|

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

PABCO® MOLD CURB® TYPE X GYPSUM PANEL [CALCIUM SULFATE DIHYDRATE LT-UNK CELLULOSE PULP NoGS PARAFFIN LT-UNK STARCH LT-UNK CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK DEXTRIN (DEXTROSE) LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Undisclosed substances are proprietary trade secrets.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

| | | |
|--|--|--|
| <p>Third Party Verified?</p> <p><input type="radio"/> Yes</p> <p><input checked="" type="radio"/> No</p> | <p>PREPARER: Self-Prepared</p> <p>VERIFIER:</p> <p>VERIFICATION #:</p> | <p>SCREENING DATE: 2019-01-02</p> <p>PUBLISHED DATE: 2020-10-08</p> <p>EXPIRY DATE: 2022-01-02</p> |
|--|--|--|

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

PABCO® MOLD CURB® TYPE X GYPSUM PANEL

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Raw material obtained from naturally occurring gypsum mineral may contain crystalline silica. The amount of silica that can be reduced to respirable is dependent on many factors and testing has shown that the cut and score method does not produce respirable silica above OSHA Permissible Exposure Limit (PEL).

OTHER PRODUCT NOTES: N/A

CALCIUM SULFATE DIHYDRATE

ID: 10101-41-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-01-02

#: 85.0000 - 95.0000 GS: LT-UNK RC: PreC NANO: No SUBSTANCE ROLE: Structure component

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: Naturally occurring gypsum mineral and recycled Ca(SO4) · 2H2O

CELLULOSE PULP

ID: 65996-61-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-01-02

#: 4.0000 - 10.0000 GS: NoGS RC: Both NANO: No SUBSTANCE ROLE: Structure component

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: Core encasing made form 100% recycled paper

PARAFFIN

ID: 8002-74-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-01-02

#: 3.0000 - 5.0000 GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Structure component

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: Water Repellent

STARCH

ID: 9005-25-8

| | | | |
|---|------------------------|--|--|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2019-01-02 | |
| %: 0.1000 - 0.4000 | GS: LT-UNK | RC: UNK | NANO: No SUBSTANCE ROLE: Structure component |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | |
| None found | | No warnings found on HPD Priority Hazard Lists | |
| SUBSTANCE NOTES: Core Adhesive | | | |

| | | | |
|---|------------------------|--|--|
| CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE | | ID: 65997-17-3 | |
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2019-01-02 | |
| %: 0.1000 - 0.3000 | GS: LT-UNK | RC: UNK | NANO: No SUBSTANCE ROLE: Structure component |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | |
| None found | | No warnings found on HPD Priority Hazard Lists | |
| SUBSTANCE NOTES: Core Strengthening | | | |

| | | | |
|---|------------------------|--|--|
| DEXTRIN (DEXTROSE) | | ID: 9004-53-9 | |
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2019-01-02 | |
| %: 0.1000 - 0.2000 | GS: LT-UNK | RC: UNK | NANO: No SUBSTANCE ROLE: Structure component |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | |
| None found | | No warnings found on HPD Priority Hazard Lists | |
| SUBSTANCE NOTES: Drying Additive | | | |

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party

ISSUE DATE: 2018-10- EXPIRY DATE:

CERTIFIER OR LAB: Berkeley

APPLICABLE FACILITIES: PABCO® Gypsum 8000 E Lake

19

Analytical

Mead Blvd. Las Vegas, NV 89115 United States

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

FRAMING

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Framing material, i.e. wood or steel, shall be selected per building codes, fire design, or acoustical design as specified in the Basis of Design (BOD).

FASTENERS

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Fasteners, i.e. nail or screw, shall be selected per building codes, fire design, or acoustical design as specified in the Basis of Design (BOD).

JOINT TAPING

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Joint taping shall be used in gypsum board finishing per Level of Finish as specified in the Basis of Design (BOD).

JOINT COMPOUND

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Joint compound shall be used in gypsum board finishing per Level of Finish as specified in the Basis of Design (BOD).

Section 5: General Notes

This HPD is for a single product.

MANUFACTURER INFORMATION

MANUFACTURER: PABCO Gypsum
ADDRESS: PO Box 364329
 North Las Vegas Nevada 89036, United States
WEBSITE: www.pabco gypsum.com

CONTACT NAME: Deborah Callaway
TITLE: Technical Services Manager--Gypsum
PHONE: 702-956-2413
EMAIL: deborah.callaway@pabco gypsum.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

| | | |
|---------------------------------------|---|--|
| AQU Aquatic toxicity | LAN Land toxicity | PHY Physical hazard (flammable or reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive |
| DEV Developmental toxicity | MUL Multiple | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | NF Not found on Priority Hazard Lists | UNK Unknown |
| GEN Gene mutation | OZO Ozone depletion | |
| GLO Global warming | PBT Persistent, bioaccumulative, and toxic | |

GreenScreen (GS)

| | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-1 List Translator 1 (Likely Benchmark-1) |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) |
| BM-2 Benchmark 2 (use but search for safer substitutes) | NoGS No GreenScreen. |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | |
| BM-U Benchmark Unspecified (due to insufficient data) | |
| LT-P1 List Translator Possible 1 (Possible Benchmark-1) | |

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.