

HPD UNIQUE IDENTIFIER: 48733110272

CLASSIFICATION: 09 29 00 Gypsum Board

PRODUCT TYPE: Glass-Mat Interior (Gypsum Board)

PRODUCT DESCRIPTION: CertainTeed GlasRoc® Interior is available in 1/2" and 5/8" thicknesses. GlasRoc® Interior is a high-performance interior drywall with a treated core and engineered fiberglass mat technology. GlasRoc® Interior is designed to provide exceptional moisture and mold protection for interior applications. GlasRoc® Interior's treated core and engineered fiberglass mat technology provides inherent mold and moisture resistance. 5/8" GlasRoc® Interior Type X is UL/cUL/ULC Classified for Fire Resistance and may be used in multiple UL fire-rated designs. Manufactured at Buchanan, NY, Silver Grove, KY, Palatka, FL, Moundsville, WV, Seattle, WA, Nashville, AR, Las Vegas, NV, Carrollton, KY, and Roxboro, NC.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities Evaluation, and Characterized/Screened/Identified. Includes radio button options for 'Yes' and 'No'.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Number of Greenscreen BM-4/BM3 contents ... 1
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All raw materials have been screened through the HPD Builder Tool and all residuals and impurities have been noted when applicable.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
GLASROC INTERIOR BASEBOARD [CALCIUM SULFATE DIHYDRATE
LT-UNK | MAM QUARTZ BM-1 | CAN | MAM | GEN CONTINUOUS
FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK 2-
NAPHTHALENESULFONIC ACID, POLYMER WITH FORMALDEHYDE,
SODIUM SALT LT-P1 | PBT POTASSIUM SULFATE LT-UNK SODIUM
SULFATE ANHYDROUS LT-UNK | MAM NAPHTHALENESULFONIC
ACID, POLYMER WITH FORMALDEHYDE, CALCIUM SALT LT-P1
GLUCOSE BM-3 | GLASS-MAT INTERIOR FACE [CONTINUOUS
FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK] GLASS-MAT
BACK SURFACE [CONTINUOUS FILAMENT GLASS FIBER, NON-
RESPIRABLE LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified
VOC emissions: UL/GreenGuard Gold Certified

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Summary table with 3 columns: Third Party Verified?, PREPARER: Self-Prepared, SCREENING DATE: 2024-10-10. Includes radio button options for 'Yes' and 'No'.

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

GLASROC INTERIOR BASEBOARD

#: 97.5000 - 99.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Other: Gypsum Core Board

RESIDUALS AND IMPURITIES NOTES: Naturally occurring impurities and residuals in the gypsum are evaluated through quality checks, data is available at the manufacturing locations.

OTHER MATERIAL NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers.

CALCIUM SULFATE DIHYDRATE

ID: 10101-41-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-10-10 9:12:05**

#: **94.5000 - 96.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers. Calcium Sulfate Dihydrate CAS# 10101-41-4 and Gypsum Rock CAS# 13397-24-5 are incorporated within this product. Although the manufacturers label the materials as two separate CAS# the GS warnings and rankings are identical as are the listings within Pharos. Suppliers are selected based on geographic location to reduce transportation emissions but in the end product has the same functionality and GS rankings.

QUARTZ

ID: 14808-60-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-10-10 9:12:06**

#: **0.0000 - 5.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Quartz or Crystalline Silica is a naturally occurring impurity within the gypsum rock, it is intrinsically bound and does not harm the end user. The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers.

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE ID: 65997-17-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2024-10-10 9:12:06

%: **0.0100 - 0.5000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex V listing due to intrinsic safety

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers.

2-NAPHTHALENESULFONIC ACID, POLYMER WITH FORMALDEHYDE, SODIUM SALT

ID: 36290-04-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-10-10 9:12:07**

%: **0.0100 - 0.5000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Dispersant**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percentage of the raw materials is due to the family of products that are represented within this HPD as well as the various manufacturing locations and suppliers of the raw materials.

POTASSIUM SULFATE

ID: 7778-80-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-10-10 9:12:07**

%: **0.0100 - 0.0500** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Activator**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percentage of the raw materials is due to the family of products that are represented within this HPD as well as the various manufacturing locations and suppliers of the raw materials.

SODIUM SULFATE ANHYDROUS

ID: 7757-82-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-10-10 9:12:06**

#: 0.0100 - 0.0500

GreenScreen: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Processing regulator**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percentage of the raw materials is due to the family of products that are represented within this HPD as well as the various manufacturing locations and suppliers of the raw materials.

NAPHTHALENESULFONIC ACID, POLYMER WITH FORMALDEHYDE, CALCIUM SALT

ID: **37293-74-6**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-10-10 9:12:07**

#: 0.0000 - 0.0500

GreenScreen: **LT-P1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Processing regulator**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024 Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: The percentage of the raw materials is due to the family of products that are represented within this HPD as well as the various manufacturing locations and suppliers of the raw materials.

GLUCOSE

ID: **50-99-7**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-10-10 9:12:08**

#: 0.0100 - 0.0500

GreenScreen: **BM-3**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES: The percentage of the raw materials is due to the family of products that are represented within this HPD as well as the various manufacturing locations and suppliers of the raw materials.

GLASS-MAT INTERIOR FACE

%: 1.5000 - 3.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Glass

RESIDUALS AND IMPURITIES NOTES: Naturally occurring impurities and residuals in the gypsum are evaluated though quality checks, data is available at the manufacturing locations.

OTHER MATERIAL NOTES: The raw material range of this Fiberglass Mat is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers.

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: **65997-17-3**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-10-10 9:12:08**

%: 90.0000 - 100.0000 GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex V listing due to intrinsic safety

SUBSTANCE NOTES: The raw material range is based on content percent provided by the veil supplier and the multiple veils that can be used based on availability. Each veil has the same ingredients but can range within the batch as well as within the specifications of the two qualified veils from the supplier.

GLASS-MAT BACK SURFACE

%: 0.5000 - 2.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Glass

RESIDUALS AND IMPURITIES NOTES: Naturally occurring impurities and residuals in the gypsum are evaluated though quality checks, data is available at the manufacturing locations.

OTHER MATERIAL NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2024-10-10 9:12:08**%: **90.0000 - 100.0000**GreenScreen: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Glass component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex V listing due to intrinsic safety

SUBSTANCE NOTES: The raw material range is based on content percent provided by the veil supplier and the multiple veils that can be used based on availability. Each veil has the same ingredients but can range within the batch as well as within the specifications of the two qualified veils from the supplier.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2017-12-01 00:00:00	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All Facilities	EXPIRY DATE: 2025-03-11 00:00:00	
CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5ad1f0c355b0e82d946acabc?page_type=Products%20Catalog		
CERTIFICATION AND COMPLIANCE NOTES: CertainTeed Gypsum, Inc. 5/8" GlasRoc® Interior Type X UL 2818 - 2022 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings Certificate Number 102565-420		

VOC EMISSIONS	UL/GreenGuard Gold Certified	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2010-01-07 00:00:00	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All Facilities	EXPIRY DATE: 2025-03-11 00:00:00	
CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5ad1e9ca55b0e82d946a2883?page_type=Products%20Catalog		
CERTIFICATION AND COMPLIANCE NOTES: CertainTeed Gypsum, Inc. 1/2" GlasRoc® Interior UL 2818 - 2022 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

All CertainTeed Gypsum wallboard products should be handled and installed per the requirements of the manufacturers SDS. For complete Safety and EHS information on any and all CertainTeed Gypsum Products please see <https://www.certainteed.com/drywall/>. Additional Transparency documentation can be found at <https://saintgobain.ecomedes.com/>

MANUFACTURER INFORMATION

MANUFACTURER: **Saint Gobain**
 ADDRESS: **20 Moores Road**
Malvern, PA 19355
 COUNTRY: **United States**

WEBSITE: **https://www.certainteed.com/drywall/**
 CONTACT NAME: **Gypsum Technical Services**
 TITLE: **Gypsum Technical Marketing Services**
 PHONE: **1-800-446-5284**
 EMAIL: **gypsumtechnicalsupport@saint-gobain.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

