

HPD UNIQUE IDENTIFIER: 20986

CLASSIFICATION: 09 29 00.00 Finishes: Gypsum Board

PRODUCT DESCRIPTION: CertainTeed Gypsum Board Products M2Tech® 1/2" and 5/8" products and 1" M2Tech® Shaftliner boards. A unique technology that combines mold and moisture resistance and is specially engineered for enhanced protection against mold growth.

## Section 1: Summary

## Nested Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Other

#### Residuals/Impurities

Residuals/Impurities  
Considered in 2 of 2 Materials

Explanation(s) provided  
for Residuals/Impurities?  
 Yes  No

All Substances Above the Threshold Indicated Are:

**Characterized**  Yes Ex/SC  Yes  No

% weight and role provided for all substances except SC substances characterized according to SC guidance.

**Screened**  Yes Ex/SC  Yes  No

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

**Identified**  Yes Ex/SC  Yes  No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

[MATERIAL](#) | [SUBSTANCE](#) | [RESIDUAL OR IMPURITY](#)  
[GREENSCREEN SCORE](#) | [HAZARD TYPE](#)

[M2TECH GYPSUM BOARD](#) [ [CALCIUM SULFATE DIHYDRATE](#) [LT-UNK](#) [FIBER GLASS](#), [BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT](#) [LT-P1](#) | [MUL](#) [GLUCOSE](#) [BM-3](#) [PARAFFIN](#) [LT-UNK](#) [POLY\(VINYL ALCOHOL\)](#) [LT-UNK](#) [POLY\(METHYLHYDROSILOXANE\)](#) [NoGS](#) [NAPHTHALENESULFONIC ACID, FORMALDEHYDE POLYMER, CALCIUM SALT](#) [LT-P1](#) [SODIUM POLYNAPHTHALENESULFONATE](#) [LT-P1](#) | [PBT PROPRIETARY SUBSTANCE 1](#) [LT-UNK](#) [PROPRIETARY SUBSTANCE 2](#) [LT-UNK](#) [PROPRIETARY SUBSTANCE 3](#) [LT-UNK](#) [QUARTZ](#) [LT-1](#) | [CAN](#) [BORIC ACID](#) [LT-1](#) | [END](#) | [REP](#) | [MUL](#) | [DEL](#) [OXIDIZED CORN STARCH](#) [LT-UNK](#) [STARCH, ACID-HYDROLYZED, 2-HYDROXYPROPYL ETHER](#) [NoGS](#) ] [PAPER FACING](#) [ [CELLULOSE, MICROCRYSTALLINE](#) [LT-UNK](#) | [RES](#) [SC:CELLULOSE FIBERS](#) [Not Screened](#) ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1  
Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

All materials have been screened through the HPD tool. All residuals and impurities have been considered.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified  
VOC emissions: UL/GreenGuard Gold Certified  
VOC emissions: UL/GreenGuard Gold Certified

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes  
 No

PREPARER: Self-Prepared  
VERIFIER: GreenCircle Certified  
VERIFICATION #: 6H3-5970

SCREENING DATE: 2019-09-30  
PUBLISHED DATE: 2020-07-10  
EXPIRY DATE: 2022-09-30



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-1-standard](http://www.hpd-collaborative.org/hpd-2-1-1-standard)

### M2TECH GYPSUM BOARD

#: 95.0000 - 97.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Naturally occurring impurities and residuals in the gypsum are evaluated through quality checks, data is available at the manufacturing locations

OTHER MATERIAL NOTES: There are multiple suppliers for the core board raw materials which results in ranges on the HPD.

### CALCIUM SULFATE DIHYDRATE

ID: 10101-41-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-09-30

#: 89.0000 - 96.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate raw material suppliers.

### FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-09-30

#: 0.0500 - 1.0000

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

MULTIPLE

ChemSec - SIN List

CMR - Carcinogen, Mutagen &/or Reproductive Toxicant

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate raw material suppliers.

### GLUCOSE

ID: 50-99-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-09-30

#: 0.0100 - 0.4000

GS: BM-3

RC: None

NANO: No

SUBSTANCE ROLE: Processing regulator

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness.

**PARAFFIN**

ID: 8002-74-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-09-30**%: **0.0000 - 2.5000**GS: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Humectant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness.

**POLY(VINYL ALCOHOL)**

ID: 9002-89-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-09-30**%: **0.0000 - 0.3000**GS: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness.

**POLY(METHYLHYDROSILOXANE)**

ID: 63148-57-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-09-30**%: **0.0000 - 3.0000**GS: **NoGS**RC: **None**NANO: **No**SUBSTANCE ROLE: **Reagent**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness.

**NAPHTHALENESULFONIC ACID, FORMALDEHYDE POLYMER, CALCIUM SALT**

ID: 37293-74-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-09-30**%: **0.0000 - 0.4000**GS: **LT-P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Reagent**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Due to the potential human health concerns with this material R&amp;D is actively seeking alternatives and has made successful changes at some production sites. The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers.

**SODIUM POLYNAPHTHALENESULFONATE**

ID: 9084-06-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-09-30**%: **0.0000 - 0.4000**GS: **LT-P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Reagent**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

PBT

EC - CEPA DSL

Persistent, Bioaccumulative and inherently Toxic (PBiTh) to humans

SUBSTANCE NOTES: Due to the potential human health concerns with this material R&D is actively seeking alternatives and has made successful changes at some production sites. The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers.

### PROPRIETARY SUBSTANCE 1

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-09-30**

#: **0.0000 - 1.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is considered proprietary information by the supplier but has been third party verified.

### PROPRIETARY SUBSTANCE 2

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-09-30**

#: **0.0000 - 5.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is considered proprietary information by the supplier but has been third party verified.

### PROPRIETARY SUBSTANCE 3

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-09-30**

#: **0.0000 - 1.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is considered proprietary information by the supplier but has been third party verified.

### QUARTZ

ID: **14808-60-7**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-09-30**

#: **Impurity/Residual**

GS: **LT-1**

RC: **None**

NANO: **Unknown**

SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Australia	H350i - May cause cancer by inhalation
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: Quartz is a naturally occurring contaminant within Gypsum. Quartz is well below the 1000 ppm reporting threshold but in the spirit of transparency and with third party verification we disclose this contaminant.

## BORIC ACID

ID: 10043-35-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-09-30**

%: **0.0000 - 0.2000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Reagent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REPRODUCTIVE	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list
REPRODUCTIVE	EU - SVHC Authorisation List	Toxic to reproduction - Prioritized for listing
REPRODUCTIVE	EU - GHS (H-Statements)	H360FD - May damage fertility. May damage the unborn child
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
DEVELOPMENTAL	MAK	Pregnancy Risk Group B
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B [H360]
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
REPRODUCTIVE	GHS - Australia	H360Fd - May damage fertility. Suspected of damaging the unborn child

SUBSTANCE NOTES: Due to the potential human health concerns of this material, R&D is actively seeking a replacement. Alternatives were found in several plants but one plant is still in the transition phase. This material will be eliminated in the near future.

## OXIDIZED CORN STARCH

ID: 65996-62-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-09-30**

%: **0.0000 - 0.9000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations as well as board thickness and a slight range as materials can come from alternate suppliers.

### STARCH, ACID-HYDROLYZED, 2-HYDROXYPROPYL ETHER

ID: 68584-86-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-09-30**

#: **0.0000 - 0.9000**

GS: **NoGS**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers.

### PAPER FACING

#: **3.0000 - 5.0000**

PRODUCT THRESHOLD: **1000 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

MATERIAL TYPE: **Paper or Cardboard**

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered and noted when appropriate

OTHER MATERIAL NOTES: There are multiple suppliers for the paper facing which results in a range within the material.

### CELLULOSE, MICROCRYSTALLINE

ID: 9004-34-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-09-30**

#: **99.0000 - 100.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Structure component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: The paper facing is provided by different suppliers and the information on the HPD has been provided by the manufacturer.

### SC:CELLULOSE FIBERS

ID: **SC:Bio**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-09-30**

#: **99.0000 - 100.0000**

GS: **Not Screened**

RC: **UNK**

NANO: **No**

SUBSTANCE ROLE: **Structure component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

Version: **SCBioMats/2018-02-23**

Category: **Tree-based materials**

Identifier: **Cellulosic plant material**

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

The paper facing is provided by different suppliers and the information on the HPD has been provided by the manufacturer. This product has been classified as a biological material and is said to be a self binding cellulosic material pressed into paper for the facing of the board.

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified		
CERTIFYING PARTY: <b>Third Party</b>	ISSUE DATE:	EXPIRY	CERTIFIER OR
APPLICABLE FACILITIES: <b>All Facilities that manufacture M2Tech® Type X</b>	2009-03-	DATE:	LAB: <b>UL</b>
CERTIFICATE URL:	11	2020-06-	
<a href="https://www.certainteed.com/resources/M2TechGREENGUARD_GoldCertification_CTG_2001_E.pdf">https://www.certainteed.com/resources/M2TechGREENGUARD_GoldCertification_CTG_2001_E.pdf</a>		30	
CERTIFICATION AND COMPLIANCE NOTES: <b>UL Certificate # 62659-420 Please refer to <a href="https://www.certainteed.com/drywall/sustainability">https://www.certainteed.com/drywall/sustainability</a> for the most accurate certifications as they are renewed annually.</b>			

VOC EMISSIONS	UL/GreenGuard Gold Certified		
CERTIFYING PARTY: <b>Third Party</b>	ISSUE DATE:	EXPIRY	CERTIFIER OR
APPLICABLE FACILITIES: <b>All Facilities that manufacture M2Tech® Products</b>	2009-03-	DATE:	LAB: <b>UL</b>
CERTIFICATE URL:	11	2020-06-	
<a href="https://www.certainteed.com/resources/M2TechGREENGUARD_GoldCertification_CTG_2001_E.pdf">https://www.certainteed.com/resources/M2TechGREENGUARD_GoldCertification_CTG_2001_E.pdf</a>		30	
CERTIFICATION AND COMPLIANCE NOTES: <b>UL 2818 2013 Gold Standard for M2Tech Certification #62646-420 Please refer to <a href="https://www.certainteed.com/drywall/sustainability">https://www.certainteed.com/drywall/sustainability</a> for the most accurate certifications as they are renewed annually.</b>			

VOC EMISSIONS	UL/GreenGuard Gold Certified		
CERTIFYING PARTY: <b>Third Party</b>	ISSUE	EXPIRY	CERTIFIER
APPLICABLE FACILITIES: <b>All Facilities that manufacture M2Tech® Shaftliner</b>	DATE:	DATE:	OR LAB:
CERTIFICATE URL:	2009-	2020-	<b>UL</b>
<a href="https://www.certainteed.com/resources/M2Tech%20Shaftliner_GREENGUARD%20Gold%20Certification%209308-420.pdf">https://www.certainteed.com/resources/M2Tech%20Shaftliner_GREENGUARD%20Gold%20Certification%209308-420.pdf</a>	03-11	06-30	
CERTIFICATION AND COMPLIANCE NOTES: <b>UL Certificate # 62658- Please refer to <a href="https://www.certainteed.com/drywall/sustainability">https://www.certainteed.com/drywall/sustainability</a> for the most accurate certifications as they are renewed annually.</b>			

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

## Section 5: General Notes

M2Tech® has a specially formulated moisture resistant core and is enclosed in a moisture and mold resistant paper to inhibit mold growth. For more information please see .

[https://www.certainteed.com/resources/HPD%20M2Tech\\_Gypsum\\_Board.pdf](https://www.certainteed.com/resources/HPD%20M2Tech_Gypsum_Board.pdf) All CertainTeed Gypsum wallboard products should be handled and installed per the requirements of the manufacturers SDS. This HPD fails Option 2 under LEED prescreen as the reporting limit of the sourced material is proprietary at the 100 ppm threshold.



## MANUFACTURER INFORMATION

MANUFACTURER: **Saint Gobain**

ADDRESS: **CertainTeed Gypsum**

**20 Moores Road**

**Malvern PA 19355, United States**

WEBSITE: <https://www.certainteed.com/drywall/>

CONTACT NAME: **Mitchell Schittler**

TITLE: **Gypsum Marketing Technical Services Manager**

PHONE: **610-893-6000**

EMAIL: **Mitchell.L.Schittler@saint-gobain.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

## KEY

### Hazard Types

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**LAN** Land toxicity

**MAM** Mammalian/systemic/organ toxicity

**MUL** Multiple

**NEU** Neurotoxicity

**NF** Not found on Priority Hazard Lists

**OZO** Ozone depletion

**PBT** Persistent, bioaccumulative, and toxic

**PHY** Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

**SKI** Skin sensitization/irritation/corrosivity

**UNK** Unknown

### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (due to insufficient data)

**LT-P1** List Translator Possible 1 (Possible Benchmark-1)

**LT-1** List Translator 1 (Likely Benchmark-1)

**LT-UNK** List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

**NoGS** No GreenScreen.

### Recycled Types

**PreC** Pre-consumer recycled content

**PostC** Post-consumer recycled content

**UNK** Inclusion of recycled content is unknown

**None** Does not include recycled content

### Other Terms:

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*