

HPD UNIQUE IDENTIFIER: 26632

CLASSIFICATION: 12 50 00 Furniture

PRODUCT DESCRIPTION: Run is a collection of tables, benches and shelves by Sam Hecht and Kim Colin, designers of the simple and no-nonsense. Run effortlessly finds balance in both indoor and outdoor landscapes suited for meeting, eating, learning, sharing and working. Made of responsibly selected, sustainable materials and engineered to last, Run is right for a multitude of uses at home, for hospitality and in the workplace. This record covers all Run tables with wood tops, including bar, side, and counter-height tables. Frame available in anodized aluminum or black powdercoated aluminum. Tabletops available in Ash, Cedar, or Walnut finish.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input checked="" type="radio"/> Nested Materials Method</p> <p><input type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p>Threshold Level</p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p>Residuals/Impurities</p> <p>Considered in 7 of 7 Materials</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances disclosed by Name (Specific or Generic) and Identifier.</i></p>
--	--	---	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

RUN ALUMINUM PLANKS [6061 ALUMINUM BM-1 | END | RES | PHY]

RUN CASTINGS [ALUMINUM BM-1 | END | RES | PHY]

RUN STRETCHERS [6061 ALUMINUM BM-1 | END | RES | PHY]

RUN LEGS [6061 ALUMINUM BM-1 | END | RES | PHY]

RUN FASTENERS [STEEL NoGS ZINC LT-P1 | END | MUL | PHY | AQU]

RUN GLIDES [ACRYLONITRILE-BUTADIENE-STYRENE COPOLYMER LT-UNK 1,3-BUTANEDIOL, POLYMER WITH ALPHA-BUTYL-OMEGA-HYDROXPOLY(OXY(METHYL-1,2-ETHANEDIYL)) AND 1,3-DIISOCYANATOMETHYLBENZENE LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END CARBON BLACK BM-1 | CAN]

RUN BLACK POWDERCOAT [TRIGLYCIDYL ISOCYANURATE (TGIC) LT-1 | MUL | RES | GEN | SKI | MAM | EYE CARBON BLACK BM-1 | CAN]

ZINC MERCAPTOBENZOTHAZOLE LT-P1 | MUL SILICA, AMORPHOUS BM-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Therefore, this HPD qualifies for the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1).

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

<p>Third Party Verified?</p> <p><input type="radio"/> Yes</p> <p><input checked="" type="radio"/> No</p>	<p>PREPARER: Self-Prepared</p> <p>VERIFIER:</p> <p>VERIFICATION #:</p>	<p>SCREENING DATE: 2021-11-24</p> <p>PUBLISHED DATE: 2021-11-24</p> <p>EXPIRY DATE: 2024-11-24</p>
--	--	--

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

RUN ALUMINUM PLANKS

#: 65.0000 - 82.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of material reported as range due to the various size options available in the Run Collection.

6061 ALUMINUM

ID: 7429-90-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-11-24 11:36:15

#: 100.0000

GS: BM-1

RC: Both

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H228 - Flammable solid [Flammable solids - Category 1 or 2]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H261 - In contact with water releases flammable gases [Substances and mixtures which, in contact with water, emit flammable gases - Category 2 or 3]

SUBSTANCE NOTES: Aluminum is anodized. Supplier letter confirms 80% recycled content. Supplier has confirmed that the composition includes the following substances at or above the declared Content Inventory Threshold: Aluminum (98.0%; 7429-90-5; LT-P1); Magnesium (0.9-1.2%; 7439-95-4; LT-UNK); Silicon (0.4-0.8%; 7440-21-3; LT-UNK); Copper (0.15-0.4%; 7440-50-8; LT-UNK); Iron (0.7%; 7439-89-6; LT-P1); Chromium (0.04-0.8; 7440-47-3); Zinc (0.25%, 7440-66-6); Manganese (0.15%; 7439-96-5); Titanium (0.15%; 7440-32-6)

RUN CASTINGS

#: 6.9000 - 16.7000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of material reported as range due to the various size options available in the Run Collection.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-24 11:36:14**%: **100.0000** GS: **BM-1** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagens (Rs) - sensitizer-induced
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H228 - Flammable solid [Flammable solids - Category 1 or 2]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H261 - In contact with water releases flammable gases [Substances and mixtures which, in contact with water, emit flammable gases - Category 2 or 3]

SUBSTANCE NOTES: A360 Aluminum is powdercoated. Supplier letter confirms 80% recycled content and supplier SDS confirms that the composition includes the following substances at or above the declared Content Inventory Threshold: Aluminum (98.0%; 7429-90-5; LT-P1); Magnesium (0.4-0.6%; 7439-95-4; LT-UNK); Silicon (9-10%; 7440-21-3; LT-UNK); Copper (<0.6%; 7440-50-8; LT-UNK); Iron (<1.3%; 7439-89-6; LT-P1); Zinc (<0.05%, 7440-66-6); Manganese (<0.35%; 7439-96-5); Titanium (<0.25%; 7440-32-6); Tin (<0.15%; 7440-31-5); Nickel (<0.5%; 7440-02-0; LT-1). Specific guidelines are being created to address known issues related to transparency and disclosure for several materials ("Special Conditions"), including those with form-specific hazards and metal alloy materials such as A360 Aluminum. This HPD will be updated as appropriate when these guidelines become available.

RUN STRETCHERS%: **6.4000 - 10.3000**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of material reported as range due to the various size options available in the Run Collection.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-24 11:36:14**%: **100.0000** GS: **BM-1** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H228 - Flammable solid [Flammable solids - Category 1 or 2]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H261 - In contact with water releases flammable gases [Substances and mixtures which, in contact with water, emit flammable gases - Category 2 or 3]

SUBSTANCE NOTES: Aluminum is anodized. Supplier letter confirms 80% recycled content. Supplier has confirmed that the composition includes the following substances at or above the declared Content Inventory Threshold: Aluminum (98.0%; 7429-90-5; LT-P1); Magnesium (0.9-1.2%; 7439-95-4; LT-UNK); Silicon (0.4-0.8%; 7440-21-3; LT-UNK); Copper (0.15-0.4%; 7440-50-8; LT-UNK); Iron (0.7%; 7439-89-6; LT-P1); Chromium (0.04-0.8; 7440-47-3); Zinc (0.25%, 7440-66-6); Manganese (0.15%; 7439-96-5); Titanium (0.15%; 7440-32-6)

RUN LEGS

%: **4.5000 - 14.1000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of material reported as range due to the various table height options available in the Run Collection

6061 ALUMINUM

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-24 11:36:15**%: **100.0000** GS: **BM-1** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H228 - Flammable solid [Flammable solids - Category 1 or 2]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H261 - In contact with water releases flammable gases [Substances and mixtures which, in contact with water, emit flammable gases - Category 2 or 3]

SUBSTANCE NOTES: Aluminum is anodized. Supplier letter confirms 80% recycled content. Supplier has confirmed that the composition includes the following substances at or above the declared Content Inventory Threshold: Aluminum (98.0%; 7429-90-5; LT-P1); Magnesium (0.9-1.2%; 7439-95-4; LT-UNK); Silicon (0.4-0.8%; 7440-21-3; LT-UNK); Copper (0.15-0.4%; 7440-50-8; LT-UNK); Iron (0.7%; 7439-89-6; LT-P1); Chromium (0.04-0.8; 7440-47-3); Zinc (0.25%, 7440-66-6); Manganese (0.15%; 7439-96-5); Titanium (0.15%; 7440-32-6)

RUN FASTENERS

%: **0.2000 - 0.6000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Fasteners assembly frame to tabletop.

STEEL

ID: 12597-69-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-24 11:36:16**

%: **98.0000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Hardware**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is considered essentially inert for the purposes of Pharos toxics scoring (Pharos CML).

ZINC

ID: 7440-66-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-24 11:36:18**

%: **2.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]

SUBSTANCE NOTES: Specific guidelines are being created to address known issues related to transparency and disclosure for several materials ("Special Conditions"), including those with Form-Specific Hazards such as Zinc. This HPD will be updated as appropriate when these guidelines become available. This substance falls below the Content Inventory Threshold indicated for the finished product.

RUN GLIDES

%: **0.1400 - 0.3400**

PRODUCT THRESHOLD: **1000 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **Yes** MATERIAL TYPE: **Polymeric Material**

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier SDS and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Used on counter stools and barstools only.

ACRYLONITRILE-BUTADIENE-STYRENE COPOLYMER

ID: 9003-56-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-24 11:36:16**

#: 65.0000 - 70.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: ABS glide core

1,3-BUTANEDIOL, POLYMER WITH ALPHA-BUTYL-OMEGA-HYDROXPOLY(OXY(METHYL-1,2-ETHANEDIYL)) AND 1,3-DIISOCYANATOMETHYLBENZENE

ID: 68400-67-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-24 11:36:17**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: TPU glide surface

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-24 11:36:18**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List. Substance encapsulated in resin of finished product. Form-specific hazards: airborne particles of respirable size – occupational setting. Specific guidelines are being created to address known issues related to transparency and disclosure for several materials (“Special Conditions”), including those with Form-Specific Hazards such as Titanium Dioxide. This HPD will be updated as appropriate when these guidelines become available. The Material Health Harmonization Task Group convened by the USGBC states that pigmentary titanium dioxide was "determined to be Benchmark 2 using the full GS (GreenScreen) method" (<http://ow.ly/Z5ken>).

CARBON BLACK

ID: 1333-86-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-24 11:36:19**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

SUBSTANCE NOTES:

RUN BLACK POWDERCOAT %: 0.0000 - 2.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: No MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier SDS.

OTHER MATERIAL NOTES: Applied to Run Stretchers, Casts, and Legs on powdercoated products. Percentage by weight of material given as range to due to the two color options in the Run Collection; no powdercoat is used on the clear anodized finish.

TRIGLYCIDYL ISOCYANURATE (TGIC)

ID: 2451-62-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2021-11-24 11:36:17

%: 40.0000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
GEN	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
GEN	EU - Annex VI CMRs	Mutagen - Category 1B
GEN	EU - SVHC Authorisation List	Mutagenic - Candidate list
GEN	GHS - New Zealand	6.6A - Known or presumed human mutagens
GEN	GHS - Japan	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1B]
GEN	GHS - Korea	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
GEN	EU - GHS (H-Statements) Annex 6 Table 3-1	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]

SUBSTANCE NOTES:

CARBON BLACK

ID: 1333-86-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-24 11:36:19**
 %: **0.0000 - 1.0000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

SUBSTANCE NOTES:

ZINC MERCAPTOBENZOTHAZOLE

ID: 155-04-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-24 11:36:20**%: **0.0000 - 1.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Accelerator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

SILICA, AMORPHOUS

ID: 7631-86-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-24 11:36:20**%: **0.0000 - 1.0000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surface modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2021-09-	EXPIRY DATE:	CERTIFIER OR LAB: Intertek
APPLICABLE FACILITIES: Hanover, PA 17331 USA	08		
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: Conforms to the ANSI/ BIFMA X7.1-2011 Standard for Formaldehyde and TVOC Emissions of Low-emitting Office Furniture Systems and Seating, ANSI/ BIFMA M7.1-2011 Standard Test Method for Determining VOC Emissions from Office Furniture Systems, Components and Seating, and ANSI/ BIFMA e3-2014e Furniture Sustainability Standard Credits 7.6.1, 7.6.2 and 7.6.3 Low Emitting Furniture for Office Furniture Systems and Components emission criteria. Credit 7.6.3 demonstrates compliance to California Department of Public Health (CDPH) Standard Method v1.2 01350 (2017).			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

We make chairs. In America. Often by hand. Mostly from recycled stuff. But always to last.

MANUFACTURER INFORMATION

MANUFACTURER: **emeco**
 ADDRESS: **805 W Elm Avenue**
Hanover PA 17331, United States
 WEBSITE: **www.emeco.net**

CONTACT NAME: **Gregg Buchbinder**
 TITLE: **CEO**
 PHONE: **7176375951**
 EMAIL: **info@emeco.net**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.