RMG600+
by Kingspan Data + Flooring

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 1636294491136
CLASSIFICATION: 09 69 00 Access Flooring
PRODUCT DESCRIPTION: This HPD applies to RMG600+ access floor panels manufactured by Kingspan Access Floors. The RMG600+ panel is a 600mm x 600mm panel consisting of a high-performance particleboard core that is encapsulated by a galvanized steel shell. The panel is mechanically stitched to provide greater structural strength. The design of the RMG600+ system facilitates easy panel removal and replacement. RMG600+ has a safety performance factor of 3 x static load under PSA MOB PS/SPU specification. It offers the flexibility of finished floor heights ranging from 57mm to 1200mm using standard pedestals.

Section 1: Summary — Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format
- (•) Nested Materials Method
- ( ) Basic Method

Threshold Disclosed Per
- ( ) Material
- (•) Product

Threshold Level
- (•) 100 ppm
- ( ) 1,000 ppm
- ( ) Per GHS SDS
- ( ) Other

Residuals/Impurities Evaluation
Completed in 3 of 3 Materials

Explanation(s) provided for Residuals/Impurities?
(•) Yes ( ) No

For all contents above the threshold, the manufacturer has:

Characterized (•) Yes ( ) No
Provided weight and role.

Screened (•) Yes ( ) No
Provided screening results using HPDC-approved methods.

Identified ( ) Yes (•) No
Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY*
GREENSCREEN SCORE | HAZARD TYPE

PARTICLE BOARD [WOOD FIBER - UNSPECIFIED NoGS **WATER** BM-4 **UREA, POLYMER WITH AMMONIA AND FORMALDEHYDE** LT-UNK **SILICA, HYDRATE** LT-UNK **PARAFFIN** LT-UNK | MAM **] STEEL, GALVANISED [IRON, ELEMENTAL** LT-P1 | END **ZINC, ELEMENTAL** LT-P1 | MUL | AQU **MANGANESE** LT-P1 | END | MUL | REP | MAM | AQU **SILICON, ELEMENTAL** LT-UNK **TITANIUM** LT-UNK | PHY **CARBON** LT-UNK **PHOSPHORUS** BM-2 | MAM | PHY | EYE | AQU | SKI **SULFUR, PRECIPITATED** LT-UNK | SKI | MAM **] POLYURETHANE ADHESIVE [PROPYLENE OXIDE, ETHYLENE OXIDE, 1,2-PROPANEDIOL, DIPHENYLMETHANE-4,4'-DIISOCYANATE POLYMER** LT-UNK | SKI | EYE | MAM **LIMESTONE (PRIMARY CASRN IS 1317-65-3)** BM-3dg **SILICA, AMORPHOUS (PRIMARY CASRN IS 7631-86-9)** BM-1 | CAN | MAM *POLYETHER POLYOL* NoGS *4,4'-DIPHENYLMETHANE DIISOCYANATE* LT-UNK | CAN | RES | SKI | EYE | MAM *GENERIC MDI HOMOPOLYMER* LT-P1 | SKI | EYE | MAM | CAN **]**

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

The Quartz database for common building materials was used when the manufacture's information was lacking CAS identifiers or in cases where the material is not manufactured by Kingspan and they were relying on secondary material information. Comparing and contrasting the Kingspan documentation against the generic product database allowed for a more robust screening than using the documentation alone.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario
VOC emissions: Inherently non-emitting source per LEED
Sustainable forestry: FSC Certification - Chain of Custody (COC)
LCA: Environmental Product Declaration by EPD Hub

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- ○ Yes
- ◉ No

PREPARER: Self-Prepared
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2024-11-25
PUBLISHED DATE: 2024-11-25
EXPIRY DATE: 2027-11-25

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- *Basic Inventory method with Product-level threshold.*
- *Nested Material Inventory method with Product-level threshold*
- *Nested Material Inventory method with individual Material-level thresholds*

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

PARTICLE BOARD **%: 73.0000 - 75.8000**

PRODUCT THRESHOLD: 100 ppm | RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes | MATERIAL TYPE: Wood Dust, Fiber or Chips

RESIDUALS AND IMPURITIES NOTES: The product contains wood from various sources with uncharacterised residuals

OTHER MATERIAL NOTES:

WOOD FIBER - UNSPECIFIED ID: **Not registered**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-25 9:14:10**

%: **76.0000 - 84.0000** GreenScreen: **NoGS** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Biological material**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: wood chip of mixed origin

WATER ID: **7732-18-5**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-25 9:14:11**

%: **7.0000 - 10.0000** GreenScreen: **BM-4** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Biological material**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES:

UREA, POLYMER WITH AMMONIA AND FORMALDEHYDE ID: **27967-29-9**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-25 9:14:11**

%: **9.0000 - 10.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024 Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES:

SILICA, HYDRATE

ID: **10279-57-9**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-25 9:14:12**

%: **0.0000 - 1.0000** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: actual role in resin formualtion is uncertain

PARAFFIN

ID: **8002-74-2**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-25 9:14:12**

%: **0.0000 - 1.0000** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: actual role of substance in resin formulation is uncertain

STEEL, GALVANISED

%: 23.6000 - 27.0000

PRODUCT THRESHOLD: 100 ppm | RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes | MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Any residuals and impurities are those common in galvanised steels

OTHER MATERIAL NOTES:

IRON, ELEMENTAL

ID: **7439-89-6**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** | HAZARD SCREENING DATE: **2024-11-25 9:14:12**

%: **94.5000 - 98.2000** | GreenScreen: **LT-P1** | RC: **Both** | NANO: **No** | SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: substance has recycled content

ZINC, ELEMENTAL

ID: **7440-66-6**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** | HAZARD SCREENING DATE: **2024-11-25 9:14:12**

%: **1.2500 - 3.2500** | GreenScreen: **LT-P1** | RC: **UNK** | NANO: **No** | SUBSTANCE ROLE: **Coating**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Children's Toy Products

SUBSTANCE NOTES: Corrosion protective coating; A range is provided due to the varying coating thicknesses and options.

MANGANESE ID: **7439-96-5**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-25 9:14:12**

%: **0.0000 - 1.2000** GreenScreen: **LT-P1** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Children's Toy Products

SUBSTANCE NOTES: This element is present in base steel

SILICON, ELEMENTAL

ID: **7440-21-3**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-25 9:14:13**

%: **0.0000 - 0.5000** GreenScreen: **LT-UNK** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: element is present in base steel

TITANIUM

ID: **7440-32-6**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-25 9:14:13**

%: **0.0000 - 0.3000** GreenScreen: **LT-UNK** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
PHY	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable solids - Category 1]
PHY	GHS - Japan	H250 - Catches fire spontaneously if exposed to air [Pyrophoric solids - Category 1]
PHY	GHS - Japan	H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Present in base steel

CARBON

ID: **7440-44-0**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-25 9:14:13**

%: **0.0000 - 0.1800** GreenScreen: **LT-UNK** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials

SUBSTANCE NOTES: substance has recycled content

PHOSPHORUS

ID: **7723-14-0**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-25 9:14:13**

%: **0.0000 - 0.1200** GreenScreen: **BM-2** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
PHY	GHS - New Zealand	Pyrophoric solids category 1
EYE	GHS - New Zealand	Serious eye damage category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
SKI	GHS - New Zealand	Skin corrosion category 1A
MAM	GHS - New Zealand	Acute dermal toxicity category 1
MAM	GHS - New Zealand	Acute inhalation toxicity category 1
MAM	GHS - New Zealand	Acute oral toxicity category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Cosmetics and Personal Care Products

SUBSTANCE NOTES: element contained within steel

SULFUR, PRECIPITATED ID: **7704-34-9**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-25 9:14:14**

%: **0.0000 - 0.0450** GreenScreen: **LT-UNK** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials

SUBSTANCE NOTES: As the metals used are purchased from the open market, there is likely recycled content included, though the actual amount is unknown. This element exists as part of an alloy and is therefore not in the elemental form when delivered.

POLYURETHANE ADHESIVE **%: 0.5000 - 0.9000**

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities likely to be present in generic materials of this type have been considered

OTHER MATERIAL NOTES:

PROPYLENE OXIDE, ETHYLENE OXIDE, 1,2-PROPANEDIOL, DIPHENYLMETHANE-4,4'-DIISOCYANATE POLYMER ID: **68083-75-0**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-25 9:14:14**

%: **69.0000 - 75.0000** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Typical polyurethane formed by reaction of di-isocyanates and polyols: exact PU present in this adhesive is not known

LIMESTONE (PRIMARY CASRN IS 1317-65-3)

ID: **359415-48-8**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-25 9:14:14**

%: **0.0000 - 22.5000** GreenScreen: **BM-3dg** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Limestone, in powder form, may also serve as a filler

SILICA, AMORPHOUS (PRIMARY CASRN IS 7631-86-9)

ID: **107497-59-6**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-25 9:14:15**

%: **0.0000 - 22.5000** GreenScreen: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials

SUBSTANCE NOTES: Silica may also serve as a filler

POLYETHER POLYOL ID: **39072-02-1**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-25 9:14:15**

%: **0.0000 - 0.0050** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Possible residual of generic pre-polymer material

4,4'-DIPHENYLMETHANE DIISOCYANATE ID: **101-68-8**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-25 9:14:15**

%: **0.0000 - 0.0010** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	GHS - New Zealand	Carcinogenicity category 2
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
MAM	GHS - New Zealand	Acute inhalation toxicity category 2
EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]
SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Korea	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Cosmetics and Personal Care Products

SUBSTANCE NOTES: Possible residual monomer from PU formation

GENERIC MDI HOMOPOLYMER ID: **39310-05-9**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-25 9:14:16**

%: **0.0000 - 0.0010** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 All Products

SUBSTANCE NOTES: Possible residual from polyurethane formation

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS — **CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario**

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Marfleet, Hull, UK.
CERTIFICATE URL:

ISSUE DATE: 2023-03-15 00:00:00
EXPIRY DATE:

CERTIFIER OR LAB: Eurofins Product Testing A/S

CERTIFICATION AND COMPLIANCE NOTES:

VOC EMISSIONS — **Inherently non-emitting source per LEED**

CERTIFYING PARTY: Self-declared
APPLICABLE FACILITIES: All
CERTIFICATE URL:

ISSUE DATE: 2024-10-03 00:00:00
EXPIRY DATE:

CERTIFIER OR LAB: None

CERTIFICATION AND COMPLIANCE NOTES:

SUSTAINABLE FORESTRY — **FSC Certification - Chain of Custody (COC)**

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Marfleet, Hull, UK
CERTIFICATE URL:

ISSUE DATE: 2022-09-27 00:00:00
EXPIRY DATE: 2027-09-26 00:00:00

CERTIFIER OR LAB: SGS

CERTIFICATION AND COMPLIANCE NOTES:

LCA — **Environmental Product Declaration by EPD Hub**

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Kingspan Access Floors, Marfleet, Hull, UK
CERTIFICATE URL: https://manage.epdhub.com/?epd=HUB-1905

ISSUE DATE: 2024-10-24 00:00:00
EXPIRY DATE: 2029-10-24 00:00:00

CERTIFIER OR LAB: Magaly González Vázquez of EPD Hub

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Raised access floor PSA panel designed to meet the needs of most office environments. Kingspan Access Flooring Limited manufacturers raised flooring systems. When screening Kingspan's products consider the following options: 1. flooring panel 2. pedestal 3. stringer, if used.

Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: **Kingspan Data + Flooring**
ADDRESS: **Burma Drive**
Marfleet, Hull HU9 5SG
COUNTRY: **United Kingdom**

WEBSITE: **https://www.kingspan.com/gb/en/contact-us/kingspan-data-flooring/**
CONTACT NAME: **Technical Sales**
TITLE: **Technical Sales**
PHONE: **+44 (0) 1482 781701**
EMAIL: **info@kingspanaccessfloors.co.uk**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity
CAN Cancer
DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity
GEN Gene mutation
GLO Global warming
LAN Land toxicity
MAM Mammalian/systemic/organ toxicity
MUL Multiple
NEU Neurotoxicity
NF Not found on Priority Hazard Lists
OZO Ozone depletion
PBT Persistent, bioaccumulative, and toxic
PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)
LT-1 List Translator 1 (Likely Benchmark-1)
LT-UNK List Translator Benchmark Unknown
NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / **Material Threshold** Substances listed within each material per threshold indicated per material
Nested Method / **Product Threshold** Substances listed within each material per threshold indicated per product
Basic Method / **Product Threshold** Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.