

HPD UNIQUE IDENTIFIER: 24018

CLASSIFICATION: 09 72 19 Textile Wall Coverings

PRODUCT DESCRIPTION: Three different textured print rollers were used to establish the detailed, natural look and feel of a grass cloth. Splendid mimics the essence and aesthetic of a natural wallcovering but offers the high performance attributes of Type II Vinyl.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold level, Residuals/Impurities, and screening questions. Includes options for reporting format (Nested Materials Method, Basic Method), threshold (100 ppm, 1,000 ppm, Per GHS SDS, Other), and screening status (Yes/No/Ex/SC).

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

PVC [POLYVINYL CHLORIDE LT-P1 | RES] POLYESTER/CELLULOSE [UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK] DINP [DIISONONYL PHTHALATE BM-1 | END | MUL | REP | CAN | DEV] C14-C17 CHLORINATED PARAFFIN [ALKANES, C14-17, CHLORO LT-1 | CAN | AQU | END | PBT | MUL | DEV] HEXABORON DIZINC UNDECAOXIDE [UNDISCLOSED LT-P1] ANTIMONY TRIOXIDE [ANTIMONY OXIDE (ANTIMONY TRIOXIDE) BM-1 | CAN | MUL] PVC/ACRYLIC RESIN [2-BUTOXYETHANOL BM-2 | END | SKI | EYE] SOLVENT NAFTHA PETROLEUM [SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPH. LT-P1 | END | MAM] ORGANIC PIGMENT [UNDISCLOSED BM-1] EPOXIDISED SOYA BEAN OIL [SOYBEAN OIL, EPOXIDIZED LT-P1] 2-OCTYL -2H-ISOTHIAZOL-3-ONE [3(2H)-ISOTHIAZOLONE, 2-OCTYL- LT-P1 | AQU | SKI | MUL | MAM] TITANIUM DIOXIDE [TITANIUM DIOXIDE LT-1 | CAN | END] AMORPHOUS SILICA BM-1 | CAN] PHOSPHOROUS ACID, TRIISOTRIDECYL ESTER [UNDISCLOSED LT-P1 UNDISCLOSED LT-P1 UNDISCLOSED LT-UNK UNDISCLOSED LT-P1]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

The product inventory was screened to the 1,000 ppm threshold and all materials and substances above the threshold have been disclosed.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Clean Air Gold

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Table with 3 columns: Third Party Verified? (Yes/No), PREPARER: Self-Prepared, VERIFIER: VERIFICATION #:, SCREENING DATE: 2021-03-04, PUBLISHED DATE: 2021-03-05, EXPIRY DATE: 2024-03-04

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

PVC

#: 45.5000 - 45.5000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: No MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: _____

OTHER MATERIAL NOTES: Residuals and Impurities were considered and determined below the 1,000 ppm threshold.

POLYVINYL CHLORIDE

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-04

#: 100.0000 - 100.0000 GS: LT-P1 RC: None NANO: Unknown SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

POLYESTER/CELLULOSE

#: 16.5000 - 16.5000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: No MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: _____

OTHER MATERIAL NOTES: Residuals and Impurities were considered and determined below the 1,000 ppm threshold.

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-03-04**%: **20.0000 - 80.0000** GS: **LT-UNK** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Textile component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-03-04**%: **1.0000 - 20.0000** GS: **LT-UNK** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Textile component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

DINP%: **10.3000 - 10.3000**PRODUCT THRESHOLD: **1000 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **No** MATERIAL TYPE: **Polymeric Material**

RESIDUALS AND IMPURITIES NOTES: _____

OTHER MATERIAL NOTES: Residuals and Impurities were considered and determined below the 1,000 ppm threshold.

DIISONONYL PHTHALATEID: **28553-12-0**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-04**%: **100.0000 - 100.0000** GS: **BM-1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
END	ChemSec - SIN List	Endocrine Disruption
REP	US EPA - PPT Chemical Action Plans	Reproductive effects
CAN	CA EPA - Prop 65	Carcinogen
DEV	US NIH - Reproductive & Developmental Monographs	Some Evidence of Adverse Effects - Developmental Toxicity
END	EU - Priority Endocrine Disruptors	Category 2 - In vitro evidence of biological activity related to Endocrine Disruption

SUBSTANCE NOTES:

C14-C17 CHLORINATED PARAFFIN

%: 7.0000 - 7.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: _____

OTHER MATERIAL NOTES: Residuals and Impurities were considered and determined below the 1,000 ppm threshold.

ALKANES, C14-17, CHLORO

ID: 85535-85-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-04**%: **100.0000 - 100.0000** GS: **LT-1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
AQU	US EPA - PPT Chemical Action Plans	Highly toxic to aquatic organisms
PBT	EU - ESIS PBT	Under PBT evaluation
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - ongoing chemical (risk) assessment
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PBT	EHP - San Antonio Statement on BFRs & CFRs	Flame retardant substance class of concern for PB&T & long range transport
DEV	EU - GHS (H-Statements)	H362 - May cause harm to breast-fed children
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
DEV	GHS - Australia	H362 - May cause harm to breast-fed children

SUBSTANCE NOTES:

HEXABORON DIZINC UNDECAOXIDE

%: 6.8000 - 6.8000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: _____

OTHER MATERIAL NOTES: Residuals and Impurities were considered and determined below the 1,000 ppm threshold.

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-03-04**%: **100.0000 - 100.0000** GS: **LT-P1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Smoke suppressant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

ANTIMONY TRIOXIDE

%: 3.0000 - 3.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: _____

OTHER MATERIAL NOTES: Residuals and Impurities were considered and determined below the 1,000 ppm threshold.

ANTIMONY OXIDE (ANTIMONY TRIOXIDE)

ID: 1309-64-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-04**

%: 100.0000 - 100.0000

GS: **BM-1**RC: **None**NANO: **Unknown**SUBSTANCE ROLE: **Flame retardant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CAN	GHS - Japan	Carcinogenicity - Category 1B [H350]

SUBSTANCE NOTES:

PVC/ACRYLIC RESIN

%: 2.7000 - 2.7000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: _____

OTHER MATERIAL NOTES: Residuals and Impurities were considered and determined below the 1,000 ppm threshold.

2-BUTOXYETHANOL

ID: 111-76-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-04**

%: 100.0000 - 100.0000

GS: **BM-2**RC: **None**NANO: **Unknown**SUBSTANCE ROLE: **Ink**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation

SUBSTANCE NOTES:

SOLVENT NAFTHA PETROLEUM

%: 1.8000 - 1.8000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: _____

OTHER MATERIAL NOTES: Residuals and Impurities were considered and determined below the 1,000 ppm threshold.

SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPH.

ID: 64742-88-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-04**%: **100.0000 - 100.0000** GS: **LT-P1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
MAM	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways

SUBSTANCE NOTES:

ORGANIC PIGMENT%: **1.8000 - 1.8000**PRODUCT THRESHOLD: **1000 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **No** MATERIAL TYPE: **Other Biological Material**

RESIDUALS AND IMPURITIES NOTES: _____

OTHER MATERIAL NOTES: Residuals and Impurities were considered and determined below the 1,000 ppm threshold.

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-03-04**%: **100.0000 - 100.0000** GS: **BM-1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

EPOXIDISED SOYA BEAN OIL%: **1.4000 - 1.4000**PRODUCT THRESHOLD: **1000 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **No** MATERIAL TYPE: **Polymeric Material**

RESIDUALS AND IMPURITIES NOTES: _____

OTHER MATERIAL NOTES: Residuals and Impurities were considered and determined below the 1,000 ppm threshold.

SOYBEAN OIL, EPOXIDIZEDID: **8013-07-8**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-04**%: **100.0000 - 100.0000** GS: **LT-P1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

2-OCTYL -2H-ISOTHIAZOL-3-ONE%: **0.9000 - 0.9000**PRODUCT THRESHOLD: **1000 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **No** MATERIAL TYPE: **Polymeric Material**

RESIDUALS AND IMPURITIES NOTES: _____

OTHER MATERIAL NOTES: Residuals and Impurities were considered and determined below the 1,000 ppm threshold.

3(2H)-ISOTHIAZOLONE, 2-OCTYL-

ID: 26530-20-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-04**

#: **100.0000 - 100.0000** GS: **LT-P1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Biocide**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
MAM	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction

SUBSTANCE NOTES:

TITANIUM DIOXIDE

#: **0.7700 - 0.9000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: **No** MATERIAL TYPE: **Polymeric Material**

RESIDUALS AND IMPURITIES NOTES: _____

OTHER MATERIAL NOTES: Residuals and Impurities were considered and determined below the 1,000 ppm threshold.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-04**%: **100.0000 - 100.0000** GS: **LT-1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES:

AMORPHOUS SILICA

ID: 7631-86-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-04**%: **11.6883 - 22.2222** GS: **BM-1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES:

PHOSPHOROUS ACID, TRIISOTRIDECYL ESTER%: **0.5400 - 1.5000**PRODUCT THRESHOLD: **1000 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **No** MATERIAL TYPE: **Polymeric Material**

RESIDUALS AND IMPURITIES NOTES: _____

OTHER MATERIAL NOTES: Residuals and Impurities were considered and determined below the 1,000 ppm threshold.

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-03-04**

#: **100.0000 - 100.0000** GS: **LT-P1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES:

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-03-04**

#: **13.3333 - 16.6667** GS: **LT-P1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES:

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-03-04**

#: **13.3333 - 16.6667** GS: **LT-UNK** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES:

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-03-04**

#: **13.3333 - 16.6667** GS: **LT-P1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Clean Air Gold		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2020-07-	EXPIRY DATE:	CERTIFIER OR LAB: Intertek
APPLICABLE FACILITIES: All	10		
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES:			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Textile warehousing and shipping from the Lubin Building located in East Greenville, Pennsylvania. This facility is also ISO 14001 and ISO 9001 Certified. Textiles can be purchased without finishes as a custom order to meet specific environmental standards, however, it may not comply with some contract market standards. Prior evaluation and approval is required by KnollTextiles. Confidentiality Notice: This data is intended for the use of the individual or entity to which it is addressed and may contain confidential information that is privileged, confidential and exempt from disclosure under applicable law. Information has been provided by the supplier to the best of their knowledge at time of completion.

MANUFACTURER INFORMATION

MANUFACTURER: **KnollTextiles**
 ADDRESS: **120 W Pumping Station Road Suite A**
Quakertown Pennsylvania 18951, USA
 WEBSITE: **www.knolltextiles.com**

CONTACT NAME: **Sustainability Coordinator**
 TITLE: **Sustainability Coordinator**
 PHONE: **866-565-5858**
 EMAIL: **textiles.technicalsupport@knoll.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.