

HPD UNIQUE IDENTIFIER: 257998135296

CLASSIFICATION: 12 24 13 Roller Window Shades

PRODUCT DESCRIPTION: Sustainable window shade fabric, made from recycled water bottles. 100% PVC-free Polyester, of which up to 78% is made up of REPVEVE® fibers, made from 100% post-industrial and consumer plastic waste.

**Section 1: Summary**

**Basic Method / Product Threshold**

**CONTENT INVENTORY**

<b>Inventory Reporting Format</b>	<b>Threshold Level</b>	<b>Residuals/Impurities Evaluation</b>	<i>For all contents above the threshold, the manufacturer has:</i>
<input checked="" type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	<input type="radio"/> Completed	<b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	<input type="radio"/> Partially Completed	<i>Provided weight and role.</i>
<b>Threshold Disclosed Per</b>	<input type="radio"/> Per GHS SDS	<input checked="" type="radio"/> Not Completed	<b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	<b>Explanation(s) provided :</b>	<i>Provided screening results using HPDC-approved methods.</i>
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	<b>Identified</b> <input type="radio"/> Yes <input checked="" type="radio"/> No
			<i>Provided name and CAS RN or other identifier.</i>

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**  
**GREENSCREEN EVOLVE® [ POLYETHYLENE TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED) LT-P1 | RES | | MUL POLYETHYLENE TEREPHTHALATE (PET) LT-P1 | RES | | MUL PHOSPHORUS FR POLYURETHANE NoGS UV ABSORBER LT-UNK | AQU BENZENESULFONAMIDE, 3-NITRO-N-PHENYL-4-(PHENYLAMINO)-(COLORANT) LT-UNK | UNDISCLOSED NoGS PHOSPHONIC ACID, METHYL-, BIS[(5-ETHYL-2-METHYL-1,3,2-DIOXAPHOSPHORINAN-5-YL)METHYL] ESTER, P,P'-DIOXIDE NoGS TRIETHANOLAMINE LT-P1 | END | MAM | EYE | SKI ]**

Number of Greenscreen BM-4/BM3 contents ... 0  
 Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1  
 Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

One or more of the substances inventoried were not disclosed by name or identifier due to proprietary compositions from suppliers. Only SDS level disclosure was available.

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** *See Section 3 for additional listings.*

VOC emissions: UL/GreenGuard Gold Certified  
 Other: ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive  
 Multi-attribute: Cradle to Cradle Certified - Bronze (V3.1)

**CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1.  
 Pre-checked for LEED v4 Option 2.  
 Pre-checked for LEED v4.1 Option 1.

Third Party Verified? <input type="radio"/> Yes <input checked="" type="radio"/> No	PREPARER: Self-Prepared VERIFIER: VERIFICATION #:	SCREENING DATE: 2023-10-11 PUBLISHED DATE: 2023-10-11 EXPIRY DATE: 2026-10-11
---	---	---

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### GREENSCREEN EVOLVE®

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: No evidence of residuals and impurities was identified by any supplier or found in the manufacturing process. Therefore residuals and impurities were not considered.

OTHER PRODUCT NOTES: No alternate supplier or materials are applicable for this product.

### POLYETHYLENE TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED)

ID: 25038-59-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-10-11 6:55:21

%; 67.0000 - 78.0000      GreenScreen: LT-P1      RC: Both      NANO: No      SUBSTANCE ROLE: Textile component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
	EC - CEPA DSL	Persistent
MUL	EC - CEPA DSL	Inherently Toxic to Humans (iTH)
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: REPREVE® SD Round Textured Polyester. REPREVE® Hybrid Polyester Yarn is made of 100% recycled polyester content with at least 35% post-consumer recycled content and at least 65% pre-consumer recycled content. REPREVE® Conforms to the SCS Recycled Content Standard V6-0.

Mermet offers a range openness factors using the material covered in this HPD which leads to variation in the required percentage of this substance in the composition.

The total percentage of PET in GreenScreen Evolve® (REPREVE® and Semi-Dull) is 97%

### POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-10-11 6:55:21

%; 19.0000 - 30.0000      GreenScreen: LT-P1      RC: None      NANO: No      SUBSTANCE ROLE: Textile component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
	EC - CEPA DSL	Persistent
MUL	EC - CEPA DSL	Inherently Toxic to Humans (iTH)

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Semi-Dull RD Textured Polyester/ Base Fabric. Mermet offers a range openness factors using the material covered in this HPD which leads to variation in the required percentage of this substance in the composition. The total percentage of PET in GreenScreen Evolve® (REPREVE® and Semi-Dull) is 97%.

**PHOSPHORUS FR POLYURETHANE** ID: **Not Registered**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-10-11 6:55:21**

%: **0.9100**      GreenScreen: **NoGS**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Coating**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Stiffening agent and flame retardant. FR property comes from phosphorus containing component that was grafted onto the aliphatic polyurethane. There is no halogenated component involved. This is not a hazardous mixture.

**UV ABSORBER** ID: **154825-62-4**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-10-11 6:55:21**

%: **0.8800**      GreenScreen: **LT-UNK**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Heat or UV stabilizer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H412 - Harmful to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 3]
AQU	GHS - Australia	H412 - Harmful to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 3]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: UV Absorber. Not a hazardous substance.

**BENZENESULFONAMIDE, 3-NITRO-N-PHENYL-4-(PHENYLAMINO)- (COLORANT)** ID: **5124-25-4**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-10-11 6:55:21**

%: 0.5000

GreenScreen: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Dye**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
	EC - CEPA DSL	Persistent
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Various Disperse Colorants. Mermet offers a range colors using the material covered in this HPD. CAS # 5124-25-4 is a representative substance for this range.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-10-11 6:55:22**

%: 0.0000 - 0.2500 GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Flame retardant**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List  Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List  Flame Retardants

SUBSTANCE NOTES: Proprietary component of the Phosphate FR system. Not a hazardous mixture. Documentation deems the substance an environmentally benign phosphate flame retardant.

**PHOSPHONIC ACID, METHYL-, BIS[(5-ETHYL-2-METHYL-1,3,2-DIOXAPHOSPHORINAN-5-YL)METHYL] ESTER, P,P'-DIOXIDE**

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-10-11 6:55:22**

%: 0.0000 - 0.1100 GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Flame retardant**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Component of the Phosphate FR system. Not a hazardous mixture. Documentation deems the substance an environmentally benign phosphate flame retardant.

**TRIETHANOLAMINE**

ID: 102-71-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2023-10-11 6:55:22**

#: **0.0000 - 0.0300**      GreenScreen: **LT-P1**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Flame retardant**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents

SUBSTANCE NOTES: Triethanolamine is <3% of of the FR system. The FR system is not a hazardous mixture. Documentation deems the substance an environmentally benign phosphate flame retardant.

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL: <a href="https://spot.ulprospector.com/en/na/BuiltEnvironment/Detail/32302/668776/GreenScreen-Evolve?st=1&amp;sl=58204099&amp;crit=a2V5d29yZDpbZXZvbHZlXQ%3d%3d&amp;ss=2&amp;k=evolve&amp;t=evolve">https://spot.ulprospector.com/en/na/BuiltEnvironment/Detail/32302/668776/GreenScreen-Evolve?st=1&amp;sl=58204099&amp;crit=a2V5d29yZDpbZXZvbHZlXQ%3d%3d&amp;ss=2&amp;k=evolve&amp;t=evolve</a> CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2008-06-03 EXPIRY DATE:	CERTIFIER OR LAB: GreenGuard Environmental Institute
OTHER	ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2014-08-07 EXPIRY DATE:	CERTIFIER OR LAB: St. Louis Testing Laboratories
MULTI-ATTRIBUTE	Cradle to Cradle Certified - Bronze (V3.1)	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL: <a href="https://c2ccertified.org/certified-products/greenscreen-evolve-greenscreen-revive">https://c2ccertified.org/certified-products/greenscreen-evolve-greenscreen-revive</a> CERTIFICATION AND COMPLIANCE NOTES: GreenScreen Evolve® is a translucent polyester fabric offered in 3% openness that is designed to be recyclable. Evolve contains REPREVE® fibers made from postindustrial and consumer plastic waste. Evolve has a diamond knit pattern for views, texture, and luminosity. It is offered in a 118" width, and it comes in a palette of nine colors.	ISSUE DATE: 2022-07-26 EXPIRY DATE: 2024-01-29	CERTIFIER OR LAB: McDonough Braungart Design Chemistry (MBDC)

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

## Section 5: General Notes

The PET base fabric in GreenScreen® Evolve™ contains up to 78% REPREVE® fibers made from 100% recycled post-industrial fiber and consumer plastic waste. REPREVE® Hybrid Polyester Yarn is made of 100% recycled polyester content with at least 35% post-consumer recycled content and at least 65% pre-consumer recycled content. REPREVE® Conforms to the SCS Recycled Content Standard V6-0. Health hazards and screenings completed by the HPDC Online Builder tool.

**MANUFACTURER INFORMATION**

**MANUFACTURER:** Mermet Corporation  
**ADDRESS:** 5970 N Main Street  
 Cowpens, South Carolina 29330  
**COUNTRY:** United States

**WEBSITE:** [www.MermetUSA.com](http://www.MermetUSA.com)  
**CONTACT NAME:** Nathan Wintermute  
**TITLE:** Product Manager  
**PHONE:** 8644635439  
**EMAIL:** [nathan.wintermute@MermetUSA.com](mailto:nathan.wintermute@MermetUSA.com)

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this*

