

HPD UNIQUE IDENTIFIER: 24227

CLASSIFICATION: 10 11 43 Visual Display Wall Panels

PRODUCT DESCRIPTION: SAS WP10 STEEL Wall Panel is a hook over metal wall panel system with concealed support. Panels are finished with Interpon 600 - MZ100E Satin 40% Clear Lacquer

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

| | | | |
|---|--|---|---|
| Inventory Reporting Format | Threshold level | Residuals/Impurities | <i>All Substances Above the Threshold Indicated Are:</i> |
| <input type="radio"/> Nested Materials Method | <input checked="" type="radio"/> 100 ppm | <input checked="" type="radio"/> Considered | Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No |
| <input checked="" type="radio"/> Basic Method | <input type="radio"/> 1,000 ppm | <input type="radio"/> Partially Considered | <i>% weight and role provided for all substances.</i> |
| Threshold Disclosed Per | <input type="radio"/> Per GHS SDS | <input type="radio"/> Not Considered | Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No |
| <input type="radio"/> Material | <input type="radio"/> Other | Explanation(s) provided for Residuals/Impurities? | <i>All substances screened using Priority Hazard Lists with results disclosed.</i> |
| <input checked="" type="radio"/> Product | | <input checked="" type="radio"/> Yes <input type="radio"/> No | Identified <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No |
| | | | <i>All substances disclosed by Name (Specific or Generic) and Identifier.</i> |

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

SAS STEEL WALL PANEL WP10 [STEEL MANUFACTURE, CHEMICALS (STEEL MANUFACTURE, CHEMICALS) (GALVANISED STEEL) LT-UNK BIS(2,3-EPOXYPROPYL) TEREPHTHALATE (BIS(2,3-EPOXYPROPYL) TEREPHTHALATE) LT-P1 | MUL 2,4,8,10-TETRAOXA-3,9-DIPHOSPHASPIRO(5.5)UNDECANE, 3,9-BIS(2,4-BIS(1,1-DIMETHYLETHYL)PHENOXY)- (2,4,8,10-TETRAOXA-3,9-DIPHOSPHASPIRO(5.5)UNDECANE, 3,9-BIS(2,4-BIS(1,1-DIMETHYLETHYL)PHENOXY)-) LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals/impurities in selected raw materials are quantitatively measured and displayed in the HPD when greater than 1000 ppm

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

VOC emissions: Eurofins Indoor Air Comfort GOLD - certified product

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1 and Option 2

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2021-03-30

PUBLISHED DATE: 2021-03-30

EXPIRY DATE: 2024-03-30

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- *Basic Inventory method with Product-level threshold.*
- *Nested Material Inventory method with Product-level threshold*
- *Nested Material Inventory method with individual Material-level thresholds*

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

SAS STEEL WALL PANEL WP10

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals/impurities in selected raw materials are quantitatively measured and displayed in the HPD when greater than 1000 ppm

OTHER PRODUCT NOTES: This declaration should be read in conjunction with product Safety Data Sheet

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-30 1:45:22**

#: **90.0000 - 95.0000** GS: **LT-UNK** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Structure component**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: Residuals/impurities in selected raw materials are quantitatively measured and displayed in the HPD when greater than 1000 ppm

BIS(2,3-EPOXYPROPYL) TEREPHTHALATE (BIS(2,3-EPOXYPROPYL) TEREPHTHALATE)

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-30 1:45:22**

#: **0.3000 - 1.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Powder coating**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|---|----------------------------|
| MUL | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters |

SUBSTANCE NOTES: Substance is bound within the coating and is not inhalable. It is not in a respirable form in the finished product

2,4,8,10-TETRAOXA-3,9-DIPHOSPHASPIRO(5.5)UNDECANE, 3,9-BIS(2,4-BIS(1,1-DIMETHYLETHYL)PHENOXY)- (2,4,8,10-TETRAOXA-3,9-DIPHOSPHASPIRO(5.5)UNDECANE, 3,9-BIS(2,4-BIS(1,1-DIMETHYLETHYL)PHENOXY)-)

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-30 1:45:23**

#: **0.3000 - 1.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Powder coating**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: Substance is bound within the coating and is not inhalable. It is not in a respirable form in the finished product

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS | CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario | | |
|--|--|-------------------------|----------------------------|
| CERTIFYING PARTY: Third Party | ISSUE DATE: 2019-09-30 | EXPIRY DATE: 2024-09-30 | CERTIFIER OR LAB: Eurofins |
| APPLICABLE FACILITIES: All | | | |
| CERTIFICATE URL: https://sasintgroup.com/ | | | |
| CERTIFICATION AND COMPLIANCE NOTES: | | | |

| VOC EMISSIONS | Eurofins Indoor Air Comfort GOLD - certified product | | |
|--|--|-------------------------|----------------------------|
| CERTIFYING PARTY: Third Party | ISSUE DATE: 2019-09-30 | EXPIRY DATE: 2024-09-30 | CERTIFIER OR LAB: Eurofins |
| APPLICABLE FACILITIES: All | | | |
| CERTIFICATE URL: https://sasintgroup.com/ | | | |
| CERTIFICATION AND COMPLIANCE NOTES: | | | |

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This HPD is provided solely for the intended purpose in connection with assessment of the product and for no other purpose. SAS International expresses no opinion or makes no representation to the applicability, accuracy or completeness of the form, or the standard, rules, classification, warnings or referenced therein. All information provided is qualified within the declaration by reference to applicable product Safety Data Sheet which can be accessed via www.sasintgroup.com. SAS International reserves the right to review, alter or amend, remove published data without notice as our policy is one of constant improvement. The information contained in this data sheet is believed to be correct at the date of publication. Whilst SAS International will endeavour to keep its publications up to date, readers will appreciate that between publications there may be pertinent changes in the law, or other developments affecting the accuracy of the information contained in this data sheet. The data or applications do not necessarily represent an exhaustive list of applications for SAS products or performance.

SAS International does not accept responsibility for the consequences of deficiency in product performance in applications different from those described within this declaration. Expert advice should be sought where such different applications are contemplated, or where the extent of any listed application is in doubt.

MANUFACTURER INFORMATION

MANUFACTURER: SAS International
ADDRESS: SAS International
 31 Sutton Business Park
 Reading Berkshire RG6 1 AZ, United Kingdom
WEBSITE: <https://sasintgroup.com/>

CONTACT NAME: Matthew Branigan
TITLE: Technical Compliance Manager
PHONE: 1656664600
EMAIL: MBranigan@sasint.co.uk

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

| | | |
|---------------------------------------|---|--|
| AQU Aquatic toxicity | LAN Land toxicity | PHY Physical hazard (flammable or reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive |
| DEV Developmental toxicity | MUL Multiple | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | NF Not found on Priority Hazard Lists | UNK Unknown |
| GEN Gene mutation | OZO Ozone depletion | |
| GLO Global warming | PBT Persistent, bioaccumulative, and toxic | |

GreenScreen (GS)

| | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-1 List Translator 1 (Likely Benchmark-1) |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) |
| BM-2 Benchmark 2 (use but search for safer substitutes) | NoGS No GreenScreen. |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | |
| BM-U Benchmark Unspecified (due to insufficient data) | |
| LT-P1 List Translator Possible 1 (Possible Benchmark-1) | |

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.