

HPD UNIQUE IDENTIFIER: 2349701147648
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 09 65 43 Linoleum Flooring
PRODUCT DESCRIPTION: Tarkett's linoleum is a high performance, resilient floor covering made from 95% renewable, recycled and abundant materials, approximately 78% of which are rapidly renewable. Available worldwide, Tarkett has produced linoleum for more than 115 years at its manufacturing facility in Narni, Italy.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format → Basic Method	Residuals/Impurities Evaluation → Completed	For all contents above the threshold, the manufacturer has:
Threshold Disclosed Per → Product	Explanation(s) provided : Yes	Characterized Provided weight and role. Yes
Threshold Level → 1,000 ppm		Screened Provided screening results using HPDC-approved methods. Yes
		Identified Provided name and CAS RN or other identifier. Yes

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

LINO FLOOR XF²™ [LINSEED OIL NoGS Limestone BM-3dg WOOD DUST, CELLULOSE LT-1 | CAN QUERCUS SUBER BARK – CORK NoGS LIGNIN NoGS JUTE TITANIUM DIOXIDE BM-1 * | CAN | END | MAM ROSIN LT-P1 | SKI | MAM | AQU | REP | RES CARBON BLACK BM-1 * | CAN | EYE | MAM | PHY POLYURETHANE ACRYLIC COPOLYMER LT-UNK FERRIC OXIDE, YELLOW LT-UNK * FERRIC OXIDE BM-1 * | CAN | MAM FERROSO FERRIC OXIDE BM-1 * | CAN]

Number of Greenscreen BM-4/BM3 contents ... 1
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, LT-P1
Nanomaterial ... No
INVENTORY AND SCREENING NOTES:
Special Conditions applied: [BiologicalMaterial]
Special Conditions applied: [Polymers]

Suppliers provided inventory at 1000 ppm.

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.
VOC emissions: RFCI FloorScore
Multi-attribute: Cradle to Cradle Certified - Silver (V3.1)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4.1 Option 1.

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

LINOFLOOR XF²™

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities above 100 ppm are reported in the inventory.	
OTHER PRODUCT NOTES: N/A	

LINSEED OIL

ID: 8001-26-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-04-29 9:25:38	
%: 25.0000 - 35.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

LIMESTONE

ID: 1317-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-04-29 9:27:51	
%: 20.0000 - 25.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

WOOD DUST, CELLULOSE

ID: 9004-34-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-04-29 9:26:44	
%: 5.0000 - 24.8000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

QUERCUS SUBER BARK – CORK

ID: **61789-98-8**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-04-29 9:27:14	
%: 5.0000 - 24.8000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

LIGNIN

ID: **9005-53-2**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-04-29 9:27:31	
%: 5.0000 - 24.8000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

JUTE

ID: **Biological Material**

HAZARD DATA SOURCE: HPDC Special Conditions Policy				
%: 5.0000 - 10.0000	GreenScreen: Not Required	RC: None	NANO: No	MATERIAL ROLE: Biological material
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
Hazard Screening is not applicable to this Special Condition				

INGREDIENT DESCRIPTION: Jute Fibre

MATERIAL CONTENT NOTES: This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-04-29 11:18:55

%: 3.0000 - 5.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**		
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources**		
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value**		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor**		
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels**		
CAN	IARC	Group 2b - Possibly carcinogenic to humans**		
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**		
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)		
		Colorants - Green Circle (Verified Low Concern)		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
		Cosmetics and Personal Care Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026		
		Cosmetics & Personal Care Products		

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

ROSIN

ID: 8050-09-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-04-29 11:19:31	
%: 0.1000 - 5.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
SKI	GHS - New Zealand	Skin sensitisation category 1		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2		
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]		
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]		
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]		
RES	GHS - Japan	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

CARBON BLACK

ID: 1333-86-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-04-29 11:20:10	
%: 0.0000 - 0.5000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**
CAN	IARC	Group 2b - Possibly carcinogenic to humans**
EYE	GHS - New Zealand	Eye irritation category 2**
CAN	GHS - New Zealand	Carcinogenicity category 2**
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
PHY	GHS - Japan	H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

POLYURETHANE ACRYLIC COPOLYMER

ID: Polymer

HAZARD DATA SOURCE: GHS-compliant SDS			HAZARD SCREENING DATE: 2026-04-30 16:37:29		
%: 0.0000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: No	POLYMER ROLE: Polymer species	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
Hazards Screening not applicable for this special condition. See GHS or CLP warnings below.					
POLYMER TYPE: Crosslinked thermoset					
AVERAGE MOLECULAR WEIGHT : ≥1,000 Da and ≤ 10,000 Da					
PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA : Unknown					
ADDITIONAL SUBSTANCES CONSIDERED: Yes					
GHS HAZARD STATEMENTS: Serious Eye Damage / Eye Irritation Hazard Category 2A Aquatic Environment Acute Hazard Category 2 Aquatic Environment Chronic Hazard Category 3					
HAZARD SCREENING COMPLIANCE: Hazard screening data sourced from OSHA and/or EU compliance CLP or SDS, as allowed by HPDC Special Conditions policy for polymers.					
POLYMER NOTES: This polymer has been reported in accordance to HPDC Special Conditions Policy for polymers without disclosed CAS numbers.					
ADDITIONAL NOTES: Polymer species is proprietary, but still screened and characterized per HPD requirements.					

FERRIC OXIDE, YELLOW

ID: 51274-00-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2026-04-29 11:20:34
---	--

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

FERRIC OXIDE

ID: 1309-37-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-04-29 11:21:03

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

FERROSOFERRIC OXIDE

ID: 1317-61-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-04-29 11:23:36

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	RFCI FloorScore	
COMPLIANCE TYPE: Third-party certification CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: SCS Global Services COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: N/A COMPLIANCE URL: https://cdn.scs-certified.com/products/cert_pdfs/Tarkett_2025_SCS-FS-02749_s.pdf COMPLIANCE NOTES:	ISSUE DATE: 2025-10-01	EXPIRY DATE: 2026-06-30
MULTI-ATTRIBUTE	Cradle to Cradle Certified - Silver (V3.1)	
COMPLIANCE TYPE: Third-party certification CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: EPEA GmbH - Part of Drees & Sommer COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: Narni, Italy COMPLIANCE URL: https://cdn.c2ccertified.org/certifications/Tarkett_SpA/Tarkett_Linoleum_Flooring_Wall_covering_Silver/Tarke_Tarke_Silve_CERT1866_2025-08-06_124317.pdf COMPLIANCE NOTES:	ISSUE DATE: 2025-06-20	EXPIRY DATE: 2026-11-25

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

965 FLOORING AND TREAD ADHESIVE MANUFACTURER (OR GENERIC): Tarkett
HPD URL: No HPD Available ACCESSORY TYPE: Adhesive CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: See Tarkett LINO FLOOR xf2™ Installation Instructions for complete details.
975 TWO-PART URETHANE ADHESIVE MANUFACTURER (OR GENERIC): Tarkett
HPD URL: No HPD Available ACCESSORY TYPE: Adhesive CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: See Tarkett LINO FLOOR xf2™ Installation Instructions for complete details.
996 TWO-PART EPOXY ADHESIVE MANUFACTURER (OR GENERIC): Tarkett
HPD URL: No HPD Available ACCESSORY TYPE: Adhesive CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: See Tarkett LINO FLOOR xf2™ Installation Instructions for complete details.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: **Tarkett**
ADDRESS: **30000 Aurora Rd**
Solon, OH 44139
COUNTRY: **United States**

WEBSITE: **<https://commercial.tarkett.com/>**
CONTACT NAME: **Cassie Tieman**
TITLE: **Sustainability Certification Manager**
PHONE: **231-499-3250**
EMAIL: **cassie.tieman@tarkett.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.