# Rissan 430 grey
## by Siga

SCREENING DATE: 2026-01-29
PUBLISHED DATE: 2026-01-29
EXPIRY DATE: 2029-01-29
PREPARER: Self-Prepared

**Health Product Declaration v3.0**
created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER:** 940765184
**HPD UNIQUE PRODUCT ID:** Not provided.
**CLASSIFICATION:** 07 65 00 Flexible Flashing
**PRODUCT DESCRIPTION:** SIGA Rissan 430 grey is a robust, impermeable acrylic flashing tape. The dimensionally stable PE carrier is designed to withstand the rigorous demands of the commercial construction site while remaining formable and pliable, even in below freezing temperatures. Rissan 430 grey offers superior adhesion to cured concrete, metal, and wood.

## Section 1: Summary

**Basic Method / Product Threshold**

### CONTENT INVENTORY

**Inventory Reporting Format**
→ Basic Method

**Threshold Disclosed Per**
→ Product

**Threshold Level**
→ Per GHS SDS

**Residuals/Impurities Evaluation**
→ Not Completed

**Explanation(s) provided :**
Yes

*For all contents above the threshold, the manufacturer has:*

**Characterized** Yes
*Provided weight and role.*

**Screened** No
*Provided screening results using HPDC-approved methods.*

**Identified** No
*Provided name and CAS RN or other identifier.*

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**PRODUCT** | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY*
GREENSCREEN SCORE | HAZARD TYPE

**RISSAN 430 GREY [** **ACRYLIC ADHESIVE** Not Screened **POLYETHYLENE** LT-UNK **POLYPROPYLENE** LT-UNK **]**

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None
Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

Last Screened On: Wed, Apr 10, 2024 2:38 AM

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method - Not tested
VOC emissions: Emicode EC1 PLUS- very low emission

### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

## Section 2: Content in Descending Order of Quantity

*This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:*

- *Basic Inventory method with Product-level threshold.*
- *Nested Material Inventory method with Product-level threshold*
- *Nested Material Inventory method with individual Material-level thresholds*

*Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard*

### RISSAN 430 GREY

PRODUCT THRESHOLD: Per GHS SDS

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: No Information regarding residuals and impurities available

OTHER PRODUCT NOTES:

## ACRYLIC ADHESIVE

ID: **Unknown**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **Not Screened**

%: **50.0000** GreenScreen: **Not Screened** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Adhesive**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| | Hazard Screening not performed | |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| | Additional Hazard Screening not performed | |

SUBSTANCE NOTES: The substance serves as adhesive as part of the adhesion tape

## POLYETHYLENE

ID: **9002-88-4**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-01-29 6:43:53**

%: **30.0000** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Vapor impermeable special PE film waterproof

## POLYPROPYLENE

ID: **9003-07-0**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-01-29 6:43:54**

%: **10.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: This material serves as release liner of the tape

## Section 3: Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

**VOC EMISSIONS** — **CDPH Standard Method - Not tested**

**COMPLIANCE TYPE:** Self-declared
**ISSUE DATE:** 2023-03-23
**EXPIRY DATE:** No expiration
**CERTIFIER/VERIFIER/TESTING LAB/AUDITOR:** None
**COMPLIANCE DETAILS:**
**COMPLIANCE SCOPE:**
**APPLICABLE FACILITIES:** Rissan 430 grey is used for primerless, impermeable flashing solution for window rough opening applications and therefore not tested in regard to VOC emission.
**COMPLIANCE URL:**
**COMPLIANCE NOTES:**

**VOC EMISSIONS** — **Emicode EC1 PLUS- very low emission**

**COMPLIANCE TYPE:** Third-party certification
**ISSUE DATE:** 2022-06-20
**EXPIRY DATE:** 2027-06-20
**CERTIFIER/VERIFIER/TESTING LAB/AUDITOR:** eco-Institut Germany GmbH, Cologne
**COMPLIANCE DETAILS:**
**COMPLIANCE SCOPE:** Product Line
**APPLICABLE FACILITIES:** all
**COMPLIANCE URL:** https://d1c96hlcey6qkb.cloudfront.net/597ed2b7-7f57-4e37-808e-57742814b918/3380a3c277b94fec88c0e19140597ff5?response-content-disposition=inline%3B%20filename%2A%3DUTF-8%27%27SIGA_Rissan_EMICODE_Zertifikat_de.pdf&response-content-type=application%2Fpdf&Expires=1769817600&Signature=F88SlBrP8v3niSMiQVDHhTqLo9mozJyOT444l7v54hF8C9yRPZCrg1v~kxjW5K2BtctrBybtsltj-9YNt5HleesGSyExEJ7HabeP1GqlPhztfysYx5rdlwqSR~WuNq91LtG8wcSl-cjSBXjAZ0OVEcZaGNp2r09BokeMcMs7V45E~aFJKI77LSrG64uDp34S7GivEl~N1l~lrzWKjaXcJAKzjaD99gwmxUHbhVNuM-tzn2-JX5gHNXLbkk4q492gUEDi3j41kSRrkt4sQ3Ok-QLZgClUiaOOZt6UCPihq2nRi9Y1ioOHAfVQLZncBAcooGolXa~1aZEgELXj7l4hwA__&Key-Pair-Id=APKAI33AGAEAYCXFBDTA
**COMPLIANCE NOTES:**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

No general notes are assigned to this product.

## Section 6: References

**MANUFACTURER INFORMATION**


MANUFACTURER: **Siga**
ADDRESS: **SIGA Cover, Inc**
**2355 Highway 36 West, Suite 400**
**Roseville MN, Minnesota 55113**
COUNTRY: **Vereinigte Staaten**

WEBSITE: **www.siga.swiss**
CONTACT NAME: **Gabriella Sauerwein**
TITLE: **Regulatory Affairs Manager**
PHONE: **+1-855-733-7442**
EMAIL: **technics.americas@siga.swiss**


*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

**AQU** Aquatic toxicity
**CAN** Cancer
**DEV** Developmental toxicity
**END** Endocrine activity
**EYE** Eye irritation/corrosivity
**GEN** Gene mutation
**GLO** Global warming
**LAN** Land toxicity
**MAM** Mammalian/systemic/organ toxicity
**MUL** Multiple
**NEU** Neurotoxicity
**NF** Not found on Priority Hazard Lists
**OZO** Ozone depletion
**PBT** Persistent, bioaccumulative, and toxic
**PHY** Physical hazard (flammable or reactive)
**REP** Reproductive
**RES** Respiratory sensitization
**SKI** Skin sensitization/irritation/corrosivity
**UNK** Unknown

**GreenScreen (GS)**

**BM-4** Benchmark 4 (prefer-safer chemical)
**BM-3** Benchmark 3 (use but still opportunity for improvement)
**BM-2** Benchmark 2 (use but search for safer substitutes)
**BM-1** Benchmark 1 (avoid - chemical of high concern)
**BM-U** Benchmark Unspecified (due to insufficient data)
**LT-P1** List Translator Possible 1 (Possible Benchmark-1)
**LT-1** List Translator 1 (Likely Benchmark-1)
**LT-UNK** List Translator Benchmark Unknown
**NoGS** No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

**Recycled Types**

**PreC** Pre-consumer recycled content
**PostC** Post-consumer recycled content
**UNK** Inclusion of recycled content is unknown
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method** / **Material Threshold** Substances listed within each material per threshold indicated per material
**Nested Method** / **Product Threshold** Substances listed within each material per threshold indicated per product
**Basic Method** / **Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology
**Third Party Verified** Verification by independent certifier approved by HPDC
**Preparer** Third party preparer, if not self-prepared by manufacturer
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*