

HPD UNIQUE IDENTIFIER: 26202

CLASSIFICATION: 09 69 00 Access Flooring

PRODUCT DESCRIPTION: The Tate Concrete Access Floor Panel combines aesthetic and structural components into one complete integrated product and is available with an exposed stone aggregate finish. As the panel is made from natural products, moderate shade and color tone differences will occur and is the reason this product is assigned a V2 Variation Rating. Classification#: 09 69 13 Rigid-Grid Access Flooring; 09 69 33 Low-Profile Access Flooring; 09 69 19 Stringerless Access Flooring; 09 69 53 Access Flooring Accessories.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	
☐ Nested Materials Method	☒ 100 ppm	☒ Considered	<i>All Substances Above the Threshold Indicated Are:</i>
☒ Basic Method	☐ 1,000 ppm	☐ Partially Considered	Characterized ☒ Yes Ex/SC ☐ Yes ☐ No
Threshold Disclosed Per	☐ Per GHS SDS	☐ Not Considered	% weight and role provided for all substances except SC substances characterized according to SC guidance.
☐ Material	☐ Other	Explanation(s) provided for Residuals/Impurities?	Screened ☒ Yes Ex/SC ☐ Yes ☐ No
☒ Product		☒ Yes ☐ No	<i>All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.</i>
			Identified ☒ Yes Ex/SC ☐ Yes ☐ No
			<i>All substances disclosed by Name (Specific or Generic) and Identifier except SC substances identified according to SC guidance.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
STONEWORKS ACCESS FLOOR PANEL [SC:SAND / GRAVEL Not Screened **PORTLAND CEMENT** LT-P1 | CAN | END **SC:SHALE** Not Screened **LIMESTONE, CALCIUM CARBONATE** BM-3dg **IRON** LT-P1 | END **MAGNESITE** BM-3dg **HEXANEDIOIC ACID, POLYMER WITH 1,4-BUTANEDIOL, 1,2-ETHANEDIOL, 1,1'-METHYLENEBIS[4-ISOCYANATOBENZENE] AND 1,2-PROPANEDIOL** LT-UNK **QUARTZ** BM-1 | CAN **PETROLEUM RESINS** LT-1 | CAN **2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH BUTYL 2-METHYL-2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE** LT-UNK **HEXANE, 1,6-DIISOCYANATO-, HOMOPOLYMER** LT-P1 **MAGNESIUM OXIDE** BM-3dg | CAN **PHOSPHOGYPSUM** BM-3dg **CALCIUM OXIDE (PRIMARY CASRN IS 1305-78-8)** BM-2 **VANADIUM** LT-1 | MUL | CAN | GEN **NICKEL** LT-1 | CAN | RES | MUL | SKI | MAM **SILICON** LT-UNK **CHROMIUM** LT-P1 | END | SKI | RES **MANGANESE** LT-P1 | END | MUL | REP]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: GeologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

The Tate team worked with an HPDC Approved Preparer to obtain full formulation disclosure, including residuals and impurities, down to the 100 ppm threshold.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: SCS Indoor Advantage Gold - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

☒ Yes
☐ No

VERIFIER: SCS Global Services
VERIFICATION #: qGE-6970

PUBLISHED DATE: 2021-10-05
EXPIRY DATE: 2024-09-01

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

STONEWORKS ACCESS FLOOR PANEL

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes
RESIDUALS AND IMPURITIES NOTES: The Tate team worked with an HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 100 ppm threshold.	
OTHER PRODUCT NOTES: The Tate Concrete Access Floor Panel is a concrete slab with a steel reinforcing bottom sheet and features a brushed surface texture. The cement and aggregate provide the panel with structural stability for everyday use. The panel is available in 2'x2' module sizes and is installed in a heavy-duty bolted stringer system without the use of corner lock screws.	

SC:SAND / GRAVELID: SC:GeoMat

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: Not Screened		
%: 20.0000 - 30.0000	GS: Not Screened	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
Hazard Screening not performed				
SUBSTANCE NOTES: Version: SCGeoMats/2019-06-20 Origin: United States Typical Composition: This disclosure does not provide typical composition. Potential presence of toxic metals: This disclosure does not provide information on the potential presence of toxic metals. Presence of Radioactive Elements: This disclosure does not provide radioactive elements which may be found in certain geological materials. The sand and gravel aggregate sourced for the Tate concrete play the role of filler ingredients by adding additional volume to the concrete. During the mixing process, the size of the sand and gravel particles can also help to determine the concrete's final strength.				

PORTLAND CEMENTID: 65997-15-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-01 17:59:07		
%: 20.0000 - 30.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
SUBSTANCE NOTES:				

SC:SHALEID: SC:GeoMat

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: Not Screened
--	-------------------------------------

%: 20.0000 - 30.0000

GS: Not Screened

RC: None

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening not performed		
SUBSTANCE NOTES: Version: SCGeoMats/2019-06-20 Origin: United States Typical Composition: This disclosure does not provide typical composition. Potential presence of toxic metals: This disclosure does not provide information on the potential presence of toxic metals. Presence of Radioactive Elements: This disclosure does not provide radioactive elements which may be found in certain geological materials. During the manufacturing process of the Tate cement, crushed shale is heated and combined with calcium oxide (generated from limestone) to form a powder that will harden when mixed with water and allowed to dry.		

LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-01 17:59:07	
%: 15.0000 - 27.0000		GS: BM-3dg	RC: None NANO: No SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES:			

IRON

ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-01 17:59:08		
%: 7.0000 - 8.5000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
SUBSTANCE NOTES:				

MAGNESITE

ID: 546-93-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-01 17:59:08		
%: 1.0000 - 4.0000	GS: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

HEXANEDIOIC ACID, POLYMER WITH 1,4-BUTANEDIOL, 1,2-ETHANEDIOL, 1,1'-METHYLENEBIS[4-ISOCYANATOBENZENE] AND 1,2-PROPANEDIOL

ID: 39671-35-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-01 17:59:09		
%: 0.1000 - 0.2000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:		

QUARTZ

ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-01 17:59:09	
%: 0.0200 - 0.6000		GS: BM-1	RC: None NANO: No SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS
CAN	US CDC - Occupational Carcinogens		Occupational Carcinogen
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens		Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK		Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC		Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC		Group 1 - Agent is Carcinogenic to humans
CAN	GHS - New Zealand		6.7A - Known or presumed human carcinogens
CAN	GHS - Japan		H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia		H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
SUBSTANCE NOTES:			

PETROLEUM RESINS

ID: 64742-16-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-01 17:59:10	
%: 0.0200 - 0.1000		GS: LT-1	RC: None NANO: No SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS
CAN	US CDC - Occupational Carcinogens		Occupational Carcinogen
CAN	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	CA EPA - Prop 65		Carcinogen
SUBSTANCE NOTES:			

2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH BUTYL 2-METHYL-2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE

ID: 28262-63-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-01 17:59:10	
%: 0.0200 - 0.1000	GS: LT-UNK	RC: None	NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:		
HEXANE, 1,6-DIISOCYANATO-, HOMOPOLYMER		ID: 28182-81-2
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-01 17:59:10
?: 0.0000 - 0.0100	GS: LT-P1	RC: None NANO: No SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:		
MAGNESIUM OXIDE		ID: 1309-48-4
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-01 17:59:11
?: 0.0000 - 0.0200	GS: BM-3dg	RC: None NANO: No SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
SUBSTANCE NOTES:		
PHOSPHOGYPSUM		ID: 13397-24-5
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-01 17:59:11
?: 0.0000 - 0.0200	GS: BM-3dg	RC: None NANO: No SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:		
CALCIUM OXIDE (PRIMARY CASRN IS 1305-78-8)		ID: 60873-85-0
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-01 17:59:12
?: 0.0000 - 0.0200	GS: BM-2	RC: None NANO: No SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:		

VANADIUM

ID: 7440-62-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2021-09-01 17:59:12		
%: 0.0000 - 0.0200		GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
MUL	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters		
CAN	MAK		Carcinogen Group 2 - Considered to be carcinogenic for man		
GEN	MAK		Germ Cell Mutagen 2		
SUBSTANCE NOTES:					

NICKEL

ID: 7440-02-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2021-09-01 17:59:13		
%: 0.0000 - 0.0320		GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CAN	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CAN	MAK		Carcinogen Group 1 - Substances that cause cancer in man		
CAN	IARC		Group 1 - Agent is Carcinogenic to humans		
CAN	CA EPA - Prop 65		Carcinogen		
CAN	US NIH - Report on Carcinogens		Known to be a human Carcinogen		
CAN	IARC		Group 2b - Possibly carcinogenic to humans		
RES	AOEC - Asthmagens		Asthmagen (Rs) - sensitizer-induced		
CAN	US NIH - Report on Carcinogens		Reasonably Anticipated to be Human Carcinogen		
RES	MAK		Sensitizing Substance Sah - Danger of airway & skin sensitization		
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		
SKI	EU - GHS (H-Statements)		H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]		
CAN	EU - GHS (H-Statements)		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
MAM	EU - GHS (H-Statements)		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]		
SUBSTANCE NOTES:					

SILICON

ID: 7440-21-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2021-09-01 17:59:13		
---	--	--	---	--	--

%: 0.0000 - 0.0800		GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE		AGENCY AND LIST TITLES		WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES:					

CHROMIUM

ID: 7440-47-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-01 17:59:14			
%: 0.0000 - 0.0800		GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
SKI	MAK		Sensitizing Substance Sh - Danger of skin sensitization		
RES	AOEC - Asthmagens		Asthmagen (Rs) - sensitizer-induced		
SUBSTANCE NOTES:					

MANGANESE

ID: 7439-96-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-01 17:59:14			
%: 0.0000 - 0.1600		GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		
REP	GHS - Japan		H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]		
SUBSTANCE NOTES:					

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS		SCS Indoor Advantage Gold - Classroom & Office scenario	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2020-10-01	EXPIRY DATE: 2021-09-30	CERTIFIER OR LAB: SCS Global Services
APPLICABLE FACILITIES: 7510 Montevideo Road, Jessup, MD, United States			
CERTIFICATE URL: https://www.scs-certified.com/products/cert_pdfs/Tate_2020_SCS-IAQ-04647_s.pdf			
CERTIFICATION AND COMPLIANCE NOTES: SCS Indoor Advantage Gold, Certificate Number SCS-IAQ-04647. Product conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January, 2017) for the school classroom, private office, and single-family residence scenarios when modeled as Flooring.			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

HEAVY-DUTY BOLTED STRINGER UNDERSTRUCTURE SYSTEM	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: The Heavy-Duty Bolted Stringer System provides lateral resistance to heavy rolling loads & seismic loading. Designed to support gravity-held panels and features a positioning tab for correct panel alignment and it is required for installation. https://www.kingspan.com/us/en-us/product-groups/commercial-infrastructure-products/access-floors/understructure/heavy-duty-bolted-stringer	

Section 5: General Notes

The Tate team worked with an HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 100 ppm threshold.

MANUFACTURER INFORMATION

MANUFACTURER: Tate Access Floors, Inc.
ADDRESS: 7510 Montevideo Rd
 Jessup MD 20794, USA
WEBSITE: www.TateInc.com

CONTACT NAME: Mr. Bill Perry
TITLE: Sr. Sales Support Engineer
PHONE: 410-799-4706
EMAIL: info@Tateinc.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.