

HPD UNIQUE IDENTIFIER: 88850117632

CLASSIFICATION: 09 65 00 Resilient Flooring

PRODUCT DESCRIPTION: Flexco® Delane® ESD Solid Vinyl Tile is a vinyl flooring product designed to prevent electrostatic discharge (ESD) related damage. To control the static charge, FLEXCO combines conductive or dissipative vinyl tile with a specially-formulated conductive adhesive. This creates a conductive pathway, which allows the static to flow through the tile and along the adhesive to the ground point. That makes FLEXCO ESD static control vinyl flooring an effective first-choice solution to control unwanted human body voltage in areas where mobility cannot be restricted by wrist straps. Flexco ESD Solid Vinyl Tile is formulated with Bioplasticizer and no post-consumer recycled content is used, eliminating the possibility of contamination by ortho-phthalates. These products are manufactured without the use of toxic heavy metals such as Lead, Cadmium, Chromium VI, or Arsenic and the PVC resin used is manufactured without using Mercury cell and Asbestos membranes. Flexco's Delane ESD Solid Vinyl Tile formulation is screened according to current authoritative lists and does not contain any substances of very high concern (SVHC) on the REACH candidate list or substances restricted under REACH.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities Evaluation, and screening options (Characterized, Screened, Identified).

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY  
GREENSCREEN SCORE | HAZARD TYPE

FLEXCO ESD SOLID VINYL TILE [ LIMESTONE; CALCIUM CARBONATE BM-3dg POLYVINYL CHLORIDE (PVC) LT-P1 | MAM EPOXIDIZED SOYBEAN OIL LT-P1 | AQU UNDISCLOSED BM-1 | CAN | MAM TITANIUM DIOXIDE BM-1 | CAN | END | MAM UNDISCLOSED BM-1 | CAN | EYE | MAM | PHY UNDISCLOSED BM-1 | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | END UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | PBT | MUL | MAM | EYE UNDISCLOSED BM-3dg UNDISCLOSED LT-P1 | MUL ]

Number of Greenscreen BM-4/BM3 contents ... 2  
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1  
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Percentages (%) provided as ranges to protect proprietary information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore® IAQ Certified  
: NSF/ANSI 332 Resilient Flooring: Platinum

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.  
Pre-checked for LEED v4.1 Option 1.

Third Party Verified?  
 Yes  
 No

PREPARER: Self-Prepared  
VERIFIER:  
VERIFICATION #:

SCREENING DATE: 2024-03-21  
PUBLISHED DATE: 2024-03-22  
EXPIRY DATE: 2027-03-21

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### FLEXCO ESD SOLID VINYL TILE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: There are no known residuals or impurities.

OTHER PRODUCT NOTES: None.

### LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2024-03-21 12:17:40

%: 44.0000 - 56.0000

GreenScreen: **BM-3dg**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Filler**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vinyl flooring part.

### POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2024-03-21 12:17:41

%: 24.0000 - 36.0000

GreenScreen: **LT-P1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

MAM

GHS - Japan

H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]

MAM

GHS - Japan

H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List  Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023  Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vinyl flooring part.

### EPOXIDIZED SOYBEAN OIL

ID: **8013-07-8**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-03-21 12:17:41**

#: **9.0000 - 13.5000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vinyl flooring part.

### UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-03-21 12:17:41**

#: **0.0000 - 8.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vinyl flooring part.

## TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-03-21 12:17:41**

%: **0.0000 - 6.0000**      GreenScreen: **BM-1**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP11)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP11)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP11)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)  Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vinyl flooring part.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-03-21 12:17:41**

%: **0.2000 - 5.0000**      GreenScreen: **BM-1**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Anti-static**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2b - Possibly carcinogenic to humans
EYE	GHS - New Zealand	Eye irritation category 2
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
PHY	GHS - Japan	H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vinyl flooring part.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-03-21 12:17:41**

%: **0.7000 - 1.2000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Processing regulator**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023  Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vinyl flooring part.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-03-21 12:17:41**

%: **0.3600 - 0.5000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Heat or UV stabilizer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vinyl flooring part.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-03-21 12:17:42**

%: **0.3200 - 0.5000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Lubricant**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vinyl flooring part.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2024-03-21 12:17:42</b>	
%: <b>0.1800 - 0.4200</b>	GreenScreen: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b> SUBSTANCE ROLE: <b>Heat or UV stabilizer</b>
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
None found		No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vinyl flooring part.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2024-03-21 12:17:42</b>	
%: <b>0.0800 - 0.2200</b>	GreenScreen: <b>BM-1</b>	RC: <b>None</b>	NANO: <b>No</b> SUBSTANCE ROLE: <b>Heat or UV stabilizer</b>
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)	
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters	
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]	
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
None found		No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vinyl flooring part.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-03-21 12:17:42**

%: **0.0800 - 0.1500** GreenScreen: **BM-3dg** RC: **None** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

RESTRICTED LIST Green Science Policy Institute (GSPI) GSPI - Six Classes Precautionary List  
Some Solvents

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vinyl flooring part.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-03-21 12:17:42**

%: **0.0200 - 0.0600** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Heat or UV stabilizer**

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

MUL German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vinyl flooring part.



## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### VOC EMISSIONS

### RFCI FloorScore® IAQ Certified

CERTIFYING PARTY: Third Party

ISSUE DATE: 2023-07-01 00:00:00

CERTIFIER OR LAB: SCS Global

APPLICABLE FACILITIES: All.

EXPIRY DATE: 2024-06-30 00:00:00

Services

CERTIFICATE URL:

<https://www.scsglobalservices.com/certified-clients/certificates/7138>

CERTIFICATION AND COMPLIANCE NOTES: RFCI FloorScore® Indoor Air Quality (IAQ) Certification is in compliance with CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring. Registration # SCS-FS-02237.

### MULTI-ATTRIBUTE

### NSF/ANSI 332 Resilient Flooring: Platinum

CERTIFYING PARTY: Third Party

ISSUE DATE: 2023-11-01 00:00:00

CERTIFIER OR LAB: SCS Global

APPLICABLE FACILITIES: All.

EXPIRY DATE: 2026-10-31 00:00:00

Services

CERTIFICATE URL:

[https://cdn.scs-certified.com/products/cert\\_pdfs/Flexco\\_2023\\_SCS-RF-04165\\_s2.pdf](https://cdn.scs-certified.com/products/cert_pdfs/Flexco_2023_SCS-RF-04165_s2.pdf)

CERTIFICATION AND COMPLIANCE NOTES: NSF/ANSI 332 is a voluntary, multi-attribute standard that evaluates the environmental and social impacts of resilient flooring products. Qualification of certification under this standard requires conformance to criteria including product design, product manufacturing, long-term value, end of life management, corporate governance, and innovation. Flexco ESD static control vinyl tile has been certified to the Platinum level of NSF/ANSI 332.

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### EXCELSIOR ASD-800

MANUFACTURER (OR GENERIC): **Generic**

HPD URL: No HPD available

ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: ASD-800 is an acrylic wet-set adhesive specifically designed for permanent indoor installation of ESD vinyl and rubber flooring materials. ASD-800 is water-based, low VOC and solvent free.

### EXCELSIOR USD-810

MANUFACTURER (OR GENERIC): **Generic**

HPD URL: No HPD available

ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: USD-810 is a two-part, solvent-free urethane adhesive used for the permanent installation of ESD vinyl and rubber flooring products. USD-810 is low VOC and solvent-free, yet is highly aggressive and cured to a flexible, ESD film for superior adhesion.

## Section 5: General Notes

Flexco's Delane ESD Solid Vinyl Tile formulation is screened according to current authoritative lists and does not contain any substances of very high concern (SVHC) on the REACH candidate list or substances restricted under REACH. Ingredients designated "Undisclosed" are kept confidential to protect proprietary information. Hazards shown in this Health Product Declaration may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substances, whereas the end product is a solid vinyl flooring part.

**MANUFACTURER INFORMATION**

MANUFACTURER: **Flexco Corporation**  
 ADDRESS: **1401 East 6th Street**  
**Tuscumbia, AL 35674**  
 COUNTRY: **United States**

WEBSITE: **http://www.flexcofloors.com**  
 CONTACT NAME: **Jacob Gentillon**  
 TITLE: **Chemist**  
 PHONE: **800.633.3151**  
 EMAIL: **jkgentillon@flexcofloors.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and*

