# Aurora (101335) by Vescom America Inc.

## **Health Product Declaration v2.2**

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 21502** CLASSIFICATION: 12 05 13 Fabrics

PRODUCT DESCRIPTION: This Health Product Declaration has been prepared for Vescom Textiles Inc., the manufacturer, a subsidiary of Vescom America Inc. Aurora is a textile fabric composed of nylon, rayon, and polyester.

## Section 1: Summary

## **Basic Method / Product Threshold**

CONTENT INVENTORY				
Inventory Reporting Format	Threshold level	Residuals/Impurities	All Substances Abo	ve the Threshold Indicated Are:
C Nested Materials Method    Basic Method  Threshold Disclosed Per    Material    Product	<ul><li>C 100 ppm</li><li>€ 1,000 ppm</li><li>C Per GHS SDS</li><li>C Other</li></ul>	<ul> <li>Considered</li> <li>Partially Considered</li> <li>Not Considered</li> <li>Explanation(s) provided</li> <li>for Residuals/Impurities?</li> <li>Yes ○ No</li> </ul>	Characterized % weight and role p	○ Yes Ex/SC ⊙ Yes ○ No provided for all substances.
				C Yes Ex/SC C Yes O No ences not screened using Priority Hazard sclosed and/ or one or more Special ellow guidance.
			Identified	C Yes Ex/SC C Yes © No
				nces not disclosed by Name (Specific or ier and/ or one or more Special Condition nce.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

AURORA (101335) [ NYLON 6 (WITH STAIN RESISTANCE) LT-UNK RAYON, PURIFIED NoGS POLYETHYLENE TEREPHTHALATE (PET) LT-UNK HIGH-IMPACT POLYSTYRENE LT-UNK BUTYL ACRYLATE LT-UNK | SKI | EYE GREENSHIELD FINISH Not Screened COLORANT Not Screened ANTIMONY TRIOXIDE BM-1 | CAN | MUL ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... Yes

### **INVENTORY AND SCREENING NOTES:**

Textile fabric composed of nylon, rayon, and polyester with an acrylic latex backing and fluorocarbon stain repellent finish.

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario

### **CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed

Third Party Verified? PREPARER: Self-Prepared **SCREENING DATE: 2020-08-25** VERIFIER: PUBLISHED DATE: 2020-08-25 C Yes EXPIRY DATE: 2023-08-25 **VERIFICATION #:** O No



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

## **AURORA (101335)**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: All residuals/impurities identified are listed below.

OTHER PRODUCT NOTES:

## **NYLON 6 (WITH STAIN RESISTANCE)**

ID: 25038-54-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-25			
GS: LT-UNK	RC: PreC	nano: <b>No</b>	SUBSTANCE ROLE: Textile component		
AGENCY AND LIST TITLES	١	WARNINGS			
		No	warnings found on HPD Priority Hazard Lists		
r	GS: LT-UNK	GS: LT-UNK RC: PreC	GS: LT-UNK RC: PreC NANO: No AGENCY AND LIST TITLES WARNINGS		

SUBSTANCE NOTES: 100% Post-Industrial Recycled Nylon

RAYON, PURIFIED				ID: <b>61788-77-0</b>
HAZARD SCREENING METHOD: Pha	HAZARD SCREENING DATE: 2020-08-25			
%: 39.0000 - 40.0000	GS: <b>NoGS</b>	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Textile component
HAZARD TYPE	AGENCY AND LIST TITLES	١	WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists

## **POLYETHYLENE TEREPHTHALATE (PET)**

ID: 25038-59-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-25			
%: <b>12.0000 - 13.0000</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Textile component	
HAZARD TYPE	AGENCY AND LIST TITLES	١	WARNINGS		
None found			No	warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES:

HIGH-IMPACT POLYSTYRENE ID: 9003-55-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

MEZARD SCREENING DATE: 2020-08-25

MEC: None NANO: No SUBSTANCE ROLE: Structure component

MAZARD TYPE AGENCY AND LIST TITLES

MONE found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is a component of the acrylic latex backing.

BUTYL ACRYLATE ID: 141-32-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-25			
%: 2.0000 - 3.0000	GS: LT-UNK RC: No		nano: <b>No</b>	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - Cause	s skin irritation	
SKIN SENSITIZE	EU - GHS (H-Statements)		H317 - May cause an allergic skin reaction		
EYE IRRITATION	EU - GHS (H-Statements)		H319 - Cause	s serious eye irritation	
SKIN SENSITIZE	MAK		Sensitizing Su	ubstance Sh - Danger of skin sensitization	

SUBSTANCE NOTES: This substance is a component of the acrylic latex backing and is not hazardous as present in the product.

GREENSHIELD FINISH ID: Unknown

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-08-25			
%: <b>1.0000 - 3.0000</b>	GS: Not Screened	RC: None	NANO: Yes	SUBSTANCE ROLE: Antistain		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S			
	Hazard Screening not performed					

SUBSTANCE NOTES: The GreenShield stain repellent formulation is proprietary. It contains a nanoparticle-based finish and environmentally preferable C-6 chemistry.

COLORANT ID: Unknown

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-08-25				
%: 0.1000 <b>-</b> 0.5000	GS: Not Screened	RC: <b>None</b>	ΝΑΝΟ: Νο	SUBSTANCE BOLE: Pigment			

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

## Hazard Screening not performed

SUBSTANCE NOTES: Colorant formulation is proprietary. Carbon black (CAS 1333-86-4) and titanium dioxide (CAS 13463-67-7) may be present (bound in textile) but are not in a respirable form.

ANTIMONY TRIOXIDE ID: 1309-64-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2020-08-25			
%: Impurity/Residual	gs: <b>BM-1</b> RC: <b>N</b>		NANO: No SUBSTANCE ROLE: Impurity/Residu			
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
CANCER	IARC		Group 2b - Possibly carcinogenic to humans			
CANCER	CA EPA - Prop 65		Carcinogen			
CANCER	US NIH - Report on Carcinogens		Reasonably Anticipated to be Human Carcinogen			
CANCER	EU - GHS (H-Statements)		H351 - Suspected of causing cancer			
MULTIPLE	ChemSec - SIN List		CMR - Carcinogen, Mutagen &/or Reproductive Toxicant			
CANCER	MAK		Carcinogen Group 2 - Considered to be carcinogenic for man			
CANCER	GHS - Japan		Carcinogenicity - Category 1B [H350]			

SUBSTANCE NOTES: Trace amount of antimony trioxide may be present at less than 50 ppm.



## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS** 

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-08-25

EXPIRY DATE:

CERTIFIER OR LAB: NA

APPLICABLE FACILITIES: NA

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: CDPH Standard Method- Not tested



## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



## Section 5: General Notes

Antimony trioxide is included as a residual/impurity because it is used as a catalyst in the manufacturing of polyester and a trace amount may be present in the final product. No other residuals/impurities have been identified.

#### MANUFACTURER INFORMATION

MANUFACTURER: Vescom America Inc.

ADDRESS: 2289 Ross Mill Rd. Henderson NC 27537, USA

WEBSITE: www.vescom.com

CONTACT NAME: H. Derr Leonhardt II

TITLE: Consultant
PHONE: 919-621-5832

EMAIL: lenviron@bellsouth.net

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### **KEY**

#### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or

reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

### **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.