

HPD UNIQUE IDENTIFIER: 21503  
CLASSIFICATION: 12 05 13 Fabrics  
PRODUCT DESCRIPTION: This Health Product Declaration has been prepared for Vescom Textiles Inc., the manufacturer, a subsidiary of Vescom America Inc. Masami is a textile fabric composed of olefin and polyester.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

☐ Nested Materials Method

☒ Basic Method

Threshold level

☐ 100 ppm

☒ 1,000 ppm

☐ Per GHS SDS

☐ Other

Residuals/Impurities

☒ Considered

☐ Partially Considered

☐ Not Considered

Explanation(s) provided for Residuals/Impurities?

☒ Yes ☐ No

All Substances Above the Threshold Indicated Are:

Characterized

☐ Yes Ex/SC

☒ Yes

☐ No

% weight and role provided for all substances.

Screened

☐ Yes Ex/SC

☐ Yes

☒ No

One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow guidance.

Identified

☐ Yes Ex/SC

☐ Yes

☒ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

MASAMI (101396) [ POLYOLEFIN FIBERS NoGS POLYETHYLENE TEREPHTHALATE (PET) LT-UNK HIGH-IMPACT POLYSTYRENE LT-UNK BUTYL ACRYLATE LT-UNK | SKI | EYE FLUOROCARBON STAIN REPELLENT Not Screened SOLUTION DYE COLORANT Not Screened ANTIMONY TRIOXIDE BM-1 | CAN | MUL ]

Number of Greenscreen BM-4/BM3 contents ... 0  
Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1  
Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

Textile fabric composed of olefin and polyester with an acrylic latex back and fluorocarbon stain repellent finish.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario  
Multi-attribute: NSF/ANSI 336: Sustainability Standard for Commercial Furnishings Fabric - 2011 Compliant

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

☐ Yes

☒ No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-08-25

PUBLISHED DATE: 2020-08-25

EXPIRY DATE: 2023-08-25



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### MASAMI (101396)

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes
RESIDUALS AND IMPURITIES NOTES: All residuals/impurities identified are listed below.	
OTHER PRODUCT NOTES:	

#### POLYOLEFIN FIBERS

ID: 308070-21-5

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-08-25</b>				
%: <b>58.0000 - 60.0000</b>		GS: <b>NoGS</b>		RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Textile component</b>
HAZARD TYPE		AGENCY AND LIST TITLES			WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists				
SUBSTANCE NOTES:						

#### POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-08-25</b>				
%: <b>34.0000 - 36.0000</b>		GS: <b>LT-UNK</b>		RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Textile component</b>
HAZARD TYPE		AGENCY AND LIST TITLES			WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists				
SUBSTANCE NOTES:						

#### HIGH-IMPACT POLYSTYRENE

ID: 9003-55-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-25		
%: 2.0000 - 3.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: This substance is a component of the acrylic latex backing.

**BUTYL ACRYLATE**

ID: **141-32-2**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-08-25**

?: **2.0000 - 3.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: This substance is a component of the acrylic latex backing and is not hazardous as present in the product.

**FLUOROCARBON STAIN REPELLENT**

ID: **Unknown**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-08-25**

?: **1.0000 - 3.0000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Antistain**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening not performed		

SUBSTANCE NOTES: The stain repellent formulation is proprietary and contains environmentally preferable C-6 chemistry.

**SOLUTION DYE COLORANT**

ID: **Unknown**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-08-25**

?: **0.1000 - 0.5000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening not performed		

SUBSTANCE NOTES: Colorant formulation is proprietary. Carbon black (CAS 1333-86-4) and titanium dioxide (CAS 13463-67-7) may be present (bound in textile) but are not in a respirable form.

**ANTIMONY TRIOXIDE**

ID: **1309-64-4**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-08-25**

?: **Impurity/Residual** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CANCER	GHS - Japan	Carcinogenicity - Category 1B [H350]

SUBSTANCE NOTES: Trace amount of antimony trioxide may be present at less than 50 ppm.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

#### CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2020-08-25**

EXPIRY DATE:

CERTIFIER OR LAB: **NA**

APPLICABLE FACILITIES: **NA**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **CDPH Standard Method- Not tested**

### MULTI-ATTRIBUTE

#### NSF/ANSI 336: Sustainability Standard for Commercial Furnishings Fabric - 2011 Compliant

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2016-11-15**

EXPIRY DATE:

CERTIFIER OR LAB: **SCS Global**

APPLICABLE FACILITIES: **Vescom Textiles Inc.**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

Antimony trioxide is included as a residual/impurity because it is used as a catalyst in the manufacturing of polyester and a trace amount may be present in the final product. No other residuals/impurities have been identified.



### MANUFACTURER INFORMATION

MANUFACTURER: **Vescom America Inc.**  
ADDRESS: **2289 Ross Mill Rd.**  
**Henderson NC 27537, USA**  
WEBSITE: **www.vescom.com**

CONTACT NAME: **H. Derr Leonhardt II**  
TITLE: **Consultant**  
PHONE: **919-621-5832**  
EMAIL: **lenviron@bellsouth.net**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

### KEY

#### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

#### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>NoGS</b> No GreenScreen.
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	

#### Recycled Types

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

#### Other Terms:

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*