

HPD UNIQUE IDENTIFIER: 172425511936

CLASSIFICATION: 07 51 13 Built-Up Asphalt Roofing

PRODUCT DESCRIPTION: For design teams selecting environmentally responsible roofing materials, Siplast offers the Pro Base LP as part of the Pro Base / Parapro Roof Membrane System. Pro Base LP is a high performance modified bitumen base ply designed for use in multi-layer modified bitumen/PMMA composite roof membrane systems. Pro Base LP consists of a lightweight random fibrous glass mat impregnated and coated with high quality styrene-butadiene-styrene (SBS) modified bitumen, and surfaced on the top side with Syntan® acrylic coating.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities Evaluation, and Characterized/Screened/Identified. Includes radio button options for 'Yes' and 'No'.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Number of Greenscreen BM-4/BM3 contents ... 1
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...
LT-1, BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

No residuals or impurities are expected to be present in the product at or above the reporting threshold. This HPD is Identified as "No" because a proprietary substance in this material is not disclosed by name.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
PRO BASE LP [ASPHALT (PRIMARY CASRN IS 8052-42-4) LT-1] CAN
| MAM | GEN LIMESTONE BM-3dg QUARTZ (PRIMARY CASRN IS 14808-60-7) BM-1] CAN | MAM | GEN STYRENE BUTADIENE RUBBER (BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE) LT-UNK
CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK
HYDROCARBON OILS, PROCESS BLENDS NoGS TITANIUM DIOXIDE BM-1] CAN | END | MAM UNDISCLOSED LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

Summary table with 3 columns: Third Party Verified?, PREPARER: Self-Prepared, SCREENING DATE: 2024-04-08. Includes radio button options for 'Yes' and 'No'.

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

PRO BASE LP

%: 100.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities have not been considered for this product.

OTHER MATERIAL NOTES: SBS modified bitumen asphalt roofing membrane.

ASPHALT (PRIMARY CASRN IS 8052-42-4)

ID: 195522-49-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-04-08 13:54:54

%: 39.0000 - 43.0000

GreenScreen: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Structure component

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|-----------------------------------|---|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |
| CAN | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources |
| MAM | GHS - Japan | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3] |
| CAN | GHS - Japan | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| GEN | GHS - Japan | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: The material used as the primary component in this roofing and waterproofing membrane.

LIMESTONE

ID: 1317-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-04-08 13:54:54

%: 27.0000 - 31.0000

GreenScreen: BM-3dg

RC: None

NANO: No

SUBSTANCE ROLE: Stabilizer

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|----------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: The material used as a mineral stabilizing component in this roofing and waterproofing membrane.

QUARTZ (PRIMARY CASRN IS 14808-60-7)

ID: **87347-84-0**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-04-08 13:54:55**

#: **19.0000 - 23.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Anti-adhesive agent**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|-----------------------------------|---|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CAN | US NIH - Report on Carcinogens | Known to be Human Carcinogen (respirable size - occupational setting) |
| CAN | MAK | Carcinogen Group 1 - Substances that cause cancer in man |
| CAN | IARC | Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources |
| CAN | IARC | Group 1 - Agent is Carcinogenic to humans |
| CAN | US NIH - Report on Carcinogens | Known to be a human Carcinogen |
| CAN | GHS - Japan | H350 - May cause cancer [Carcinogenicity - Category 1A] |
| CAN | GHS - Australia | H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B] |
| CAN | GHS - New Zealand | Carcinogenicity category 1 |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| GEN | GHS - Japan | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2] |
| MAM | GHS - Australia | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1] |
| MAM | GHS - New Zealand | Specific target organ toxicity - repeated exposure category 1 |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: The material used as the parting agent component in this roofing and waterproofing membrane.

STYRENE BUTADIENE RUBBER (BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE)

ID: 9003-55-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-04-08 13:54:55**

#: **4.0000 - 8.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|----------------------|----------|
|-------------|----------------------|----------|

| | | |
|------------|--|--|
| None found | | No warnings found on HPD Priority Hazard Lists |
|------------|--|--|

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|----------------------|--------------|
|---------------------|----------------------|--------------|

| | | |
|------------|--|--|
| None found | | No listings found on Additional Hazard Lists |
|------------|--|--|

SUBSTANCE NOTES: The material used as the asphalt modifying component in this roofing and waterproofing membrane.

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-04-08 13:54:55**

#: **0.1000 - 4.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|----------------------|----------|
|-------------|----------------------|----------|

| | | |
|------------|--|--|
| None found | | No warnings found on HPD Priority Hazard Lists |
|------------|--|--|

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|----------------------|--------------|
|---------------------|----------------------|--------------|

| | | |
|--------|--|--|
| EXEMPT | European Union / European Commission (EU EC) | EU - REACH Exemptions Exempted from REACH Annex V listing due to intrinsic safety |
|--------|--|--|

SUBSTANCE NOTES: The material used as the reinforcement component in this roofing and waterproofing membrane.

HYDROCARBON OILS, PROCESS BLENDS

ID: 68131-05-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-04-08 13:54:54**

#: **0.0000 - 4.0000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|----------------------|----------|
|-------------|----------------------|----------|

| | | |
|------------|--|--|
| None found | | No warnings found on HPD Priority Hazard Lists |
|------------|--|--|

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|----------------------|--|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: The material used as the viscosity reducing component in this roofing and waterproofing membrane.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-04-08 13:54:54**

%: **0.1000 - 2.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|---|---|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CAN | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources |
| CAN | MAK | Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| CAN | MAK | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels |
| CAN | IARC | Group 2b - Possibly carcinogenic to humans |
| CAN | EU - GHS (H-Statements) Annex 6 Table 3-1 | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| CAN | GHS - Japan | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|--|---|
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPH) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPH) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPH) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products |
| POSITIVE LIST | US Environmental Protection Agency (US EPA) | US EPA - DfE Safer Chemicals Ingredients list (SCIL) Colorants - Green Circle (Verified Low Concern) |

SUBSTANCE NOTES: The material used in the acrylic paint acts as the barrier component in this roofing and waterproofing membrane.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-04-08 13:54:55**

#: **0.0100 - 1.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|--|--|
| None found | | No warnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | Perkins+Will (P+W) | P&W - Precautionary List Precautionary list of substances recommended for avoidance |
| RESTRICTED LIST | International Living Future Institute (ILFI) | Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024 Red List substances to avoid in Living Building Challenge V4.0 projects |

SUBSTANCE NOTES: Polymeric materials are considered Special Conditions by HPDC. Reporting guidelines for polymeric materials are pending development. This entry will be updated once HPDC has released the polymeric materials Special Conditions guidance.

The substance name and CAS# are undisclosed because this substance is considered proprietary.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS | N/A | |
|---|---------------------------------|------------------------|
| CERTIFYING PARTY: Self-declared | ISSUE DATE: 2020-12-10 00:00:00 | CERTIFIER OR LAB: None |
| APPLICABLE FACILITIES: All | EXPIRY DATE: | |
| CERTIFICATE URL: | | |
| CERTIFICATION AND COMPLIANCE NOTES: VOC content data is not applicable for this category. | | |

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Pro Base LP meets or exceeds the requirements of ASTM D 6163 Type I, Grade S, and CSA A123.23-15 Type A, Grade1 for SBS-modified bituminous sheet materials using glass fiber reinforcements.

MANUFACTURER INFORMATION

MANUFACTURER: **Siplast, Inc.**
 ADDRESS: **1111 US-67 Arkadelphia AR 71923 USA**
Arkadelphia, Arkansas 71923
 COUNTRY: **United States**

WEBSITE: **www.siplast.com**
 CONTACT NAME: **James Kirby**
 TITLE: **Building Science, Industry Relations, and Compliance**
 PHONE: **3125056630**
 EMAIL: **james.kirby@siplast.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

| | | |
|---------------------------------------|---|--|
| AQU Aquatic toxicity | LAN Land toxicity | PHY Physical hazard (flammable or reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive |
| DEV Developmental toxicity | MUL Multiple | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | NF Not found on Priority Hazard Lists | UNK Unknown |
| GEN Gene mutation | OZO Ozone depletion | |
| GLO Global warming | PBT Persistent, bioaccumulative, and toxic | |

GreenScreen (GS)

| | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-P1 List Translator Possible 1 (Possible Benchmark-1) |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-1 List Translator 1 (Likely Benchmark-1) |
| BM-2 Benchmark 2 (use but search for safer substitutes) | LT-UNK List Translator Benchmark Unknown |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | NoGS No GreenScreen. |
| BM-U Benchmark Unspecified (due to insufficient data) | |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

