# 3M™ Air & Vapor Through Wall Flashing Tape 3015TWF

## by 3M Company

SCREENING DATE: 2026-10-27
PUBLISHED DATE: 2026-10-27
EXPIRY DATE: 2029-10-27
PREPARER: Self-Prepared

**Health Product Declaration v3.0**
created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER:** 66743485
**HPD UNIQUE PRODUCT ID:** Not provided.
**CLASSIFICATION:** 07 65 26 Self-Adhering Sheet Flashing
**PRODUCT DESCRIPTION:** 3M™ Air and Vapor Through Wall Flashing Tape 3015TWF is specially designed for use as a through wall flashing and dampproof course. Features exceptional puncture and abrasion resistance. It is an impermeable polyethylene membrane with an aggressive, high-tack acrylic pressure sensitive adhesive that does not require the use of a primer on most construction surfaces.

## Section 1: Summary

**Basic Method / Product Threshold**

### CONTENT INVENTORY

**Inventory Reporting Format**
→ Basic Method

**Threshold Disclosed Per**
→ Product

**Threshold Level**
→ Per GHS SDS

**Residuals/Impurities Evaluation**
→ Completed

**Explanation(s) provided :**
Yes

*For all contents above the threshold, the manufacturer has:*

**Characterized** Yes
*Provided weight and role.*

**Screened** No
*Provided screening results using HPDC-approved methods.*

**Identified** No
*Provided name and CAS RN or other identifier.*

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | *RESIDUAL OR IMPURITY*
GREENSCREEN SCORE | HAZARD TYPE

3M™ AIR & VAPOR THROUGH WALL FLASHING TAPE 3015TWF [ POLYETHYLENE COPOLYMER BACKING Not Screened UNDISCLOSED NoGS ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

A Safety Data Sheet (SDS) has not been prepared for these product(s) because they are articles. Articles are not subject to the Occupational Safety and Health Administration's Hazard Communication Standard (29 CFR 1910.1200(b)(6)(v)). As defined in this standard: "Article" means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: GreenGuard - Gold (previously Children & Schools)

**CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed.

# Section 2: Content in Descending Order of Quantity

*This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:*

- *Basic Inventory method with Product-level threshold.*
- *Nested Material Inventory method with Product-level threshold*
- *Nested Material Inventory method with individual Material-level thresholds*

*Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard*

## 3M™ AIR & VAPOR THROUGH WALL FLASHING TAPE 3015TWF

PRODUCT THRESHOLD: Per GHS SDS

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities are partially considered

OTHER PRODUCT NOTES: Product is an article and used as a flashing tape.

### POLYETHYLENE COPOLYMER BACKING

ID: **Not Registered**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **Not Screened**

%: **40.0000 - 60.0000** GreenScreen: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| | Hazard Screening not performed | |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| | Additional Hazard Screening not performed | |

SUBSTANCE NOTES: This ingredient is the resin backing in this product.

### UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2026-10-27 8:29:48**

%: **30.0000 - 60.0000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Adhesive**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Mixture - CAS number not available. This ingredient is the base adhesive for this product.

## Section 3: Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

| VOC EMISSIONS | GreenGuard - Gold (previously Children & Schools) | |
|---|---|---|
| COMPLIANCE TYPE: Third Party | ISSUE DATE: 2020-02-19 | EXPIRY DATE: No expiration |
| CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: UL | | |
| COMPLIANCE DETAILS: | | |
| COMPLIANCE SCOPE: | | |
| APPLICABLE FACILITIES: 3M Company | | |
| COMPLIANCE URL: https://spot.ul.com/mainapp/products/catalog/?keywords=3M | | |
| COMPLIANCE NOTES: | | |

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

3M does not agree with all the hazard statements generated by the HPD web-based tool. 3M provides other documentation to help assess health and environmental hazards and risks from this product. Please find a GHS-compliant Safety Data Sheet and a regulatory certificate, which includes information on specific applicable regulations and typical chemicals of concern, at www.3m.com/regs. If further health hazard information is required, please contact 3M customer contact center at 1-800-362-3550.
Technical Information: The technical information, guidance, and other statements contained in this document or otherwise provided by 3M are based upon records, tests, or experience that 3M believes to be reliable, but the accuracy, completeness, and representative nature of such information is not guaranteed. Such information is intended for people with knowledge and technical skills sufficient to assess and apply their own informed judgment to the information. No license under any 3M or third party intellectual property rights is granted or implied with this information.

Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product and appropriate safety products, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

Warranty, Limited Remedy, and Disclaimer: Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.

# Section 6: References

## MANUFACTURER INFORMATION


MANUFACTURER: **3M Company**
ADDRESS: **3M Company**
**3M Center**
**Saint Paul, MN 55144**
COUNTRY: **USA**

WEBSITE: **https://www.3m.com/3M/en_US/p/d/b40070575/**
CONTACT NAME: **Jen Ellinwood**
TITLE: **Advanced Regulatory Affairs Specialist**
PHONE: **651-467-3658**
EMAIL: **jellinwood@mmm.com**


*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

## KEY

**Hazard Types**

**AQU** Aquatic toxicity
**CAN** Cancer
**DEV** Developmental toxicity
**END** Endocrine activity
**EYE** Eye irritation/corrosivity
**GEN** Gene mutation
**GLO** Global warming
**LAN** Land toxicity
**MAM** Mammalian/systemic/organ toxicity
**MUL** Multiple
**NEU** Neurotoxicity
**NF** Not found on Priority Hazard Lists
**OZO** Ozone depletion
**PBT** Persistent, bioaccumulative, and toxic
**PHY** Physical hazard (flammable or reactive)
**REP** Reproductive
**RES** Respiratory sensitization
**SKI** Skin sensitization/irritation/corrosivity
**UNK** Unknown

**GreenScreen (GS)**

**BM-4** Benchmark 4 (prefer-safer chemical)
**BM-3** Benchmark 3 (use but still opportunity for improvement)
**BM-2** Benchmark 2 (use but search for safer substitutes)
**BM-1** Benchmark 1 (avoid - chemical of high concern)
**BM-U** Benchmark Unspecified (due to insufficient data)
**LT-P1** List Translator Possible 1 (Possible Benchmark-1)
**LT-1** List Translator 1 (Likely Benchmark-1)
**LT-UNK** List Translator Benchmark Unknown
**NoGS** No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

**Recycled Types**

**PreC** Pre-consumer recycled content
**PostC** Post-consumer recycled content
**UNK** Inclusion of recycled content is unknown
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology
**Third Party Verified** Verification by independent certifier approved by HPDC
**Preparer** Third party preparer, if not self-prepared by manufacturer
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*