Calibré Quiet Down 5.2 mm with 20 mil Wear Laver by Dixie Group Commercial

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 21627

CLASSIFICATION: 09 65 19.23 Vinyl Tile Flooring

PRODUCT DESCRIPTION: Calibré High Performance LVT from AtlasMasland is engineered to deliver long lasting performance and durability combined with outstanding aesthetics, and is easy to install and maintain. Calibré Quiet Down features a high density 5.2 mm gauge, Solid Polymer Core (SPC) that is rigid, strong, dimensionally stable and dent resistant, with a 0.5 mm (20mil) Wear Layer. The pre-attached underlayment minimizes sound and provides warmth and comfort underfoot. Calibré Quiet Down 5.2 mm with 20 mil Wear Layer comes with IronClad Plus + Surface Protectant, an advanced finish that provides abrasion resistance and stain repellency and also inhibits the growth of odor and staincausing mold and mildew and has a 15 Year- Limited Commercial Wear Warranty.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 1,000 ppm Per GHS SDS
- Other

Residuals/Impurities

- C Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities? Yes No

All Substances Above the Threshold Indicated Are:

Characterized

O Yes Ex/SC O Yes O No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

C Yes Ex/SC C Yes C No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

CALIBRÉ QUIET DOWN 5.2 MM WITH 20 MIL WEAR LAYER [CALCIUM CARBONATE BM-3 POLYVINYL CHLORIDE (PVC) LT-P1 | RES DAKRIL 4B LT-UNK BIS(2-ETHYLHEXYL) TEREPHTHALATE (DOTP) BM-3dg POLYETHYLENE LT-UNK CALCIUM STEARATE LT-UNK ZINC STEARATE LT-P1 CARBON BLACK BM-1 | CAN PETROLEUM RESINS LT-1 | CAN BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE (THERMOPLASTIC RUBBER) LT-UNK DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI) LT-1 | PBT | CAN | MUL POLYURETHANE FOAMS LT-UNK 1,6-HEXANEDIOL DIACRYLATE LT-P1 | SKI | EYE | MUL HIGH-IMPACT POLYSTYRENE LT-UNK PENTAERYTHRITOL ROSINATE LT-UNK LANTHANUM(3+) STEARATE Nogs Trimethylolpropane Triacrylate (TMPTA) LT-P1 | RES | CAN | SKI | EYE | MUL AQUAFIL BM-1 | CAN 1,1,3,3-TETRAMETHYL-1,3-**DIVINYLDISILOXANE LT-UNK**]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial No.

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

C Yes
No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2020-09-04 PUBLISHED DATE: 2020-09-04 EXPIRY DATE: 2023-09-04

Calibr Quiet Down 5.2 mm with 20 mil Wear Layer hpdrepository.hpd-collaborative.org



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

CALIBRÉ QUIET DOWN 5.2 MM WITH 20 MIL WEAR LAYER

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: While Calibré does not meet the qualifications for "Residuals & Impurities - Considered" per HPDC's Emerging Best Practices, we have: 1.) disclosed all known, intentionally-added ingredients; 2.) tested this product to ensure it is free of red list heavy metals, phthalate-free, formaldehyde-free, complies with REACH SVHC, and meets VOC emissions/indoor air quality requirements per FloorScore® / CDHP/EHLB Standard Method v1.2-2017 (California Section 01350).

OTHER PRODUCT NOTES: All known, intentionally-added ingredients of Calibré are disclosed in this HPD.

CALCIUM CARBONATE				ID: 471-34-
HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	NING DATE: 2020-	09-04	
%: 62.3800 - 65.0900	GS: BM-3	RC: None	nano: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	S	
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

POLYVINYL CHLORIDE (PV	C)			ID: 9002-86-2		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-04						
%: 25.4200 - 27.6800	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Polymer species		
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS			
RESPIRATORY	AOEC - Asthmagens	As	thmagen (Rs)	- sensitizer-induced		
SUBSTANCE NOTES:						

DAKRIL 4B				ID: 25852-37-3
HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCRE	EENING DATE: 2	020-09-04
%: 2.2400 - 2.4200	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Processing regulator

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No warnings found on HPD Priority Hazard Lists None found SUBSTANCE NOTES:

BIS(2-ETHYLHEXYL) TEREPHTHALATE (DOTP)

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-04		
%: 1.5000 - 1.5000	GS: BM-3dg	RC: None	nano: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	NGS	
None found			No warnir	ngs found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

POLYETHYLENE ID: 9002-88-4 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-04 %: 1.3400 - 1.3500 GS: LT-UNK RC: None SUBSTANCE ROLE: Cushioning NANO: **No** HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No warnings found on HPD Priority Hazard Lists None found

SUBSTANCE NOTES:

CALCIUM STEARATE ID: 1592-23-0 HAZARD SCREENING DATE: 2020-09-04 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library %: 1.0900 - 1.1000 GS: LT-UNK SUBSTANCE ROLE: Stabilizer RC: None NANO: **No** WARNINGS HAZARD TYPE AGENCY AND LIST TITLES

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

ZINC STEARATE ID: **557-05-1**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-04 SUBSTANCE ROLE: Stabilizer %: 1.0900 - 1.1000 GS: **LT-P1** RC: None NANO: **No**

None found

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

CARBON BLACK ID: 1333-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-04		
%: 0.3000 - 0.3000	gs: BM-1	RC: None NANO: No SUBSTANCE ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
SUBSTANCE NOTES:				

PETROLEUM RESINS ID: 64742-16-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-04		
%: 0.1400 - 0.1900	GS: LT-1	RC: None NANO: No	SUBSTANCE ROLE: Adhesive	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	CA EPA - Prop 65	Carcinogen		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled fror occupational sources		
SUBSTANCE NOTES:				

BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE (THERMOPLASTIC RUBBER)

ID: 25038-32-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD S	CREENING DA	TE: 2020-09-04
%: 0.0800 - 0.1200	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	
None found		No warı	nings found on HPD Priority Hazard Lists	

DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI)

ID: **64742-52-5**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-04	
%: 0.0400 - 0.0800	GS: LT-1	RC: None NANO: No SUBSTANCE ROLE: Adhesive	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
РВТ	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans	
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer	
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man	
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters	
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence	
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]	
CANCER	GHS - Australia	H350 - May cause cancer	
SUBSTANCE NOTES:			

POLYURETHANE FOAMS ID: 9009-54-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-09-04		
%: 0.0400 - 0.0800	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Coating	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING:	S		
None found			No warning:	s found on HPD Priority Hazard Lists	
SUBSTANCE NOTES:					

1,6-HEXANEDIOL DIACRYLATE ID: 13048-33-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-04		
%: 0.0300 - 0.0400	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Coating

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES:

HIGH-IMPACT POLYSTYRENE ID: 9003-55-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-09-04		
%: 0.0200 - 0.0600	gs: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Adhesive	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS		
None found			No warning	gs found on HPD Priority Hazard Lists	
SUBSTANCE NOTES:					

PENTAERYTHRITOL ROSINATE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-09-04		
%: 0.0200 - 0.0600	gs: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Adhesive	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS.		
None found	e found No warnings found on HPD Priority Hazard Lists				
SUBSTANCE NOTES:					

LANTHANUM(3+) STEARATE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-04		
%: 0.0200 - 0.0200	gs: NoGS	RC: None	nano: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnin	gs found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-04		
%: 0.0100 - 0.0400	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
CANCER	IARC	Group 2b - Possibly carcinogenic to humans		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
SKIN SENSITIZE	MAK	Sensiti	zing Substance S	Sh - Danger of skin sensitization
SUBSTANCE NOTES:				

AQUAFIL ID: 112945-52-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-04		
%: 0.0100 - 0.0200	GS: BM-1	RC: None NANO: No SUBSTANCE ROLE: Coating		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]		
CANCER	GHS - Australia	H350i - May cause cancer by inhalation		

SUBSTANCE NOTES:

1,1,3,3-TETRAMETHYL-1,3-DIVINYLDISILOXANE

ID: **2627-95-4**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-04		
%: 0.0100 - 0.0100	gs: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	8	
None found No warnings found on HPD Priority Hazard Lists				

SUBSTANCE NOTES:



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS RFCI FloorScore

CERTIFYING PARTY: Third Party ISSUE DATE: EXPIRY DATE: CERTIFIER OR LAB: SCS Global APPLICABLE FACILITIES: All 2020-07-2020-11-CERTIFICATE URL: 07 30 Services

https://www.scscertified.com/products/cert_pdfs/Atlas&Masland_2019_SCS-FS-06266_s.pdf

CERTIFICATION AND COMPLIANCE NOTES: Registration # SCS-FS-06266



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Calibré High Performance LVT from AtlasMasland is a floating multilayer modular flooring and thus no adhesives are required/recommended for its installation. For more information, please refer to the professional installation manual.

MANUFACTURER INFORMATION

MANUFACTURER: Dixie Group Commercial

ADDRESS: 209 Carpet Drive

Atmore Alabama 36502, United States

WEBSITE: https://www.atlasmasland.com

CONTACT NAME: Dennis Daniel

TITLE: Director of Environmental Services

PHONE: (251) 368-7126

EMAIL: dennis.daniel@atlasmasland.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or

reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.