# Calibré Quiet Down 8.5 mm with 20 mil Wear Laver by Dixie Group Commercial

# **Health Product** Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 21630

CLASSIFICATION: 09 65 19.23 Vinyl Tile Flooring

PRODUCT DESCRIPTION: Calibré High Performance LVT from AtlasMasland is engineered to deliver long lasting performance and durability combined with outstanding aesthetics, and is easy to install and maintain. Calibré Quiet Down features a high density 8.5 mm gauge, Wood Plastic Composite (WPC) that is rigid, strong, dimensionally stable and dent resistant, with a 0.5 mm (20mil) Wear Layer. The pre-attached underlayment minimizes sound and provides warmth and comfort underfoot. Calibré Quiet Down 8.5 mm with 20 mil Wear Layer comes with a surface protectant, an advanced finish that provides abrasion resistance and stain repellency and also inhibits the growth of odor and stain-causing mold and mildew. Calibré Quiet Down 8.5 mm with 20 mil Wear Layer has a 15 Year- Limited Commercial Wear Warranty.



## Section 1: Summary

## **Basic Method / Product Threshold**

### **CONTENT INVENTORY**

## **Inventory Reporting Format**

- C Nested Materials Method
- Basic Method

### **Threshold Disclosed Per**

- Material
- Product

### Threshold level

- C 1,000 ppm Per GHS SDS
- Other

## Residuals/Impurities

- C Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities? Yes No

All Substances Above the Threshold Indicated Are:

Characterized

O Yes Ex/SC O Yes O No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

C Yes Ex/SC C Yes C No

All substances disclosed by Name (Specific or Generic) and Identifier.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

CALIBRÉ QUIET DOWN 8.5 MM WITH 20 MIL WEAR LAYER [ CALCIUM CARBONATE BM-3 POLYVINYL CHLORIDE (PVC) LT-P1 | RES BIS(2-ETHYLHEXYL) TEREPHTHALATE (DOTP) BM-3dg DAKRIL 4B LT-UNK POLYETHYLENE LT-UNK RUTILE TITANIUM DIOXIDE LT-1 | CAN CALCIUM STEARATE LT-UNK ZINC STEARATE LT-P1 IRON OXIDE LT-UNK POLYURETHANE FOAMS LT-UNK PETROLEUM RESINS LT-1 | CAN BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE (THERMOPLASTIC RUBBER) LT-UNK SODIUM BICARBONATE LT-P1 | END CARBON BLACK BM-1 | CAN DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI) LT-1 | PBT | CAN | MUL 1,6-HEXANEDIOL DIACRYLATE LT-P1 | SKI | EYE | MUL HIGH-IMPACT POLYSTYRENE LT-UNK PENTAERYTHRITOL ROSINATE LT-UNK LANTHANUM(3+) STEARATE NOGS TRIMETHYLOLPROPANE TRIACRYLATE (TMPTA) LT-P1 | RES | CAN | SKI | EYE | MUL AQUAFIL BM-1 | CAN 1,1,3,3-TETRAMETHYL-1,3-DIVINYLDISILOXANE LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial No.

**INVENTORY AND SCREENING NOTES:** 

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore

**CONSISTENCY WITH OTHER PROGRAMS** 

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

C Yes
No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: SCREENING DATE: 2020-09-04 PUBLISHED DATE: 2020-09-04 EXPIRY DATE: 2023-09-04

Calibr Quiet Down 8.5 mm with 20 mil Wear Layer hpdrepository.hpd-collaborative.org



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

### **CALIBRÉ QUIET DOWN 8.5 MM WITH 20 MIL WEAR LAYER**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: While Calibré does not meet the qualifications for "Residuals & Impurities - Considered" per HPDC's Emerging Best Practices, we have: 1) disclosed all known, intentionally-added ingredients; 2) tested this product to ensure it is free of red list heavy metals, phthalate-free, formaldehyde-free, complies with REACH SVHC, and meets VOC emissions/indoor air quality requirements per FloorScore® / CDHP/EHLB Standard Method v1.2-2017 (California Section 01350).

OTHER PRODUCT NOTES: All known, intentionally-added ingredients of Calibré are disclosed in this HPD.

| CALCIUM CARBONATE            |                                     |              |                  | ID: <b>471-34-</b> 1               |
|------------------------------|-------------------------------------|--------------|------------------|------------------------------------|
| HAZARD SCREENING METHOD: Pha | aros Chemical and Materials Library | HAZARD SCREE | NING DATE: 2020- | 09-04                              |
| %: 48.1100 - 50.2000         | GS: <b>BM-3</b>                     | RC: None     | nano: <b>No</b>  | SUBSTANCE ROLE: Filler             |
| HAZARD TYPE                  | AGENCY AND LIST TITLES              | WARNINGS     | 6                |                                    |
| None found                   |                                     |              | No warnings      | found on HPD Priority Hazard Lists |
| SUBSTANCE NOTES:             |                                     |              |                  |                                    |

| POLYVINYL CHLORIDE (PV       | C)                                 |                                   |                 | ID: <b>9002-86-2</b>            |  |  |
|------------------------------|------------------------------------|-----------------------------------|-----------------|---------------------------------|--|--|
| HAZARD SCREENING METHOD: Pha | ros Chemical and Materials Library | HAZARD SCREENING DATE: 2020-09-04 |                 |                                 |  |  |
| %: 38.6100 - 40.7100         | GS: <b>LT-P1</b>                   | RC: None                          | nano: <b>No</b> | SUBSTANCE ROLE: Polymer species |  |  |
| HAZARD TYPE                  | AGENCY AND LIST TITLES             | WARNI                             | INGS            |                                 |  |  |
| RESPIRATORY                  | AOEC - Asthmagens                  | Asth                              | magen (Rs)      | - sensitizer-induced            |  |  |
| SUBSTANCE NOTES:             |                                    |                                   |                 |                                 |  |  |

#### **BIS(2-ETHYLHEXYL) TEREPHTHALATE (DOTP)** ID: 6422-86-2 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-04 %: 2.8800 - 3.1800 SUBSTANCE BOLE: Plasticizer GS: BM-3dg RC: None NANO: No

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

MED: 25852-37-3

HAZARD SCREENING DATE: 2020-09-04

MED: 2.0400 - 2.2300

MED: 25852-37-3

MED: 25852-37-3

MED: 25852-37-3

MED: 25852-37-3

MED: None found SCREENING DATE: 2020-09-04

MAZARD TYPE

AGENCY AND LIST TITLES

MARNINGS

MOWARNINGS

No warnings found on HPD Priority Hazard Lists

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

\*\*: 1.3600 - 1.3600

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Cushioning

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

**RUTILE TITANIUM DIOXIDE** ID: 1317-80-2 HAZARD SCREENING DATE: 2020-09-04 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library %: 0.8600 - 0.8700 GS: LT-1 NANO: **No** SUBSTANCE ROLE: Pigment **RC:** None HAZARD TYPE AGENCY AND LIST TITLES WARNINGS **CANCER US CDC - Occupational Carcinogens** Occupational Carcinogen **CANCER** CA EPA - Prop 65 Carcinogen - specific to chemical form or exposure route **CANCER** IARC Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources CANCER MAK Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value SUBSTANCE NOTES:

CALCIUM STEARATE ID: 1592-23-0

SUBSTANCE NOTES:

SUBSTANCE NOTES:

| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SCREEN | NING DATE: 2020 | )-09-04                               |
|--------------------------|---------------------------------------|---------------|-----------------|---------------------------------------|
| %: 0.8200 - 0.8400       | GS: LT-UNK                            | RC: None      | nano: <b>No</b> | SUBSTANCE ROLE: Stabilizer            |
| HAZARD TYPE              | AGENCY AND LIST TITLES                | WARNING       | as              |                                       |
| None found               |                                       |               | No warnin       | gs found on HPD Priority Hazard Lists |
| SUBSTANCE NOTES:         |                                       |               |                 |                                       |

| ZINC STEARATE              |                                   |          |                 | ID: <b>557-05-</b>                    |
|----------------------------|-----------------------------------|----------|-----------------|---------------------------------------|
| HAZARD SCREENING METHOD: P | HAZARD SCREENING DATE: 2020-09-04 |          |                 |                                       |
| %: 0.8200 - 0.8400         | gs: LT-P1                         | RC: None | nano: <b>No</b> | SUBSTANCE ROLE: Stabilizer            |
| HAZARD TYPE                | AGENCY AND LIST TITLES            | WARNIN   | NGS             |                                       |
| None found                 |                                   |          | No warnin       | gs found on HPD Priority Hazard Lists |
| SUBSTANCE NOTES:           |                                   |          |                 |                                       |

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: 0.5500 - 0.5600

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

| POLYURETHANE FOAMS ID: 9009-54-5 |                                      |                                   |                 |                                      |
|----------------------------------|--------------------------------------|-----------------------------------|-----------------|--------------------------------------|
| HAZARD SCREENING METHOD: PI      | naros Chemical and Materials Library | HAZARD SCREENING DATE: 2020-09-04 |                 |                                      |
| %: <b>0.5000 - 0.5400</b>        | gs: LT-UNK                           | RC: None                          | nano: <b>No</b> | SUBSTANCE ROLE: Coating              |
| HAZARD TYPE                      | AGENCY AND LIST TITLES               | WARNING                           | S               |                                      |
| None found                       |                                      |                                   | No warning      | s found on HPD Priority Hazard Lists |
| SUBSTANCE NOTES:                 |                                      |                                   |                 |                                      |

| PETROLEUM RESINS                        |                         |              |                 | ID: <b>64742-16-1</b>    |
|---|-------------------------|--------------|-----------------|--------------------------|
| HAZARD SCREENING METHOD: Pharos Chemica | l and Materials Library | HAZARD SCREE | NING DATE: 2020 | -09-04                   |
| %: <b>0.1500 - 0.1900</b>               | GS: <b>LT-1</b>         | RC: None     | nano: <b>No</b> | SUBSTANCE ROLE: Adhesive |

**IRON OXIDE** 

ID: **1332-37-2** 

| HAZARD TYPE      | AGENCY AND LIST TITLES            | WARNINGS   |
|------------------|-----------------------------------|--|
| CANCER           | CA EPA - Prop 65                  | Carcinogen   |
| CANCER           | US CDC - Occupational Carcinogens | Occupational Carcinogen  |
| CANCER           | IARC                              | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources |
| SUBSTANCE NOTES: |                                   |  |

# BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE (THERMOPLASTIC RUBBER)

ID: 25038-32-8

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                        | HAZARD SCREENING DATE: 2020-09-04 |                    |  |
|--|------------------------|-----------------------------------|--------------------|--|
| %: 0.0800 - 0.1300   | GS: LT-UNK             | RC:<br><b>None</b>                | NANO:<br><b>No</b> | SUBSTANCE ROLE: Processing regulator     |
| HAZARD TYPE  | AGENCY AND LIST TITLES | WARNING                           | S                  |  |
| None found   |                        |                                   | No warı            | nings found on HPD Priority Hazard Lists |
| SUBSTANCE NOTES:   |                        |                                   |                    |  |

SODIUM BICARBONATE ID: 144-55-8

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                                       | HAZARD SCREENING DATE: 2020-09-04 |                  |                               |
|--|---------------------------------------|-----------------------------------|------------------|-------------------------------|
| %: <b>0.0700 - 0.1100</b>                                      | GS: <b>LT-P1</b>                      | RC: None                          | nano: <b>No</b>  | SUBSTANCE ROLE: Blowing agent |
| HAZARD TYPE  | AGENCY AND LIST TITLES                | WAF                               | RNINGS           |                               |
| ENDOCRINE  | TEDX - Potential Endocrine Disruptors | Pot                               | tential Endocrin | ne Disruptor                  |
| SUBSTANCE NOTES:   |                                       |                                   |                  |                               |

**CARBON BLACK** ID: 1333-86-4 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-04 %: 0.0500 - 0.0500 GS: **BM-1** RC: None nano: **No** SUBSTANCE ROLE: Pigment AGENCY AND LIST TITLES HAZARD TYPE WARNINGS CANCER US CDC - Occupational Carcinogens Occupational Carcinogen CANCER CA EPA - Prop 65 Carcinogen - specific to chemical form or exposure route IARC **CANCER** Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources **CANCER** MAK Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

# DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI)

ID: 64742-52-5

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |   | HAZARD SCREENING DATE: 2020-09-04  |
|--|---|--|
| %: 0.0400 - 0.0800   | GS: <b>LT-1</b>                             | RC: None NANO: No SUBSTANCE ROLE: Adhesive   |
| HAZARD TYPE  | AGENCY AND LIST TITLES                      | WARNINGS   |
| PBT  | EC - CEPA DSL                               | Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans                             |
| CANCER   | EU - GHS (H-Statements)                     | H350 - May cause cancer  |
| CANCER   | EU - REACH Annex XVII CMRs                  | Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man |
| MULTIPLE   | ChemSec - SIN List                          | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant   |
| MULTIPLE   | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters  |
| CANCER   | EU - Annex VI CMRs                          | Carcinogen Category 1B - Presumed Carcinogen based on animal evidence                          |
| CANCER   | GHS - Japan                                 | Carcinogenicity - Category 1A [H350]   |
| CANCER   | GHS - Australia                             | H350 - May cause cancer  |
| SUBSTANCE NOTES:   |   |  |

1,6-HEXANEDIOL DIACRYLATE

ID: 13048-33-4

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |   | HAZARD SCREENING DATE: 2020-09-04                        |                   |                                   |  |                                      |  |                         |
|--|---|--|-------------------|-----------------------------------|--|--------------------------------------|--|-------------------------|
| %: 0.0300 - 0.0300   | gs: <b>LT-P1</b>                            | RC: <b>None</b> NANO: <b>No</b> SUBSTANCE ROLE: <b>C</b> |                   |                                   |  | GS: LT-P1 RC: None NANO: No SUBSTANC |  | SUBSTANCE ROLE: Coating |
| HAZARD TYPE  | AGENCY AND LIST TITLES                      | WARNING  | S                 |                                   |  |                                      |  |                         |
| SKIN IRRITATION  | EU - GHS (H-Statements)                     | H315 -   | Causes skin irrit | ation                             |  |                                      |  |                         |
| SKIN SENSITIZE   | EU - GHS (H-Statements)                     | H317 - May cause an allergic skin reaction               |                   |                                   |  |                                      |  |                         |
| EYE IRRITATION   | EU - GHS (H-Statements)                     | H319 -   | Causes serious    | eye irritation                    |  |                                      |  |                         |
| MULTIPLE   | German FEA - Substances Hazardous to Waters | Class 2  | e - Hazard to Wa  | ters                              |  |                                      |  |                         |
| SKIN SENSITIZE   | MAK   | Sensiti  | zing Substance S  | Sh - Danger of skin sensitization |  |                                      |  |                         |
| SUBSTANCE NOTES:   |   |  |                   |                                   |  |                                      |  |                         |

HIGH-IMPACT POLYSTYRENE

ID: **9003-55-8** 

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-04

| %: 0.0200 - 0.0600 | GS: LT-UNK             | RC: None | nano: <b>No</b> | SUBSTANCE ROLE: Adhesive              |
|--------------------|------------------------|----------|-----------------|---------------------------------------|
| HAZARD TYPE        | AGENCY AND LIST TITLES | WARNINGS | 3               |                                       |
| None found         |                        |          | No warning      | gs found on HPD Priority Hazard Lists |
| SUBSTANCE NOTES:   |                        |          |                 |                                       |

| PENTAERYTHRITOL ROSINATE                                       |                        |                                   |                 | ID: <b>8050-26-8</b>                  |
|--|------------------------|-----------------------------------|-----------------|---------------------------------------|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                        | HAZARD SCREENING DATE: 2020-09-04 |                 |                                       |
| %: <b>0.0200 - 0.0600</b>                                      | gs: LT-UNK             | RC: None                          | nano: <b>No</b> | SUBSTANCE ROLE: Adhesive              |
| HAZARD TYPE  | AGENCY AND LIST TITLES | WARNING                           | GS              |                                       |
| None found   |                        |                                   | No warning      | gs found on HPD Priority Hazard Lists |
|  |                        |                                   |                 |                                       |

|  | LANTHANUM(3+) STEARATE |                                   |                 |                                       |  |
|--|------------------------|-----------------------------------|-----------------|---------------------------------------|--|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                        | HAZARD SCREENING DATE: 2020-09-04 |                 |                                       |  |
| %: 0.0200 - 0.0200   | gs: <b>NoGS</b>        | RC: None                          | nano: <b>No</b> | SUBSTANCE ROLE: Stabilizer            |  |
| HAZARD TYPE  | AGENCY AND LIST TITLES | WARNIN                            | IGS             |                                       |  |
| None found   |                        |                                   | No warnin       | gs found on HPD Priority Hazard Lists |  |

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |   | HAZARD SCREENING DATE: 2020-09-04                       |  |  |
|--|---|---|--|--|
| : 0.0100 - 0.0300  | GS: <b>LT-P1</b>                            | RC: None NANO: No SUBSTANCE ROLE: Coating               |  |  |
| HAZARD TYPE  | AGENCY AND LIST TITLES                      | WARNINGS  |  |  |
| RESPIRATORY  | AOEC - Asthmagens                           | Asthmagen (Rs) - sensitizer-induced                     |  |  |
| CANCER   | IARC  | Group 2b - Possibly carcinogenic to humans              |  |  |
| SKIN IRRITATION  | EU - GHS (H-Statements)                     | H315 - Causes skin irritation                           |  |  |
| SKIN SENSITIZE   | EU - GHS (H-Statements)                     | H317 - May cause an allergic skin reaction              |  |  |
| EYE IRRITATION   | EU - GHS (H-Statements)                     | H319 - Causes serious eye irritation                    |  |  |
| MULTIPLE   | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters                              |  |  |
| SKIN SENSITIZE   | MAK   | Sensitizing Substance Sh - Danger of skin sensitization |  |  |

SUBSTANCE NOTES:

AQUAFIL ID: 112945-52-5

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                        | HAZARD SCREENING DATE: 2020-09-04         |  |  |
|--|------------------------|---|--|--|
| %: 0.0100 - 0.0200   | GS: <b>BM-1</b>        | RC: None NANO: No SUBSTANCE ROLE: Coating |  |  |
| HAZARD TYPE  | AGENCY AND LIST TITLES | WARNINGS                                  |  |  |
| CANCER   | GHS - Japan            | Carcinogenicity - Category 1A [H350]      |  |  |
| CANCER   | GHS - Australia        | H350i - May cause cancer by inhalation    |  |  |
| SUBSTANCE NOTES:   |                        |   |  |  |

### 1,1,3,3-TETRAMETHYL-1,3-DIVINYLDISILOXANE

ID: 2627-95-4

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                        | HAZARD SCREENING DATE: 2020-09-04 |                 |                                      |
|--|------------------------|-----------------------------------|-----------------|--------------------------------------|
| %: <b>0.0100 - 0.0100</b>                                      | GS: LT-UNK             | RC: None                          | NANO: <b>No</b> | SUBSTANCE ROLE: Coating              |
| HAZARD TYPE  | AGENCY AND LIST TITLES | WARNING                           | S               |                                      |
| None found   |                        |                                   | No warning      | s found on HPD Priority Hazard Lists |
|  |                        |                                   |                 |                                      |

SUBSTANCE NOTES:



# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

#### **VOC EMISSIONS RFCI FloorScore**

CERTIFYING PARTY: Third Party ISSUE DATE: EXPIRY DATE: CERTIFIER OR LAB: SCS Global APPLICABLE FACILITIES: All 2020-07-2020-11-CERTIFICATE URL: 07 30 Services

https://www.scscertified.com/products/cert\_pdfs/Atlas&Masland\_2019\_SCS-FS-06266\_s.pdf

CERTIFICATION AND COMPLIANCE NOTES: Registration # SCS-FS-06266



# **Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



## Section 5: General Notes

Calibré High Performance LVT from AtlasMasland is a floating multilayer modular flooring and thus no adhesives are required/recommended for its installation. For more information, please refer to the professional installation manual.

### MANUFACTURER INFORMATION

MANUFACTURER: Dixie Group Commercial

ADDRESS: 209 Carpet Drive

**Atmore Alabama 36502, United States** 

WEBSITE: https://www.atlasmasland.com

CONTACT NAME: Dennis Daniel

TITLE: Director of Environmental Services

PHONE: (251) 368-7126

EMAIL: dennis.daniel@atlasmasland.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

### **KEY**

### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**LAN** Land toxicity

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or

reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

### **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.