

HPD UNIQUE IDENTIFIER: 22283

CLASSIFICATION: 09 96 00 High-Performance Coatings

PRODUCT DESCRIPTION: Scuffmaster Armor is an exceptionally durable and cleanable multi-tone and tone-on-tone paint finish system for walls. Finish system components are formulated with cross-linked polyurethane coatings, resulting in a lower life cycle cost than standard acrylic latex paints because of less damage from abrasion and increased ease of cleaning.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input checked="" type="radio"/> Nested Materials Method</p> <p><input type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p>Threshold level</p> <p><input checked="" type="radio"/> 100 ppm</p> <p><input type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p>Residuals/Impurities</p> <p>Residuals/Impurities Considered in 3 of 3 Materials</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p><i>One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow guidance.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p><i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i></p>
--	--	--	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

PC 205 [URETHANE-ACRYLIC COPOLYMER Not Screened ACRYLIC ENAMEL EMULSION Not Screened WATER BM-4 TEXANOL LT-UNK | CAN SILICON DIOXIDE BM-1 | CAN PROPYLENE GLYCOL BM-2 | END ASSOCIATIVE THICKENER Not Screened FOAM CONTROL AGENT Not Screened POLYCARBOXYLATE DISPERSANT Not Screened HASE THICKENER Not Screened POLYETHYLENE GLYCOL MONO(BRANCHED P-NONYLPHENYL) ETHER BM-1tp | END | MUL | REP | AQU | DEV POLYETHYLENE GLYCOL MONO(OCTYLPHENYL) ETHER LT-P1 | END | MUL 3-IODO-2-PROPYNYLBUTYL CARBAMATE BM-2 | AQU | SKI | EYE | MAM | END | MUL 2-AMINO-2-METHYLPROPANOL LT-UNK | SKI | EYE MACROGOL LT-UNK] AC 1205 [POLYURETHANE DISPERSION Not Screened ACRYLIC ENAMEL EMULSION Not Screened WATER BM-4 POLYETHYLENE GLYCOL MONO(BRANCHED P-NONYLPHENYL) ETHER BM-1tp | END | MUL | REP | AQU | DEV RHEOLOGY MODIFIER Not Screened DOCUSATE SODIUM LT-P1 | MUL TEXANOL LT-UNK | CAN 2-AMINO-2-METHYLPROPANOL LT-UNK | SKI | EYE 3-IODO-2-PROPYNYLBUTYL CARBAMATE BM-2 | AQU | SKI | EYE | MAM | END | MUL DEFOAMER Not Screened PROPYLENE GLYCOL BM-2 | END D-GLUCONIC ACID LT-UNK AMMONIUM HYDROXIDE LT-P1 | RES | AQU | SKI | MUL ACRYLIC MONOMER Not Screened 2-ETHYL-1-HEXANOL BM-2 | END | MUL FREEZE-THAW ADDITIVE Not Screened] MASTERLINK [TRIMETHYLOLPROPANE, TRIS(3-(2-METHYLAZIRIDINYL)PROPANOATE) BM-1 | RES]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All substances for which the identity is known are screened, all substances which are unknown or undisclosed are provided with their GHS classification.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 20 Regulatory (g/l): 45

Does the product contain exempt VOCs: Yes

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: MAS Certified Green - VOC Emissions

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-08-13

PUBLISHED DATE: 2020-10-08

EXPIRY DATE: 2023-08-13

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

PC 205

#: 45.0000 - 50.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Other: Paint

RESIDUALS AND IMPURITIES NOTES: As specified per supplier GHS SDS

OTHER MATERIAL NOTES:

URETHANE-ACRYLIC COPOLYMER

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-08-13

#: 44.0000 - 50.0000 GS: Not Screened RC: None NANO: No SUBSTANCE ROLE: Film former

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening not performed

SUBSTANCE NOTES: High solids waterborne aliphatic urethane/acrylic copolymer for air dry coating, designed for high performance. Regulation (EC) Classification Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

ACRYLIC ENAMEL EMULSION

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-08-13

#: 32.0000 - 36.0000 GS: Not Screened RC: None NANO: No SUBSTANCE ROLE: Film former

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening not performed

SUBSTANCE NOTES: 100% acrylic emulsion developed for both interior and light-duty-exterior high gloss and semigloss enamel. GHS classification in accordance with 29 CFR 1910.1200 Not a hazardous substance or mixture.

WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-08-13

#: 4.0000 - 6.0000 GS: BM-4 RC: None NANO: No SUBSTANCE ROLE: Carrier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

TEXANOL

ID: 25265-77-4

%: **3.0000 - 3.5000**GS: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Coalescent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES:

SILICON DIOXIDEID: **7631-86-9**%: **2.0000 - 3.0000**GS: **BM-1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Surface modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES:

PROPYLENE GLYCOLID: **57-55-6**%: **2.0000 - 2.5000**GS: **BM-2**RC: **None**NANO: **No**SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES:

ASSOCIATIVE THICKENERID: **Not Registered**%: **2.0000 - 3.0000**GS: **Not Screened**RC: **None**NANO: **No**SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	Hazard Screening not performed	

SUBSTANCE NOTES: Solvent-free, hydrophobically modified polyether, 20% solids.
GHS classification in accordance with 29 CFR 1910.1200 Not a hazardous substance or mixture.

FOAM CONTROL AGENTID: **Not registered**%: **0.5000 - 1.5000**GS: **Not Screened**RC: **None**NANO: **No**SUBSTANCE ROLE: **Defoamer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	Hazard Screening not performed	

SUBSTANCE NOTES:

POLYCARBOXYLATE DISPERSANT

ID: **Not registered**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-13**
 %: **0.2000 - 0.7000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Dispersant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	Hazard Screening not performed	

SUBSTANCE NOTES: Anionic polyelectrolyte pigment dispersant, 30% solids.
 GHS classification in accordance with 29 CFR 1910.1200 Not a hazardous substance or mixture.

HASE THICKENER

ID: **Not registered**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-13**
 %: **0.2000 - 0.7000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	Hazard Screening not performed	

SUBSTANCE NOTES: Low-cost hydrophobically modified alkali-swellable emulsion designed for all latex paints.
 This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

POLYETHYLENE GLYCOL MONO(BRANCHED P-NONYLPHENYL) ETHER

ID: **127087-87-0**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-13**
 %: **0.1500 - 0.3000** GS: **BM-1tp** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Chemical for Priority Action
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
REPRODUCTIVE	US EPA - PPT Chemical Action Plans	Reproductive effects
CHRON AQUATIC	US EPA - PPT Chemical Action Plans	Highly toxic to aquatic organisms
DEVELOPMENTAL	US EPA - PPT Chemical Action Plans	Developmental Effects
ENDOCRINE	EU - SVHC Authorisation List	Equivalent Concern - Candidate List

SUBSTANCE NOTES:

POLYETHYLENE GLYCOL MONO(OCTYLPHENYL) ETHER

ID: 9036-19-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-13**%: **0.1500 - 0.2500** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES:

3-iodo-2-propynylbutylcarbamate

ID: 55406-53-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-13**%: **0.1000 - 0.2000** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Biocide**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES:

2-amino-2-methylpropanol

ID: 124-68-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-13**%: **0.1000 - 0.3000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Buffer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation

SUBSTANCE NOTES:

MACROGOL

ID: 25322-68-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-13	
%: Impurity/Residual	GS: LT-UNK	RC: None	NANO: No SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES:			

AC 1205

%: **45.0000 - 50.0000**

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Other: Paint
RESIDUALS AND IMPURITIES NOTES: As specified per supplier GHS SDS		
OTHER MATERIAL NOTES: Neutral base AC 1200		

POLYURETHANE DISPERSION ID: **Not Registered**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-13	
%: 64.0000 - 72.0000	GS: Not Screened	RC: None	NANO: No SUBSTANCE ROLE: Film former
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
	Hazard Screening not performed		
SUBSTANCE NOTES: Aqueous polyurethane dispersion with no free isocyanate. GHS Classification Serious eye damage : Category 1			

ACRYLIC ENAMEL EMULSION ID: **Not Registered**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-13	
%: 22.0000 - 26.0000	GS: Not Screened	RC: None	NANO: No SUBSTANCE ROLE: Film former
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
	Hazard Screening not performed		
SUBSTANCE NOTES: 100% acrylic emulsion developed for both interior and light-duty-exterior high gloss and semigloss enamel. GHS classification in accordance with 29 CFR 1910.1200 Not a hazardous substance or mixture.			

WATER ID: **7732-18-5**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-13	
%: 3.0000 - 5.0000	GS: BM-4	RC: None	NANO: No SUBSTANCE ROLE: Carrier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES:			

POLYETHYLENE GLYCOL MONO(BRANCHED P-NONYLPHENYL) ETHER ID: **127087-87-0**

#: **3.0000 - 7.0000** GS: **BM-1tp** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Chemical for Priority Action
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
REPRODUCTIVE	US EPA - PPT Chemical Action Plans	Reproductive effects
CHRON AQUATIC	US EPA - PPT Chemical Action Plans	Highly toxic to aquatic organisms
DEVELOPMENTAL	US EPA - PPT Chemical Action Plans	Developmental Effects
ENDOCRINE	EU - SVHC Authorisation List	Equivalent Concern - Candidate List

SUBSTANCE NOTES:

RHEOLOGY MODIFIER

ID: **Not Registered**

#: **0.5000 - 1.5000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening not performed		

SUBSTANCE NOTES: Solvent-free, hydrophobically modified ethylene oxide urethane (HEUR) based on proprietary technology for an excellent balance of properties.
GHS classification in accordance with 29 CFR 1910.1200 Not a hazardous substance or mixture.

DOCUSATE SODIUM

ID: **577-11-7**

#: **0.3500 - 0.6500** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

TEXANOL

ID: **25265-77-4**

#: **0.3000 - 0.5000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coalescent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES:

2-AMINO-2-METHYLPROPANOL

ID: 124-68-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-13**%: **0.2000 - 0.3000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Buffer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation

SUBSTANCE NOTES:

3-iodo-2-propynylbutylcarbamate

ID: 55406-53-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-13**%: **0.1500 - 0.2000** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Biocide**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES:

DEFOAMERID: **Not Registered**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-13**%: **0.1000 - 0.5000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Defoamer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	Hazard Screening not performed	

SUBSTANCE NOTES: Specialty foam control agent designed for use with acrylic paint systems.
This material is considered not hazardous as defined by OSHA 29 CFR 1910.1200

PROPYLENE GLYCOL

ID: 57-55-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-08-13	GS: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Carrier
---	--	-----------------	-----------------	-----------------	--------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
-----------	---------------------------------------	-------------------------------

SUBSTANCE NOTES:

D-GLUCONIC ACID ID: **526-95-4**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-08-13	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Buffer
---	--	-------------------	-----------------	-----------------	-------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found	No warnings found on HPD Priority Hazard Lists
------------	--

SUBSTANCE NOTES:

AMMONIUM HYDROXIDE ID: **1336-21-6**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-08-13	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Buffer
---	--	------------------	-----------------	-----------------	-------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
-------------	-------------------	-------------------------------------

RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rr&Rs) - irritant-induced & sensitizer-induced
-------------	-------------------	---

ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
---------------	-------------------------	-----------------------------------

SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
-----------------	-------------------------	--

MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
----------	---	----------------------------

SUBSTANCE NOTES:

ACRYLIC MONOMER ID: **Not Registered**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-08-13	GS: Not Screened	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
---	--	-------------------------	-----------------	-----------------	--

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening not performed

SUBSTANCE NOTES:

2-ETHYL-1-HEXANOL ID: **104-76-7**

%: 0.0100 - 0.0200

GS: BM-2

RC: None

NANO: No

SUBSTANCE ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

FREEZE-THAW ADDITIVE ID: Not Registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-08-13

%: 0.0000 - 1.0000 GS: Not Screened RC: None NANO: No SUBSTANCE ROLE: Anti-freeze

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening not performed		

SUBSTANCE NOTES: APE-free and zero-VOC post-polymerization additive that promotes freeze-thaw stability in both resin and coating formulations.
HCS 2012 (29 CFR 1910.1200) - Not a hazardous product according to Globally harmonized System (GHS)

MASTERLINK %: 0.0000 - 1.1000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: 100% solids polyfunctional aziridine

OTHER MATERIAL NOTES:

TRIMETHYLOLPROPANE, TRIS(3-(2-METHYLAZIRIDINYL)PROPANOATE) ID: 64265-57-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-08-13

%: 100.0000 - 100.0000 GS: BM-1 RC: None NANO: No SUBSTANCE ROLE: Curing agent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	MAS Certified Green - VOC Emissions		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All facilities CERTIFICATE URL: https://2f3785c4-e873-4fc5-9f51-8909f3528769.filesusr.com/ugd/c3b0ae_a584063acc354455abc2d6c34274c798.pdf CERTIFICATION AND COMPLIANCE NOTES: Certificate No. MAS2000429-1R1	ISSUE DATE: 2020-08-07	EXPIRY DATE: 2021-08-07	CERTIFIER OR LAB: Material Analytical Services, LLC
VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All facilities CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES: Certificate No. MAS2000429-1R1	ISSUE DATE: 2020-08-07	EXPIRY DATE: 2021-08-07	CERTIFIER OR LAB: Material Analytical Services, LLC
VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All facilities CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES: Calculated from base materials and verified in-house	ISSUE DATE: 2020-08-07	EXPIRY DATE:	CERTIFIER OR LAB: None

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

APPLICATION GUIDE	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Instructions for proper application are included with every order of Scuffmaster	

Section 5: General Notes

This HPD was prepared by the manufacturer. All of the information disclosed is true and accurate to the best of their knowledge.

MANUFACTURER INFORMATION

MANUFACTURER: ICP Group
ADDRESS: 150 Dascomb Rd
 Andover Massachusetts 01810, United States
WEBSITE: <https://www.scuffmaster.com/>

CONTACT NAME: Nick Brenneman
TITLE: Chemist
PHONE: 9786239980 x2262
EMAIL: nbrenneman@icpgroup.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.