

HPD UNIQUE IDENTIFIER: 22548

CLASSIFICATION: 09 97 35 Dry Erase Coatings

PRODUCT DESCRIPTION: IdeaPaint™ Inc. was founded in 2008 to help people and businesses collaborate more effectively, be more creative, and accelerate innovation. Our signature product, a patent-pending dry erase paint, transforms virtually any smooth surface into an erasable canvas, giving you the space you need to fully explore your big ideas. It's more than a tool, it's a catalyst for better results.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input checked="" type="radio"/> Nested Materials Method <input type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material <input checked="" type="radio"/> Product</p>	<p>Threshold level</p> <p><input checked="" type="radio"/> 100 ppm <input type="radio"/> 1,000 ppm <input type="radio"/> Per GHS SDS <input type="radio"/> Other</p>	<p>Residuals/Impurities</p> <p>Residuals/Impurities Considered in 2 of 2 Materials</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>All substances disclosed by Name (Specific or Generic) and Identifier.</i></p>
--	---	--	--

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

PRO WHITE PART A [STYRENE, METHYL METHACRYLATE, METHACRYLIC ACID, 2-ETHYLHEXYL ACRYLATE POLYMER NoGS BUTYL ACETATE LT-UNK METHYL ISOAMYL KETONE LT-UNK WATER NoGS PROPYLENE CARBONATE LT-UNK | EYE XYLENES BM-1 | SKI | END | MUL | REP ALUMINA TRIHYDRATE BM-2 | RES ETHYLBENZENE NoGS PROPIONIC ACID LT-UNK | SKI DIBUTYLTIN DILAURATE LT-1 | PBT | GEN | REP | MAM | MUL | END | CAN | DEV]
PRO WHITE PART B [HEXAMETHYLENE DIISOCYANATE HOMOPOLYMER (HDI HOMOPOLYMER) LT-P1 BUTYL ACETATE LT-UNK XYLENES BM-1 | SKI | END | MUL | REP ETHYLBENZENE NoGS 1,6-HEXAMETHYLENE DIISOCYANATE LT-UNK | RES | SKI | EYE | MAM]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Materials as represented meet criteria as known form GHS SDS from supplier.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 331 Regulatory (g/l): 331
Does the product contain exempt VOCs: Yes
Are ultra-low VOC tints available: No

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified
VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

<p>Third Party Verified?</p> <p><input type="radio"/> Yes <input checked="" type="radio"/> No</p>	<p>PREPARER: Self-Prepared VERIFIER: VERIFICATION #:</p>	<p>SCREENING DATE: 2018-09-19 PUBLISHED DATE: 2020-10-15 EXPIRY DATE: 2021-09-19</p>
---	--	--

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

PRO WHITE PART A

#: 54.0000 - 64.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: As provided and known from GHS SDS from supplier

HPD URL: <https://www.ideapaint.com/>

OTHER MATERIAL NOTES: Part A must be used with Part B

STYRENE, METHYL METHACRYLATE, METHACRYLIC ACID, 2-ETHYLHEXYL ACRYLATE POLYMER

ID: 28377-44-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2018-09-19

#: 19.0000 - 21.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: As per GHS SDS from supplier

BUTYL ACETATE

ID: 123-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2018-09-19

#: 13.0000 - 15.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Carrier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: As per GHS SDS from supplier

METHYL ISOAMYL KETONE

ID: 110-12-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2018-09-19

#: 12.0000 - 14.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Carrier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: As per GHS SDS from supplier

WATER

ID: 558440-22-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-09-19		
%: 9.0000 - 11.0000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: As per GHS SDS from supplier				

PROPYLENE CARBONATE ID: **108-32-7**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-09-19		
%: 5.0000 - 7.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation		
SUBSTANCE NOTES: As per GHS SDS from supplier				

XYLENES ID: **1330-20-7**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-09-19		
%: 1.5000 - 2.5000	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Carrier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B		
SUBSTANCE NOTES: As per GHS SDS from supplier				

ALUMINA TRIHYDRATE ID: **21645-51-2**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-09-19		
%: 1.5000 - 2.5000	GS: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
SUBSTANCE NOTES: As per GHS SDS from supplier				

ETHYLBENZENE ID: **178535-25-6**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-09-19		
%: 0.8000 - 1.2000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: As per GHS SDS from supplier		

PROPIONIC ACID

ID: 79-09-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-09-19		
%: 0.5000 - 1.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Anti-freeze
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage		
SUBSTANCE NOTES: As per GHS SDS from supplier				

DIBUTYLTIN DILAURATE

ID: 77-58-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-09-19		
%: 0.0100 - 0.0400	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Catalyst
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action		
GENE MUTATION	EU - GHS (H-Statements)	H341 - Suspected of causing genetic defects		
REPRODUCTIVE	EU - GHS (H-Statements)	H360FD - May damage fertility. May damage the unborn child		
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure		
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
DEVELOPMENTAL	MAK	Pregnancy Risk Group B		
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B		
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B		
REPRODUCTIVE	Australia - GHS	H360Fd - May damage fertility. Suspected of damaging the unborn child		
SUBSTANCE NOTES: As per GHS SDS from supplier				

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: As provided and known per GHS SDS from supplier

HPD URL: <https://www.ideapaint.com/>

OTHER MATERIAL NOTES: Part B must be mixed with Part A

HEXAMETHYLENE DIISOCYANATE HOMOPOLYMER (HDI HOMOPOLYMER)

ID: 28182-81-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-09-19**

#: **69.0000 - 74.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Activator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: As per GHS SDS from supplier

BUTYL ACETATE

ID: 123-86-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-09-19**

#: **19.0000 - 21.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: As per GHS SDS from supplier

XYLENES

ID: 1330-20-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-09-19**

#: **6.0000 - 8.0000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B

SUBSTANCE NOTES: As per GHS SDS from supplier

ETHYLBENZENE

ID: 178535-25-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-09-19**

#: **1.5000 - 2.5000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: As per GHS SDS from supplier

1,6-HEXAMETHYLENE DIISOCYANATE

ID: 822-06-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-09-19**

%: **0.8000 - 1.2000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Activator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: As per GHS SDS from supplier

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All facilities CERTIFICATE URL: ul.com	ISSUE DATE: 2010-10-14	EXPIRY DATE: 2018-10-14	CERTIFIER OR LAB: UL Environment Inc.
CERTIFICATION AND COMPLIANCE NOTES: Standard class room size of 24 foot square 9 foot walls to 4 x 10 foot whiteboards			
VOC CONTENT	EPA Method 24 - Volatile Matter Content (EPA 24)		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All facilities CERTIFICATE URL: intertek.com	ISSUE DATE: 2013-05-30	EXPIRY DATE:	CERTIFIER OR LAB: Intertek
CERTIFICATION AND COMPLIANCE NOTES: VOC per EPA 24 method for solvent based 2 part coatings			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

HIGH DENSITY FOAM ROLLER	HPD URL: No HPD Available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: High density foam roller required for application	

Section 5: General Notes

IdeaPaint™ Inc. was founded in 2008 to help people and businesses collaborate more effectively, be more creative, and accelerate innovation. Our signature product, a patent-pending dry erase paint, transforms virtually any smooth surface into an erasable canvas, giving you the space you need to fully explore your big ideas. It's more than a tool, it's a catalyst for better results.

MANUFACTURER INFORMATION

MANUFACTURER: ICP Group
ADDRESS: 150 Dascomb Rd
 Andover Massachusetts 01810, USA
WEBSITE: <http://www.ideapaint.com>

CONTACT NAME: Marty Donbrosky Jr
TITLE: Technical Director
PHONE: 419-344-5220
EMAIL: mdonbrosky@icpgroup.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.