

HPD UNIQUE IDENTIFIER: 22528

CLASSIFICATION: 09 96 00 High-Performance Coatings

PRODUCT DESCRIPTION: Scuffmaster Ambient Metallic is an exceptionally durable and cleanable multi tone paint finish system for walls that utilizes a solid color base luxuriously textured with metallic pattern. This finish system's components are formulated with cross-linked polyurethane coatings, resulting in a lower life cycle cost than standard acrylic latex paints because of less damage from abrasion and increased ease of cleaning.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	
<input checked="" type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i>
<input type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	Residuals/Impurities Considered in 4 of 4 Materials	
	<input type="radio"/> Per GHS SDS		Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
	<input type="radio"/> Other	Explanation(s) provided for Residuals/Impurities?	<i>% weight and role provided for all substances.</i>
Threshold Disclosed Per			Screened <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No
<input type="radio"/> Material		<input checked="" type="radio"/> Yes <input type="radio"/> No	<i>One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow guidance.</i>
<input checked="" type="radio"/> Product			Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No
			<i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

AC 1205 [POLYURETHANE DISPERSION Not Screened ACRYLIC ENAMEL EMULSION Not Screened WATER BM-4 POLYETHYLENE GLYCOL MONO(BRANCHED P-NONYLPHENYL) ETHER BM-1tp | END | MUL | REP | AQU | DEV RHEOLOGY MODIFIER Not Screened DOCUSATE SODIUM LT-P1 | MUL TEXANOL LT-UNK | CAN 2-AMINO-2-METHYLPROPANOL LT-UNK | SKI | EYE 3-IODO-2-PROPYNLBUTYL CARBAMATE BM-2 | AQU | SKI | EYE | MAM | END | MUL DEFOAMER Not Screened PROPYLENE GLYCOL BM-2 | END D-GLUCONIC ACID LT-UNK AMMONIUM HYDROXIDE LT-P1 | RES | AQU | SKI | MUL ACRYLIC MONOMER Not Screened 2-ETHYL-1-HEXANOL BM-2 | END | MUL FREEZE-THAW ADDITIVE Not Screened] MC 105 [ACRYLIC EMULSION Not Screened WATER BM-4 URETHANE-ACRYLIC DISPERSION Not Screened POLYNOXYLIN LT-P1 | RES ASSOCIATIVE THICKENER Not Screened DISPERSANT Not Screened TEXANOL LT-UNK | CAN DEFOAMER Not Screened HEUR THICKENER Not Screened HASE THICKENER Not Screened WAX, CARNAUBA NoGS PARAFFIN LT-UNK AMMONIUM HYDROXIDE LT-P1 | RES | AQU | SKI | MUL 2,4,7,9-TETRAMETHYL-5-DECYNE-4,7-DIOL LT-UNK C9-11 PARETH-3 LT-P1 | MUL C14-15 PARETH-7 LT-UNK 1,2-BENZISOTHIAZOLINE-3-ONE LT-P1 | AQU | SKI | EYE | MUL] METALLIC SLURRY [WATER BM-4 ALUMINUM BM-1 | RES | PHY | END ETHYLENE GLYCOL MONO-N-BUTYL ETHER BM-2 | SKI | EYE | END 2,4,7,9-TETRAMETHYL-5-DECYNE-4,7-DIOL LT-UNK AMINE 220 LT-P1 | MUL] MASTERLINK [TRIMETHYLOLPROPANE, TRIS(3-(2-METHYLAZIRIDINYL)PROPANOATE) BM-1 | RES]

Number of Greenscreen BM-4/BM3 contents ... 3

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All substances for which the identity is known are screened, all substances which are unknown or undisclosed are provided with their GHS classification.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 18 Regulatory (g/l): 36

Does the product contain exempt VOCs: Yes

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: MAS Certified Green - VOC Emissions

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-08-18

PUBLISHED DATE: 2020-10-15

EXPIRY DATE: 2023-08-18

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

AC 1205

#: 45.0000 - 50.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Other: Paint

RESIDUALS AND IMPURITIES NOTES: As specified per supplier GHS SDS

OTHER MATERIAL NOTES: Neutral base AC 1200

POLYURETHANE DISPERSION

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-08-18

#: 64.0000 - 72.0000 GS: Not Screened RC: None NANO: No SUBSTANCE ROLE: Film former

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening not performed

SUBSTANCE NOTES: Aqueous polyurethane dispersion with no free isocyanate.
GHS Classification Serious eye damage : Category 1

ACRYLIC ENAMEL EMULSION

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-08-18

#: 22.0000 - 26.0000 GS: Not Screened RC: None NANO: No SUBSTANCE ROLE: Film former

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening not performed

SUBSTANCE NOTES: 100% acrylic emulsion developed for both interior and light-duty-exterior high gloss and semigloss enamel.
GHS classification in accordance with 29 CFR 1910.1200 Not a hazardous substance or mixture.

WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-08-18

#: 3.0000 - 5.0000 GS: BM-4 RC: None NANO: No SUBSTANCE ROLE: Carrier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

POLYETHYLENE GLYCOL MONO(BRANCHED P-NONYLPHENYL) ETHER

ID: 127087-87-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-18**

#: **3.0000 - 7.0000** GS: **BM-1tp** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Chemical for Priority Action
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
REPRODUCTIVE	US EPA - PPT Chemical Action Plans	Reproductive effects
CHRON AQUATIC	US EPA - PPT Chemical Action Plans	Highly toxic to aquatic organisms
DEVELOPMENTAL	US EPA - PPT Chemical Action Plans	Developmental Effects
ENDOCRINE	EU - SVHC Authorisation List	Equivalent Concern - Candidate List

SUBSTANCE NOTES:

RHEOLOGY MODIFIER

ID: **Not registered**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-18**

#: **0.5000 - 1.5000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	Hazard Screening not performed	

SUBSTANCE NOTES: Solvent-free, hydrophobically modified ethylene oxide urethane (HEUR) based on proprietary technology for an excellent balance of properties.

GHS classification in accordance with 29 CFR 1910.1200 Not a hazardous substance or mixture.

DOCUSATE SODIUM

ID: **577-11-7**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-18**

#: **0.3500 - 0.6500** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

TEXANOL

ID: **25265-77-4**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-18**

#: **0.3000 - 0.5000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coalescent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES:

2-AMINO-2-METHYLPROPANOL

ID: 124-68-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-18**%: **0.2000 - 0.3000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Buffer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation

SUBSTANCE NOTES:

3-iodo-2-propynylbutylcarbamate

ID: 55406-53-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-18**%: **0.1500 - 0.2000** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Biocide**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES:

DEFOAMERID: **Not registered**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-18**%: **0.1000 - 0.5000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Defoamer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	Hazard Screening not performed	

SUBSTANCE NOTES: Specialty foam control agent designed for use with acrylic paint systems.
This material is considered not hazardous as defined by OSHA 29 CFR 1910.1200

PROPYLENE GLYCOL

ID: 57-55-6

%: **0.0400 - 0.0500**GS: **BM-2**RC: **None**NANO: **No**SUBSTANCE ROLE: **Carrier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SUBSTANCE NOTES:		

D-GLUCONIC ACIDID: **526-95-4**%: **0.0200 - 0.0400**GS: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Buffer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:		

AMMONIUM HYDROXIDEID: **1336-21-6**%: **0.0200 - 0.0300**GS: **LT-P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Buffer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rr&Rs) - irritant-induced & sensitizer-induced
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SUBSTANCE NOTES:		

ACRYLIC MONOMERID: **Not registered**%: **Impurity/Residual**GS: **Not Screened**RC: **None**NANO: **No**SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	Hazard Screening not performed	
SUBSTANCE NOTES:		

2-ETHYL-1-HEXANOLID: **104-76-7**

?: 0.0100 - 0.0200

GS: BM-2

RC: None

NANO: No

SUBSTANCE ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

FREEZE-THAW ADDITIVE

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-08-18

?: 0.0000 - 1.0000

GS: Not Screened

RC: None

NANO: No

SUBSTANCE ROLE: Anti-freeze

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening not performed		

SUBSTANCE NOTES: APE-free and zero-VOC post-polymerization additive that promotes freeze-thaw stability in both resin and coating formulations.

HCS 2012 (29 CFR 1910.1200) - Not a hazardous product according to Globally harmonized System (GHS)

MC 105

?: 45.0000 - 50.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Other: Paint

RESIDUALS AND IMPURITIES NOTES: As specified per supplier GHS SDS

OTHER MATERIAL NOTES:

ACRYLIC EMULSION

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-08-18

?: 50.0000 - 55.0000

GS: Not Screened

RC: None

NANO: No

SUBSTANCE ROLE: Film former

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening not performed		

SUBSTANCE NOTES: 100% acrylic emulsion designed for low VOC paints. GHS classification in accordance with 29 CFR 1910.1200

WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-08-18

?: 18.0000 - 23.0000

GS: BM-4

RC: None

NANO: No

SUBSTANCE ROLE: Carrier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

URETHANE-ACRYLIC DISPERSIONID: **Not registered**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-18**%: **10.0000 - 12.0000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Film former**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: Urethane-acrylic hybrid dispersion
GHS Skin Corrosion/Irritation Category 2
GHS Serious Eye Damage/Eye Irritation Category 2A**POLYNOXYLIN**ID: **9011-05-6**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-18**%: **3.0000 - 5.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Matting agent**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

RESPIRATORY AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

ASSOCIATIVE THICKENERID: **Not registered**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-18**%: **2.0000 - 4.0000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: Solvent-free, hydrophobically modified polyether, 20% solids.
GHS classification in accordance with 29 CFR 1910.1200 Not a hazardous substance or mixture.**DISPERSANT**ID: **Not registered**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-18**%: **1.5000 - 2.0000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Dispersant**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: Solution of a high molecular weight block copolymer with pigment affinic groups.
GHS Classification:
Not a hazardous substance or mixture.**TEXANOL**ID: **25265-77-4**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-18**%: **1.0000 - 1.5000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coalescent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
SUBSTANCE NOTES:		

DEFOAMER

ID: **Not registered**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-18		
%: 0.5000 - 1.5000	GS: Not Screened	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
Hazard Screening not performed				
SUBSTANCE NOTES:				

HEUR THICKENER

ID: **Not registered**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-18		
%: 0.5000 - 1.5000	GS: Not Screened	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
Hazard Screening not performed				
SUBSTANCE NOTES: A solvent-free, hydrophobically modified ethylene oxide urethane (HEUR) rheology modifier based on proprietary technology. GHS classification in accordance with 29 CFR 1910.1200 Not a hazardous substance or mixture.				

HASE THICKENER

ID: **Not registered**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-18		
%: 0.2000 - 0.4000	GS: Not Screened	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
Hazard Screening not performed				
SUBSTANCE NOTES: Hydrophobically modified, alkali-soluble, emulsion-form synthetic liquid thickener based on anionic, acrylic chemistry. This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.				

WAX, CARNAUBA

ID: **8015-86-9**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-18		
%: 0.2000 - 0.7000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Water resistance
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES:

PARAFFIN

ID: 8002-74-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-18**%: **0.2000 - 0.7000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Water resistance**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

AMMONIUM HYDROXIDE

ID: 1336-21-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-18**%: **0.2000 - 0.3000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Buffer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rr&Rs) - irritant-induced & sensitizer-induced
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

2,4,7,9-TETRAMETHYL-5-DECYNE-4,7-DIOL

ID: 126-86-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-18**%: **0.0800 - 0.2500** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

C9-11 PARETH-3

ID: 68439-46-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-18**%: **0.0200 - 0.0900** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

C14-15 PARETH-7

ID: 68951-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-18**%: **0.0200 - 0.1000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

1,2-BENZISOTHIAZOLINE-3-ONE

ID: 2634-33-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-18**%: **0.0150 - 0.0250** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Biocide**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage
MULTIPLE	German FE A - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES:

METALLIC SLURRY

%: 2.0000 - 2.5000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Other: Pigment dispersion

RESIDUALS AND IMPURITIES NOTES: As specified per supplier GHS SDS

OTHER MATERIAL NOTES:

WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-08-18**%: **34.0000 - 63.0000** GS: **BM-4** RC: **None** NANO: **No** SUBSTANCE ROLE: **Carrier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

ALUMINUM

ID: 7429-90-5

%: **30.0000 - 50.0000**GS: **BM-1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Surface modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES:

ETHYLENE GLYCOL MONO-N-BUTYL ETHERID: **111-76-2**%: **5.0000 - 10.0000**GS: **BM-2**RC: **None**NANO: **No**SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES:

2,4,7,9-TETRAMETHYL-5-DECYNE-4,7-DIOLID: **126-86-3**%: **1.0000 - 3.0000**GS: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

AMINE 220ID: **95-38-5**%: **1.0000 - 3.0000**GS: **LT-P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES:

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: 100% solids polyfunctional aziridine

OTHER MATERIAL NOTES:

TRIMETHYLOLPROPANE, TRIS(3-(2-METHYLAZIRIDINYL)PROPANOATE)

ID: 64265-57-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2020-08-18

#: 100.0000 - 100.0000

GS: **BM-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Curing agent**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	MAS Certified Green - VOC Emissions		
CERTIFYING PARTY: Third Party	ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB:
APPLICABLE FACILITIES: All facilities	2020-08-07	2021-08-07	Material Analytical Services, LLC
CERTIFICATE URL: https://2f3785c4-e873-4fc5-9f51-8909f3528769.filesusr.com/ugd/c3b0ae_a584063acc354455abc2d6c34274c798.pdf			
CERTIFICATION AND COMPLIANCE NOTES: Certificate No. MAS2000429-1R1			

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2020-08-07	EXPIRY DATE: 2021-08-07	CERTIFIER OR LAB: Material Analytical Services, LLC
APPLICABLE FACILITIES: All facilities			
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: Certificate No. MAS2000429-1R1			

VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2020-08-07	EXPIRY DATE:	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: All facilities			
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: Calculated from base materials and verified in-house			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

APPLICATION GUIDE	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Instructions for proper application are included with every order of Scuffmaster	

Section 5: General Notes

This HPD was prepared by the manufacturer. All of the information disclosed is true and accurate to the best of their knowledge.

MANUFACTURER INFORMATION

MANUFACTURER: ICP Group
ADDRESS: 150 Dascomb Rd
 Andover Massachusetts 01810, United States
WEBSITE: <https://www.scuffmaster.com/>

CONTACT NAME: Nick Brenneman
TITLE: Chemist
PHONE: 9786239980 x2262
EMAIL: nbrenneman@icpgroup.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.